



Absaroka

January 10, 2025

Joel Mason

112 High St.

Buffalo

WY

82834

**Project Name - Citation Speaker Unit Compressor**

**Project Number - [none]**

Attached are your analytical results for Citation Speaker Unit Compressor received by Origins Laboratory December 06, 2024. This project is associated with Origins project number E4L0246-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory  
303.433.1322  
projectmanager@originslab.com



1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645



Absaroka

112 High St.

Buffalo

WY

82834

Joel Mason

Project Number: [none]

Project: Citation Speaker Unit Compressor

## CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SPKRCOMP_BG@2'	E4L0246-01	Soil	December 2, 2024 14:22	12/06/2024 15:44

Origins Laboratory

A handwritten signature in black ink, appearing to read "J. Bynon".

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jordan A. Bynon, Project Manager

Absaroka  
112 High St.  
Buffalo

WY 82834

Joel Mason  
Project Number: [none]  
Project: Citation Speaker Unit Compressor

## ORIGINS

640246

Page 1 of 1

Client:	Citation/ Absoroka
Address:	

Project Manager: Joel Mason

Key:

---

Project Number: Citation speaker Unit compressor

W = Water

Telephone Number: 307-262-8975

Collected By: 701 20

$G_W$  = Groundwater

Email Address: [Joel.mason@absarokasolutions.com](mailto:Joel.mason@absarokasolutions.com)

Invoice/Billing Info: On file. Credit

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

S=Solid | SO=Solid | O=Oil | A=Air | G=Gas || UNP=Unpolymerized | HCL=Hydrochloric | HNO3=Nitric | H2SO4=Sulfuric | NaOH=Sodium Hydroxide

[illegible]

Temp Received-

Received On Ice? ☒ Yes ☐ No

## Origins Laboratory

Byron

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jordan A. Bynon, Project Manager

# ORIGINS

## LABORATORY

Absaroka  
112 High St.  
Buffalo

WY 82834

Joel Mason  
Project Number: [none]  
Project: Citation Speaker Unit Compressor

Origins Laboratory

### Sample Receipt Checklist

F-012207-01-R1  
Effective Date: 01/09/12

Origins Work Order: E4C0246

Client: Absaroka  
Client Project ID: Speaker Unit

Checklist Completed by: THO WS  
Date/time completed: 12/6/24

Shipped Via: HO  
(UPS, FedEx, Hand Delivered, Pick-up, etc.)  
Airbill #: N/A

Matrix(s) Received: (Check all that apply): ☒ Soil/Solid ☐ Water ☐ Other: \_\_\_\_\_  
Cooler Number/Temperature: 116 °C 1 °C 1 °C (Describe) \_\_\_\_\_ °C

Thermometer ID: 7007

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C <sup>(1)</sup> ?	/			
Is there ice present (document if blue ice is used)?	/			
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)		/		
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)		/		
Were all samples received intact <sup>(1)</sup> ?	/			
Was adequate sample volume provided <sup>(1)</sup> ?	/			
Are short holding time analytes or samples with HTs due within 48 hours present <sup>(1)</sup> ?		/		
Is a chain-of-custody (COC) present and filled out completely <sup>(1)</sup> ?	/			
Does the COC agree with the number and type of sample bottles received <sup>(1)</sup> ?	/			
Do the sample IDs on the bottle labels match the COC <sup>(1)</sup> ?	/			
Is the COC properly relinquished by the client with date and time recorded <sup>(1)</sup> ?	/			
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.			/	
Are samples preserved that require preservation and was it checked <sup>(1)</sup> ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity) (pH < 2 for samples preserved with HNO <sub>3</sub> , HCL, H <sub>2</sub> SO <sub>4</sub> ) / (pH > 10 for samples preserved with NaAsO <sub>2</sub> +NaOH, ZnAc+NaOH)		/		
Additional Comments (if any):				

<sup>(1)</sup>If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by (Project Manager) THO

12/6/24  
Date/Time Reviewed

Origins Laboratory

*J. Bynon*

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Absaroka  
112 High St.  
Buffalo

WY 82834

Joel Mason  
Project Number: [none]  
Project: Citation Speaker Unit Compressor

**SPKRCOMP BG@2'**  
**12/2/2024 2:22:00PM**

Analyte	Result	Min Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	---------------------	-----------------	-------	----------	-------	----------	----------	-------

**Origins Laboratory**  
**E4L0246-01 (Soil)**

**Boron (DTPA Sorbitol)**

Boron	ND	1.00	mg/L	10	B4L0910	12/09/2024	12/13/2024
-------	----	------	------	----	---------	------------	------------

**Metals by Saturated Paste by EPA 6010**

Calcium	1.44	0.499	meq/L	"	[CALC]	12/11/2024	12/13/2024
Magnesium	ND	0.823	"	"	"	"	"
Sodium	ND	0.435	"	"	"	"	"

**pH in Soil by 9045D**

pH	7.39		pH Units	1	B4L1129	12/11/2024	12/12/2024
----	------	--	----------	---	---------	------------	------------

**SAR by 20B Saturated Paste**

SAR	0.111	0.0100	SAR	1	B4L1109	12/11/2024	12/13/2024
-----	-------	--------	-----	---	---------	------------	------------

**Specific Conductance Mod. 9050A**

Specific Conductance (EC)	0.289	0.00500	mmhos/cm	1	B4L1129	12/11/2024	12/12/2024
---------------------------	-------	---------	----------	---	---------	------------	------------

**Table 915 metals by EPA 6020B**

Arsenic	3.02	0.266	mg/kg	10	B4L0645	12/06/2024	12/11/2024
Barium	123	9.17	"	"	"	"	"
Cadmium	0.164	0.0917	"	"	"	"	"
Copper	9.36	9.17	"	"	"	"	"

Origins Laboratory



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Absaroka  
112 High St.  
Buffalo

WY 82834

Joel Mason  
Project Number: [none]  
Project: Citation Speaker Unit Compressor

## SPKRCOMP BG@2'

12/2/2024 2:22:00PM

Analyte	Result	Min Detection Limit	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	---------------------	-----------------	-------	----------	-------	----------	----------	-------

## Origins Laboratory

E4L0246-01 (Soil)

### Table 915 metals by EPA 6020B

Lead	8.31	0.917	mg/kg	10	B4L0645	12/06/2024	12/11/2024
Nickel	8.91	0.917	"	"	"	"	"
Selenium	ND	0.238	"	"	"	"	"
Silver	ND	0.0917	"	"	"	"	"
Zinc	40.3	33.9	"	"	"	"	"

### Total Metals 7196A

Hexavalent Chromium	ND	0.118	0.294	mg/kg dry	1	2726709	12/31/2024	01/08/2025	HU
---------------------	----	-------	-------	-----------	---	---------	------------	------------	----

Origins Laboratory



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Absaroka  
112 High St.  
Buffalo

WY 82834

Joel Mason  
Project Number: [none]  
Project: Citation Speaker Unit Compressor

## Metals by EPA 6000/7000 Series Methods - Quality Control

### Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

#### Batch B4L0645 - EPA 3050B

#### Blank (B4L0645-BLK1)

Prepared: 12/06/2024 Analyzed: 12/11/2024

Arsenic	ND	0.290	mg/kg
Barium	ND	10.0	"
Cadmium	ND	0.100	"
Copper	ND	10.0	"
Lead	ND	1.00	"
Nickel	ND	1.00	"
Selenium	ND	0.260	"
Silver	ND	0.100	"
Zinc	ND	37.0	"

#### LCS (B4L0645-BS1)

Prepared: 12/06/2024 Analyzed: 12/11/2024

Arsenic	5.40	0.290	mg/kg	5.00	108	80-120
Barium	510	10.0	"	500	102	80-120
Cadmium	5.28	0.100	"	5.00	106	80-120
Copper	55.0	10.0	"	50.0	110	80-120
Lead	5.19	1.00	"	5.00	104	80-120
Nickel	5.35	1.00	"	5.00	107	80-120
Selenium	5.43	0.260	"	5.00	109	80-120
Silver	5.42	0.100	"	5.00	108	80-120
Zinc	53.3	37.0	"	50.0	107	80-120

#### Matrix Spike (B4L0645-MS1)

Source: E4L0245-01

Prepared: 12/06/2024 Analyzed: 12/11/2024

Arsenic	9.06	0.282	mg/kg	4.87	5.42	74.8	75-125	QM-07
Barium	728	9.74	"	487	47.3	140	75-125	QM-07
Cadmium	5.66	0.0974	"	4.87	0.0867	115	75-125	
Copper	63.9	9.74	"	48.7	8.80	113	75-125	
Lead	15.5	0.974	"	4.87	6.73	180	75-125	QM-07

Origins Laboratory



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Absaroka  
112 High St.  
Buffalo

WY 82834

Joel Mason  
Project Number: [none]  
Project: Citation Speaker Unit Compressor

**Metals by EPA 6000/7000 Series Methods - Quality Control**  
**Origins Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch B4L0645 - EPA 3050B**

Matrix Spike (B4L0645-MS1)		Source: E4L0245-01			Prepared: 12/06/2024 Analyzed: 12/11/2024					
Nickel	16.0	0.974	mg/kg	4.87	9.58	131	75-125			QM-07
Selenium	5.43	0.253	"	4.87	0.218	107	75-125			
Silver	5.69	0.0974	"	4.87	0.0325	116	75-125			
Zinc	93.4	36.0	"	48.7	27.9	134	75-125			QM-07
Matrix Spike Dup (B4L0645-MSD1)		Source: E4L0245-01			Prepared: 12/06/2024 Analyzed: 12/11/2024					
Arsenic	8.38	0.263	mg/kg	4.53	5.42	65.4	75-125	7.76	20	QM-07
Barium	665	9.06	"	453	47.3	136	75-125	9.11	20	QM-07
Cadmium	5.10	0.0906	"	4.53	0.0867	111	75-125	10.4	20	
Copper	58.5	9.06	"	45.3	8.80	110	75-125	8.91	20	
Lead	14.6	0.906	"	4.53	6.73	174	75-125	5.71	20	QM-07
Nickel	15.0	0.906	"	4.53	9.58	119	75-125	6.38	20	
Selenium	4.64	0.236	"	4.53	0.218	97.5	75-125	15.8	20	
Silver	5.08	0.0906	"	4.53	0.0325	111	75-125	11.3	20	
Zinc	88.1	33.5	"	45.3	27.9	133	75-125	5.75	20	QM-07

Origins Laboratory

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jordan A. Bynon, Project Manager



Absaroka  
112 High St.  
Buffalo

WY 82834

Joel Mason  
Project Number: [none]  
Project: Citation Speaker Unit Compressor

## Classical Chemistry Parameters - Quality Control

### Origins Laboratory

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

#### Batch B4L0910 - DTPA Sorbitol Preparation

##### Blank (B4L0910-BLK1)

Prepared: 12/09/2024 Analyzed: 12/11/2024

Boron ND 0.100 mg/L

##### Duplicate (B4L0910-DUP1)

Source: E4L0242-16

Prepared: 12/09/2024 Analyzed: 12/11/2024

Boron 0.405 0.101 mg/L 0.362 11.3 50

#### Batch B4L1109 - Saturated Paste Metals

##### Blank (B4L1109-BLK1)

Prepared: 12/11/2024 Analyzed: 12/13/2024

Calcium PPM ND 10.0 mg/L

SAR ND 0.0100 SAR

Magnesium PPM ND 10.0 mg/L

Sodium PPM ND 10.0 "

##### Duplicate (B4L1109-DUP1)

Source: E4L0228-01

Prepared: 12/11/2024 Analyzed: 12/13/2024

Calcium PPM 23.8 10.0 mg/L 24.8 4.33 50

SAR ND 0.0100 SAR 1.66 200

Magnesium PPM 10.3 10.0 mg/L 10.6 2.49 50

Sodium PPM 39.6 10.0 " 39.2 0.914 50

Origins Laboratory



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Absaroka  
112 High St.  
Buffalo

WY 82834

Joel Mason  
Project Number: [none]  
Project: Citation Speaker Unit Compressor

**Saturated Paste - Quality Control**  
**Origins Laboratory**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch B4L1129 - Saturated Paste pH/EC**

**Blank (B4L1129-BLK1)**

Prepared: 12/11/2024 Analyzed: 12/12/2024

Specific Conductance (EC) ND 0.00500 mmhos/cm

**Duplicate (B4L1129-DUP1)**

**Source: E4L0228-01**

Prepared: 12/11/2024 Analyzed: 12/12/2024

pH	8.29		pH Units	8.29			0.00	25	
Specific Conductance (EC)	0.529	0.00500	mmhos/cm	0.533			0.678	25	

Origins Laboratory

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jordan A. Bynon, Project Manager

Absaroka  
112 High St.  
Buffalo

WY 82834

Joel Mason  
Project Number: [none]  
Project: Citation Speaker Unit Compressor

## Total Metals 7196A - Quality Control GEL Laboratories, LLC

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 2726709 - SW846 3060A										
BLANK (1205961935-BLK)					Prepared: 12/31/2024 Analyzed: 01/08/2025					
Hexavalent Chromium	ND	0.333	mg/kg				-			U
LCS (1205961936-BKS)					Prepared: 12/31/2024 Analyzed: 01/08/2025					
Hexavalent Chromium	3.43	0.338	mg/kg	3.38		101	80-120			
DUP (1205961937 D)					Source: 699599001 Prepared: 12/31/2024 Analyzed: 01/08/2025					
Hexavalent Chromium	ND	0.367	mg/kg dry		<0.147		0-50	N/A	50	HU
MS (1205961938 S)					Source: 699599001 Prepared: 12/31/2024 Analyzed: 01/08/2025					
Hexavalent Chromium	2.44	0.358	mg/kg dry	3.58	<0.143	68.3	75-125			H
DUP (1205961939 D)					Source: 699599002 Prepared: 12/31/2024 Analyzed: 01/08/2025					
Hexavalent Chromium	ND	0.388	mg/kg dry		<0.155		0-50	N/A	50	HU
MS (1205961940 S)					Source: 699599002 Prepared: 12/31/2024 Analyzed: 01/08/2025					
Hexavalent Chromium	2.97	0.374	mg/kg dry	3.74	<0.150	78.3	75-125			H
ILCS (1205961941-ILCS)					Prepared: 12/31/2024 Analyzed: 01/08/2025					
Hexavalent Chromium	7.51	0.353	mg/kg	7.15		105	80-120			

Origins Laboratory



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Absaroka

112 High St.

Buffalo

WY

82834

Joel Mason

Project Number: [none]

Project: Citation Speaker Unit Compressor

## Notes and Definitions

U Result not detected above the detection limit

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

HU Holding time exceeded. Non detect.

H Holding time exceeded

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported on a wet weight basis.

Origins Laboratory



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*