

State of Colorado Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:
404125256

Date Received:
03/12/2025

FIR RESOLUTION FORM

Overall Status:

CA Summary:
 3 of 5 CAs from the FIR responded to on this Form
 3 CA Completed
 0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: <u>10456</u>	Contact Name and Telephone:
Name of Operator: <u>CAERUS PICEANCE LLC</u>	Name: _____
Address: <u>1001 17TH STREET #1600</u>	Phone: () _____ Fax: () _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
<u>ENERGY_QB</u>		<u>ecmc.inspections@qb-energy.com</u>

ECMC INSPECTION SUMMARY:

FIR Document Number: 713400774
 Inspection Date: 03/04/2025 FIR Submit Date: 03/05/2025 FIR Status: _____

Inspected Operator Information:

Company Name: CAERUS PICEANCE LLC Company Number: 10456
 Address: 1001 17TH STREET #1600
 City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 335687

Location Name: UNOCAL-66S96W Number: 9SWSW County: _____
 Qtrqtr: SWS Sec: 9 Twp: 6S Range: 96W Meridian: 6
W
 Latitude: 39.532940 Longitude: -108.120940

FACILITY - API Number: 05-045-00 Facility ID: 335687

Facility Name: UNOCAL-66S96W Number: 9SWSW
 Qtrqtr: SWS Sec: 9 Twp: 6S Range: 96W Meridian: 6
W
 Latitude: 39.532940 Longitude: -108.120940

CORRECTIVE ACTIONS:

1 CA# 203026

Corrective Action: Comply with CECMC meter calibration rules Date: 04/05/2025

Response: CA COMPLETED Date of Completion: 03/12/2025

Operator Comment: Installed new calibration cards with new protector sleeves to comply with ECMC rules and regulations.

ECMC Decision: _____

ECMC
Representative:

3 CA# 203028

Corrective Action: Comply with CECMC wildlife rules

Date: 03/12/2025

Response: CA COMPLETED

Date of Completion: 03/12/2025

Operator Comment: Large open hole around wellhead was backfilled to prevent wildlife injury. Small hole around wellhead fenced off with wildlife fencing to comply with ECMC rules and regulations.

ECMC Decision:

ECMC
Representative:

5 CA# 203030

Corrective Action: Comply with CECMC Storm water rules

Date: 03/05/2025

Response: CA COMPLETED

Date of Completion: 03/05/2025

Operator Comment: Location was refined and storm water issues were addressed to minimize erosion, transport of sediment offsite, and site degradation. Removed and clean all sediment/material from county road 215.

ECMC Decision:

ECMC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Joey Gracey

Signed:

Title: Compliance

Date: 3/12/2025 3:28:25 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
404125263	Wildlife Fencing
404125279	Unocal 2 Backfill
404125283	County Road
404125286	Unocal 2 Entrance
404125291	Unocal 2 Pad
404125294	Unocal 2 Meter Calibration

Total Attach: 6 Files