

**State of Colorado**  
**Energy & Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>403881192</b>			
Date Received: <b>08/07/2024</b>			

**SUNDRY NOTICE**

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>10456</u>	Contact Name <u>Liz Malotte</u>
Name of Operator: <u>CAERUS PICEANCE LLC</u>	Phone: <u>(720) 940-3249</u>
Address: <u>1001 17TH STREET #1600</u>	Fax: <u>( )</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>lmalotte@caerusoilandgas.com</u>

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL

API Number : 05- 045 08212 00 ID Number: 264430

Name: CHEVRON Number: 42-8

Location QtrQtr: SENE Section: 8 Township: 6S Range: 96W Meridian: 6

County: GARFIELD Field Name: GRAND VALLEY

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

Location ID	Location Name and Number
324199	CHEVRON-66S96W 8SENE

**OGDP(s)**

No OGDP

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

- Change of Location for Well \*     As-Built GPS Location Report     As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA**      Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

GPS Quality Value: \_\_\_\_\_ Type of GPS Quality Value: \_\_\_\_\_ Measurement Date: \_\_\_\_\_

Well Ground Elevation: \_\_\_\_\_ feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: \_\_\_\_\_ (Vertical, Directional, Horizontal)

				FNL/FSL		FEL/FWL				
Change of <b>Surface</b> Footage <b>From:</b>				2079	FNL	678	FEL			
Change of <b>Surface</b> Footage <b>To:</b>										
Current <b>Surface</b> Location <b>From</b>	QtrQtr	<u>SENE</u>	Sec	<u>8</u>	Twp	<u>6S</u>	Range	<u>96W</u>	Meridian	<u>6</u>
New <b>Surface</b> Location <b>To</b>	QtrQtr		Sec		Twp		Range		Meridian	
Change of <b>Top of Productive Zone</b> Footage <b>From:</b>										
Change of <b>Top of Productive Zone</b> Footage <b>To:</b>										**
Current <b>Top of Productive Zone</b> Location			Sec		Twp		Range			
New <b>Top of Productive Zone</b> Location			Sec		Twp		Range			

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

### SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

- Building: \_\_\_\_\_ Feet
- Building Unit: \_\_\_\_\_ Feet
- Public Road: \_\_\_\_\_ Feet
- Above Ground Utility: \_\_\_\_\_ Feet
- Railroad: \_\_\_\_\_ Feet
- Property Line: \_\_\_\_\_ Feet

**INSTRUCTIONS:**

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

### SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? \_\_\_\_\_

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### LOCATION CHANGE COMMENTS

### CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
WILLIAMS FK-ROLLINS-CAMEO	WMRCM						X	



Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date    08/08/2024

SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

- |   |  |  |
|---|--|--|
| <input checked="" type="checkbox"/> Bradenhead Plan   | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input type="checkbox"/> Change Drilling Plan   | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

**COMMENTS:**

After a Form 17 Bradenhead Test (Doc # 403839268) the Chevron 42-8 (API # 05-045-08212) has been identified as have surge flow on the BH after the 30-minute blowdown test. The test shows an initial BH pressure of 530 psi with 4 psi at the expiration of the 30-minute blow down. Since there was pressure and surge gas flow at the end of the test, Caerus Oil and Gas has determined the best path forward is to tie-in the surface casing to the sales line to allow the bradenhead pressure to continuously blow-down/equalize with sales line pressure. Sales pressure is currently residing ~140 psi (see attachment). Note: Static pressures on the production casing string during the bradenhead blow-down test confirm casing integrity is not compromised.

**GAS CAPTURE**

**VENTING AND FLARING:**

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

\_\_\_\_\_

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

\_\_\_\_\_

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

\_\_\_\_\_

Total volume of gas vented or flared: \_\_\_\_\_ mcf  estimated  measured

Total duration of emission event: \_\_\_\_\_ hours  consecutive  cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

**GAS CAPTURE PLAN**

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

\_\_\_\_\_

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

**CASING PROGRAM**

(No Casing Provided)

**POTENTIAL FLOW AND CONFINING FORMATIONS**

**H2S REPORTING**

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

**Gas Analysis Report must be attached.**

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

\_\_\_\_\_

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

\_\_\_\_\_

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**OIL & GAS LOCATION UPDATES**

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

**SITE EQUIPMENT LIST UPDATES**

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____	Vapor Recovery Towers _____		

**OTHER PERMANENT EQUIPMENT UPDATES**

**OTHER TEMPORARY EQUIPMENT UPDATES**

**CULTURAL AND SAFETY SETBACK UPDATES**

**OTHER LOCATION CHANGES AND UPDATES**

Provide a description of other changes or updates to technical information for this Location:

**POTENTIAL OGDP UPDATES**

**PROPOSED CHANGES TO AN APPROVED OGDP**

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDP:

- |  |  |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s)                     | <input type="checkbox"/> Add Drilling and Spacing Unit(s)    |
| <input type="checkbox"/> Amend Oil and Gas Location(s)                   | <input type="checkbox"/> Amend Drilling and Spacing Unit(s)  |
| <input type="checkbox"/> Remove Oil and Gas Location(s)                  | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDP |
| <input type="checkbox"/> Other   |  |

Provide a detailed description of the changes being proposed for this OGDP. Attach supporting documentation such as maps if necessary.


**Operator Best Management Practices**

**No BMP/COA Type**

**Description**

<b>No BMP/COA Type</b>	<b>Description</b>

Operator Comments:



I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Lisa Click  
Title: PM Email: lisa@fieldinghillllc.com Date: 8/7/2024

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Katz, Aaron Date: 3/13/2025

**CONDITIONS OF APPROVAL, IF ANY LIST**

**COA Type**

**Description**

	<ol style="list-style-type: none"> <li>1. Operator will implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well operations do not constitute a nuisance or hazard to public welfare.</li> <li>2. Prior to starting bradenhead abatement, if a sample has not been collected within the last twelve months collect bradenhead and production gas samples for laboratory analysis. Sampling will comply with Operator Guidance - Bradenhead Testing and Reporting Instructions, Appendix A: Liquid and Gas Sampling. Copies of all final laboratory analytical results will be provided to the ECMC within three months of collecting the samples.</li> <li>3. Bradenhead gas is not to be vented to atmosphere; any gas from the Bradenhead will be routed to the specified abatement system. Operator will implement measures to get an initial estimate of the gas flow rate and/or volume from the bradenhead. The abatement program may be used for six consecutive months.</li> <li>4. Operator will submit a Form 42 ("OTHER") stating that "bradenhead abatement program has started."</li> <li>5. At the conclusion of the six months, conduct a new bradenhead test and submit the Form 17 within ten days of the test and submit a Form 4 Sundry that summarizes current well condition. The sundry should include details of the future plans, flow rate information, pressure data and a discussion of the sample analysis.</li> <li>6. At least one check valve is required for annular spaces that are tied to sales line or separator. Maintain equipment for pressure regulation and check valves in good working order.</li> <li>7. At least one valve is required to monitor pressure and sample flow from the bradenhead.</li> <li>8. Within 30 days of completing the work, submit a Form 4 Subsequent Report including a schematic of the bradenhead tie in. Include available diagnostic information and pressure charts that provides the information being submitted on recent QB bradenhead plans.</li> </ol>
--	--

1 COA

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Engineer	Pressure data attached for sales line pressure  continuous flow at end of test on BH  No sample analysis submitted yet and additional diagnostic information should be submitted in line with more recent submissions. See COA 8 to have available data and diagnostic information submitted in combination with the completed work report.  The deepest domestic water well within 1 mile is 74 ft.	03/13/2025

Total: 1 comment(s)

**ATTACHMENT LIST**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
403881192	SUNDRY NOTICE APPROVED-OBJ
403881196	NET PRESSURE CHART
404126846	FORM 4 SUBMITTED

Total Attach: 3 Files