

**Scout Energy - Rangely, CO**

Sample Delivery Group: L1807966  
Samples Received: 12/11/2024  
Project Number:  
Description: Emerald 39 Spill

Report To: Cody Christian  
100 Chevron Road  
Rangely, CO 81648

Entire Report Reviewed By:



Chris Ward  
Project Manager


Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

# TABLE OF CONTENTS

<b>Cp: Cover Page</b>	<b>1</b>
<b>Tc: Table of Contents</b>	<b>2</b>
<b>Ss: Sample Summary</b>	<b>3</b>
<b>Cn: Case Narrative</b>	<b>4</b>
<b>Sr: Sample Results</b>	<b>5</b>
EM39-SS1 L1807966-01	<b>5</b>
EM39-SS2 L1807966-02	<b>6</b>
EM39-SS3 L1807966-03	<b>7</b>
<b>Qc: Quality Control Summary</b>	<b>8</b>
Wet Chemistry by Method 7199	<b>8</b>
Wet Chemistry by Method 9050AMod	<b>9</b>
Metals (ICP) by Method 6010B-NE493 Ch 2	<b>10</b>
Volatile Organic Compounds (GC/MS) by Method 8260B	<b>11</b>
Semi-Volatile Organic Compounds (GC) by Method 8015M	<b>12</b>
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	<b>13</b>
<b>Gl: Glossary of Terms</b>	<b>14</b>
<b>Al: Accreditations &amp; Locations</b>	<b>15</b>
<b>Sc: Sample Chain of Custody</b>	<b>16</b>



# SAMPLE SUMMARY

## EM39-SS1 L1807966-01 Solid

Collected by B. Abeyta      Collected date/time 12/10/24 12:48      Received date/time 12/11/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2420979	1	12/18/24 20:54	12/18/24 20:54	MAP	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2419347	1	12/16/24 23:13	12/17/24 09:08	ANW	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG2421485	1	12/18/24 21:59	12/18/24 23:50	KRB	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2420980	1	12/18/24 13:18	12/18/24 17:20	MAP	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2417232	1	12/11/24 13:21	12/13/24 02:28	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG2417258	10	12/13/24 06:38	12/13/24 14:53	KDB	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2419045	1	12/16/24 08:38	12/17/24 03:03	JCH	Mt. Juliet, TN

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

## EM39-SS2 L1807966-02 Solid

Collected by B. Abeyta      Collected date/time 12/10/24 12:50      Received date/time 12/11/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2420979	1	12/18/24 20:56	12/18/24 20:56	MAP	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2419347	1	12/16/24 23:13	12/17/24 09:53	ANW	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG2421485	1	12/18/24 21:59	12/18/24 23:50	KRB	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2420980	1	12/18/24 13:18	12/18/24 17:21	MAP	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2417232	1	12/11/24 13:21	12/13/24 02:48	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG2417258	1	12/13/24 06:38	12/13/24 14:15	KDB	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2419045	1	12/16/24 08:38	12/17/24 00:28	JCH	Mt. Juliet, TN

## EM39-SS3 L1807966-03 Solid

Collected by B. Abeyta      Collected date/time 12/10/24 13:05      Received date/time 12/11/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2420979	1	12/18/24 20:58	12/18/24 20:58	MAP	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2419347	1	12/16/24 23:13	12/17/24 10:20	ANW	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG2421485	1	12/18/24 21:59	12/18/24 23:50	KRB	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2420980	1	12/18/24 13:18	12/18/24 17:23	MAP	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2417232	1	12/11/24 13:21	12/13/24 03:08	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG2417258	10	12/13/24 06:38	12/13/24 15:07	KDB	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2419045	1	12/16/24 08:38	12/17/24 02:29	JCH	Mt. Juliet, TN

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager

- <sup>1</sup> Cp
- <sup>2</sup> Tc
- <sup>3</sup> Ss
- <sup>4</sup> Cn
- <sup>5</sup> Sr
- <sup>6</sup> Qc
- <sup>7</sup> Gl
- <sup>8</sup> Al
- <sup>9</sup> Sc

## Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	4.13		1	12/18/2024 20:54	WG2420979

## Wet Chemistry by Method 7199

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
Hexavalent Chromium	U	J3 J6	0.255	1.00	1	12/17/2024 09:08	WG2419347

## Wet Chemistry by Method 9050AMod

Analyte	Result	Units	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	5040	umhos/cm		10.0	1	12/18/2024 23:50	WG2421485

## Sample Narrative:

L1807966-01 WG2421485: at 25C

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	1.12		0.0167	0.200	1	12/18/2024 17:20	WG2420980

## Volatile Organic Compounds (GC/MS) by Method 8260B


Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
1,2,4-Trimethylbenzene	U		0.00158	0.00500	1	12/13/2024 02:28	WG2417232
1,3,5-Trimethylbenzene	U		0.00200	0.00500	1	12/13/2024 02:28	WG2417232
(S) Toluene-d8	105			75.0-131		12/13/2024 02:28	WG2417232
(S) 4-Bromofluorobenzene	82.0			67.0-138		12/13/2024 02:28	WG2417232
(S) 1,2-Dichloroethane-d4	103			70.0-130		12/13/2024 02:28	WG2417232

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
C28-C36 Motor Oil Range	142		2.74	40.0	10	12/13/2024 14:53	WG2417258
(S) o-Terphenyl	46.1			18.0-148		12/13/2024 14:53	WG2417258

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
1-Methylnaphthalene	U		0.00449	0.0200	1	12/17/2024 03:03	WG2419045
2-Methylnaphthalene	U		0.00427	0.0200	1	12/17/2024 03:03	WG2419045
(S) p-Terphenyl-d14	78.6			23.0-120		12/17/2024 03:03	WG2419045
(S) Nitrobenzene-d5	72.8			14.0-149		12/17/2024 03:03	WG2419045
(S) 2-Fluorobiphenyl	71.9			34.0-125		12/17/2024 03:03	WG2419045



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	30.1		1	12/18/2024 20:56	WG2420979

Wet Chemistry by Method 7199

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
Hexavalent Chromium	U		0.255	1.00	1	12/17/2024 09:53	<a href="#">WG2419347</a>

Wet Chemistry by Method 9050AMod

Analyte	Result	Units	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	6080	umhos/cm		10.0	1	12/18/2024 23:50	<a href="#">WG2421485</a>

Sample Narrative:

L1807966-02 WG2421485: at 25C

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	2.14		0.0167	0.200	1	12/18/2024 17:21	<a href="#">WG2420980</a>

Volatile Organic Compounds (GC/MS) by Method 8260B


Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
1,2,4-Trimethylbenzene	U		0.00158	0.00500	1	12/13/2024 02:48	<a href="#">WG2417232</a>
1,3,5-Trimethylbenzene	U		0.00200	0.00500	1	12/13/2024 02:48	<a href="#">WG2417232</a>
(S) Toluene-d8	106			75.0-131		12/13/2024 02:48	<a href="#">WG2417232</a>
(S) 4-Bromofluorobenzene	83.9			67.0-138		12/13/2024 02:48	<a href="#">WG2417232</a>
(S) 1,2-Dichloroethane-d4	105			70.0-130		12/13/2024 02:48	<a href="#">WG2417232</a>

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
C28-C36 Motor Oil Range	58.9		0.274	4.00	1	12/13/2024 14:15	<a href="#">WG2417258</a>
(S) o-Terphenyl	77.2			18.0-148		12/13/2024 14:15	<a href="#">WG2417258</a>

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
1-Methylnaphthalene	U		0.00449	0.0200	1	12/17/2024 00:28	<a href="#">WG2419045</a>
2-Methylnaphthalene	U		0.00427	0.0200	1	12/17/2024 00:28	<a href="#">WG2419045</a>
(S) p-Terphenyl-d14	71.8			23.0-120		12/17/2024 00:28	<a href="#">WG2419045</a>
(S) Nitrobenzene-d5	64.0			14.0-149		12/17/2024 00:28	<a href="#">WG2419045</a>
(S) 2-Fluorobiphenyl	62.3			34.0-125		12/17/2024 00:28	<a href="#">WG2419045</a>



## Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	8.50		1	12/18/2024 20:58	WG2420979

## Wet Chemistry by Method 7199

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
Hexavalent Chromium	U		0.255	1.00	1	12/17/2024 10:20	<a href="#">WG2419347</a>

## Wet Chemistry by Method 9050AMod

Analyte	Result	Units	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	1300	umhos/cm		10.0	1	12/18/2024 23:50	<a href="#">WG2421485</a>

## Sample Narrative:

L1807966-03 WG2421485: at 25C

## Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	1.23		0.0167	0.200	1	12/18/2024 17:23	<a href="#">WG2420980</a>

## Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
1,2,4-Trimethylbenzene	U		0.00158	0.00500	1	12/13/2024 03:08	<a href="#">WG2417232</a>
1,3,5-Trimethylbenzene	U		0.00200	0.00500	1	12/13/2024 03:08	<a href="#">WG2417232</a>
(S) Toluene-d8	107			75.0-131		12/13/2024 03:08	<a href="#">WG2417232</a>
(S) 4-Bromofluorobenzene	86.2			67.0-138		12/13/2024 03:08	<a href="#">WG2417232</a>
(S) 1,2-Dichloroethane-d4	97.1			70.0-130		12/13/2024 03:08	<a href="#">WG2417232</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
C28-C36 Motor Oil Range	198		2.74	40.0	10	12/13/2024 15:07	<a href="#">WG2417258</a>
(S) o-Terphenyl	65.5			18.0-148		12/13/2024 15:07	<a href="#">WG2417258</a>

## Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/kg	Qualifier	MDL mg/kg	RDL mg/kg	Dilution	Analysis date / time	Batch
1-Methylnaphthalene	U		0.00449	0.0200	1	12/17/2024 02:29	<a href="#">WG2419045</a>
2-Methylnaphthalene	U		0.00427	0.0200	1	12/17/2024 02:29	<a href="#">WG2419045</a>
(S) p-Terphenyl-d14	87.0			23.0-120		12/17/2024 02:29	<a href="#">WG2419045</a>
(S) Nitrobenzene-d5	82.3			14.0-149		12/17/2024 02:29	<a href="#">WG2419045</a>
(S) 2-Fluorobiphenyl	79.2			34.0-125		12/17/2024 02:29	<a href="#">WG2419045</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R4158792-1 12/17/24 08:32

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Hexavalent Chromium	U		0.255	1.00

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

L1807971-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1807971-01 12/17/24 10:29 • (DUP) R4158792-9 12/17/24 10:38

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Hexavalent Chromium	U	U	1	0.000		20

L1809871-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1809871-01 12/17/24 12:44 • (DUP) R4158792-10 12/17/24 12:53

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Hexavalent Chromium	U	U	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R4158792-2 12/17/24 08:41

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Hexavalent Chromium	10.0	10.3	103	80.0-120	

L1807966-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1807966-01 12/17/24 09:08 • (MS) R4158792-5 12/17/24 09:17 • (MSD) R4158792-6 12/17/24 09:26

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Hexavalent Chromium	20.0	U	7.88	10.7	39.4	53.3	1	75.0-125	J6	J3 J6	29.9	20

L1807966-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1807966-01 12/17/24 09:08 • (MS) R4158792-7 12/17/24 09:35

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Hexavalent Chromium	641	U	513	80.1	50	75.0-125	

Method Blank (MB)

(MB) R4159559-1 12/18/24 23:50

Analyte	MB Result umhos/cm	MB Qualifier	MB MDL umhos/cm	MB RDL umhos/cm
Specific Conductance	U		10.0	10.0

Sample Narrative:

BLANK: at 25C

L1807966-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1807966-01 12/18/24 23:50 • (DUP) R4159559-3 12/18/24 23:50

Analyte	Original Result umhos/cm	DUP Result umhos/cm	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits
Specific Conductance	5040	5080	1	0.791		20

Sample Narrative:

OS: at 25C

DUP: at 25C

L1809552-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1809552-10 12/18/24 23:50 • (DUP) R4159559-4 12/18/24 23:50

Analyte	Original Result umhos/cm	DUP Result umhos/cm	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits
Specific Conductance	214	211	1	1.41		20

Sample Narrative:

OS: at 25C

DUP: at 25C

Laboratory Control Sample (LCS)

(LCS) R4159559-2 12/18/24 23:50

Analyte	Spike Amount umhos/cm	LCS Result umhos/cm	LCS Rec. %	Rec. Limits %	LCS Qualifier
Specific Conductance	733	686	93.6	85.0-115	

Sample Narrative:

LCS: at 25C

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Method Blank (MB)

(MB) R4159504-1 12/18/24 17:13

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Hot Water Sol. Boron	U		0.0167	0.200

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4159504-2 12/18/24 17:15 • (LCSD) R4159504-3 12/18/24 17:16

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Hot Water Sol. Boron	1.00	1.02	1.04	102	104	80.0-120			1.44	20

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Method Blank (MB)

(MB) R4157522-3 12/12/24 22:53

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/kg		mg/kg	mg/kg
1,2,4-Trimethylbenzene	U		0.00158	0.00500
1,3,5-Trimethylbenzene	U		0.00200	0.00500
(S) Toluene-d8	106			75.0-131
(S) 4-Bromofluorobenzene	81.8			67.0-138
(S) 1,2-Dichloroethane-d4	98.7			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4157522-1 12/12/24 21:35 • (LCSD) R4157522-2 12/12/24 21:55

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	mg/kg	mg/kg	mg/kg	%	%	%			%	%
1,2,4-Trimethylbenzene	0.125	0.101	0.107	80.8	85.6	70.0-126			5.77	20
1,3,5-Trimethylbenzene	0.125	0.106	0.112	84.8	89.6	73.0-127			5.50	20
(S) Toluene-d8				102	100	75.0-131				
(S) 4-Bromofluorobenzene				83.1	79.3	67.0-138				
(S) 1,2-Dichloroethane-d4				114	109	70.0-130				

L1807074-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1807074-04 12/13/24 04:26 • (MS) R4157522-4 12/13/24 06:04 • (MSD) R4157522-5 12/13/24 06:24

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
1,2,4-Trimethylbenzene	0.159	U	0.132	0.134	106	107	1	10.0-160			1.50	36
1,3,5-Trimethylbenzene	0.159	U	0.143	0.148	114	118	1	10.0-160			3.44	38
(S) Toluene-d8					105	107		75.0-131				
(S) 4-Bromofluorobenzene					85.2	85.6		67.0-138				
(S) 1,2-Dichloroethane-d4					76.3	76.9		70.0-130				

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

## Method Blank (MB)

(MB) R4157687-1 12/13/24 11:13

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C28-C36 Motor Oil Range	2.50	↓	0.274	4.00
(S) o-Terphenyl	76.4			18.0-148

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Method Blank (MB)

(MB) R4158693-2 12/16/24 21:35

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/kg		mg/kg	mg/kg
1-Methylnaphthalene	U		0.00449	0.0200
2-Methylnaphthalene	U		0.00427	0.0200
<i>(S) p-Terphenyl-d14</i>	95.3			23.0-120
<i>(S) Nitrobenzene-d5</i>	69.7			14.0-149
<i>(S) 2-Fluorobiphenyl</i>	75.3			34.0-125

Laboratory Control Sample (LCS)

(LCS) R4158693-1 12/16/24 21:18

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	mg/kg	mg/kg	%	%	
1-Methylnaphthalene	0.0800	0.0784	98.0	51.0-121	
2-Methylnaphthalene	0.0800	0.0727	90.9	50.0-120	
<i>(S) p-Terphenyl-d14</i>			95.8	23.0-120	
<i>(S) Nitrobenzene-d5</i>			79.3	14.0-149	
<i>(S) 2-Fluorobiphenyl</i>			84.5	34.0-125	

L1807966-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1807966-02 12/17/24 00:28 • (MS) R4158693-3 12/17/24 00:45 • (MSD) R4158693-4 12/17/24 01:02

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
1-Methylnaphthalene	0.0768	U	0.0689	0.0705	89.7	90.4	1	10.0-142			2.30	28
2-Methylnaphthalene	0.0768	U	0.0638	0.0653	83.1	83.7	1	10.0-137			2.32	28
<i>(S) p-Terphenyl-d14</i>					78.0	79.2		23.0-120				
<i>(S) Nitrobenzene-d5</i>					69.9	70.6		14.0-149				
<i>(S) 2-Fluorobiphenyl</i>					71.4	71.1		34.0-125				

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.



# ACCREDITATIONS & LOCATIONS

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1,6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1,4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

