

State of Colorado  
Energy & Carbon Management Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

ECMC RECEPTION

Receive Date:

07/17/2024

Document Number:

403476933

## Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

## Operator Information

ECMC Operator Number: 10633 Contact Person: James Miller  
Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 984-7460  
Address: 555 17TH STREET SUITE 3700 Email: jmiller@civiresources.com  
City: DENVER State: CO Zip: 80202  
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes ☒ No ☐

## OFF LOCATION FLOWLINE

## FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 318143 Location Type: Production Facilities  
Name: SHELEY 62N67W Number: 4NESW  
County: WELD  
Qtr Qtr: NESW Section: 4 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.163930 Longitude: -104.899390

## Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

## Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

## FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 479671 Flowline Type: Wellhead Line Action Type: Realignment

## OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 330754 Location Type: Well Site ☐  
Name: Sheley Number: 4H-M267  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 4 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.162152 Longitude: -104.901443  
Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 02/20/2013  
Maximum Anticipated Operating Pressure (PSI): 240 Testing PSI:                       
Test Date:                     

**OFF LOCATION FLOWLINE Realignment**

Date: 06/08/2023

**Description of Realignment:**

The flowline (12334751\_FL) servicing the Sheley 3B-4H (05-123-34751) was relocated 30-ft to the East to accommodate the City of Thornton's water pipeline.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 479673 Flowline Type: Wellhead Line Action Type: Out of Service

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 330754 Location Type: Well Site ☐  
Name: Sheley Number: 4H-M267  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 4 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.162152 Longitude: -104.901443  
Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 02/28/2000  
Maximum Anticipated Operating Pressure (PSI): 120 Testing PSI:                       
Test Date:

**OFF LOCATION FLOWLINE Out of Service**

Date: 10/31/2022

☒ Entire Line Removal☐ Partial Line Removal**Description of Out of Service:**

The flowline (12319565\_FL) servicing the Sheley 14-4 (05-123-19565) is now out of service as per rule 1102.O.(2). The most recent successful pressure test date is 2/23/2021. This is within 12 months of well's LDOP, per staff guidance.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 479674 Flowline Type: Wellhead Line Action Type: Out of Service

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 331252 Location Type: Well Site ☐  
Name: SHELEY-62N67W Number: 4NWSW  
County: WELD No Location ID  
Qtr Qtr: NWSW Section: 4 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.166006 Longitude: -104.903014

Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 06/05/2001  
Maximum Anticipated Operating Pressure (PSI): 150 Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Out of Service**

Date: 10/31/2022

☒ Entire Line Removal☐ Partial Line Removal**Description of Out of Service:**

The flowline (12320384\_FL) servicing the Sheley 13-4 (05-123-20384) is now out of service as per rule 1102.O.(2). The most recent successful pressure test date is 3/3/2021. This is within 12 months of well's LDOP, per staff guidance.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 479669 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 333015 Location Type: Well Site ☐  
Name: SHELEY-62N67W Number: 4SESW  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 4 Township: 2N Range: 67W Meridian: 6

Latitude: 40.161480 Longitude: -104.896920

Equipment at Start Point Riser: Well

### **Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: Date Construction Completed: 06/01/2001

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

### **OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

### **FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 479676 Flowline Type: Wellhead Line Action Type:

### **OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

### **Flowline Start Point Location Identification**

Location ID: 336388 Location Type: Well Site ☒

Name: SPRAGUE-62N67W Number: 9SWNE

County: WELD No Location ID

Qtr Qtr: SWNE Section: 9 Township: 2N Range: 67W Meridian: 6

Latitude: 40.154257 Longitude: -104.893063

Equipment at Start Point Riser: Well

### **Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: Date Construction Completed: 01/09/2001

Maximum Anticipated Operating Pressure (PSI): Testing PSI:

Test Date:

### **OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

### **FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 479670 Flowline Type: Wellhead Line Action Type: Realignment

### **OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 330754 Location Type: Well Site ☐  
Name: Sheley Number: 4H-M267  
County: WELD No Location ID  
Qtr Qtr: SWSW Section: 4 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.162152 Longitude: -104.901443  
Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Native Materials Date Construction Completed: 02/20/2013  
Maximum Anticipated Operating Pressure (PSI): 340 Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Realignment**

Date: 06/08/2023

**Description of Realignment:**

The flowline (12334750\_FL) servicing the Sheley 3A-4H (05-123-34750) was relocated 30-ft to the East to accommodate the City of Thornton's water pipeline.

**FLOWLINE FACILITY INFORMATION**

Flowline Facility ID: 479675 Flowline Type: Wellhead Line Action Type:

**OFF LOCATION FLOWLINE REGISTRATION**

Equipment at End Point Riser: Separator

**Flowline Start Point Location Identification**

Location ID: 333015 Location Type: Well Site ☐  
Name: SHELEY-62N67W Number: 4SESW  
County: WELD No Location ID  
Qtr Qtr: SESW Section: 4 Township: 2N Range: 67W Meridian: 6  
Latitude: 40.161480 Longitude: -104.896920  
Equipment at Start Point Riser: Well

**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000  
Bedding Material: Date Construction Completed: 04/23/2007  
Maximum Anticipated Operating Pressure (PSI): Testing PSI:  
Test Date:

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date:

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:**

**FLOWLINE FACILITY INFORMATION**Flowline Facility ID: 479672 Flowline Type: Wellhead Line Action Type: \_\_\_\_\_**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 330914 Location Type: \_\_\_\_\_ Well Site ☐

Name: SHELEY-62N67W Number: 4NESW

County: WELD No Location ID ☐

Qtr Qtr: NESW Section: 4 Township: 2N Range: 67W Meridian: 6

Latitude: 40.165936 Longitude: -104.896964

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: \_\_\_\_\_ Date Construction Completed: 01/09/2001

Maximum Anticipated Operating Pressure (PSI): \_\_\_\_\_ Testing PSI: \_\_\_\_\_

Test Date: \_\_\_\_\_

**OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification**

Date: \_\_\_\_\_

**Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:****OPERATOR COMMENTS AND SUBMITTAL**

Comments Form 44 filed to report flowline path changes. The following flowlines were relocated 30-ft to the East to accommodate the City of Thornton's water pipeline:  
12334750\_FL: services the Sheley 3A-4H (05-123-34750)  
12334751\_FL: services the Sheley 3B-4H (05-123-34751)

Form 44 filed to report STATUS CHANGE notification. The following flowline(s) are now out of service:  
12320384\_FL: services the Sheley 13-4 (05-123-20384)  
12319565\_FL: services the Sheley 14-4 (05-123-19565)  
Pressure test(s) attached.

All other flowlines will remain as previously reported.  
Updated GIS data attached.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 07/17/2024 Email: flowlines@civiresources.comPrint Name: Stephany OlsenTitle: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: \_\_\_\_\_ Director of ECMC Date: \_\_\_\_\_

## CONDITIONS OF APPROVAL, IF ANY LIST

COA Type

Description

--	--

### ATTACHMENT LIST

Att Doc Num

Name

403480509	OFF-LOCATION FLOWLINE GIS SHP
403857580	PRESSURE TEST

Total Attach: 2 Files

### General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)