

FORM
2

Rev
10/24

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

404017686

(SUBMITTED)

Date Received:

04/09/2025

APPLICATION FOR PERMIT TO

Drill Deepen Re-enter Recomplete and Operate Amend

TYPE OF WELL OIL GAS COALBE GEOTHERMAL OTHER: _____

Refile

ZONE TYPE SINGLE ZONE MULTIPLE ZONES COMMINGLE ZONES

Sidetrack

Well Name: Apache State Well Number: E35-661
Name of Operator: NOBLE ENERGY INC ECMC Operator Number: 100322
Address: 1099 18TH STREET SUITE 1500
City: DENVER State: CO Zip: 80202
Contact Name: Patricia Minerich Phone: (303)228-4000 Fax: ()
Email: RBUDevPermitting@chevron.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

ECMC Financial Assurance

The Operator has provided or will provide Financial Assurance to the ECMC for this Well.

Surety ID Number (if applicable): 20230051

Federal Financial Assurance

In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$ _____

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SWNE Sec: 36 Twp: 6N Rng: 65W Meridian: 6

Footage at Surface: 2144 Feet FNL 1631 Feet FEL

Latitude: 40.443746 Longitude: -104.607638

GPS Data: GPS Quality Value: 1.6 Type of GPS Quality Value: PDOP Date of Measurement: 01/06/2025

Ground Elevation: 4650

Field Name: WATTENBERG Field Number: 90750

Well Plan: is Directional Horizontal (highly deviated) Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 36 Twp: 6N Rng: 65W Footage at TPZ: 1758 FNL 200 FEL
Measured Depth of TPZ: 7123 True Vertical Depth of TPZ: 6695 FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)

Sec: 35 Twp: 6N Rng: 65W Footage at BPZ: 2134 FNL 200 FWL
Measured Depth of BPZ: 17318 True Vertical Depth of BPZ: 6771 FNL/FSL FEL/FWL

Bottom Hole Location (BHL)

Sec: 35 Twp: 6N Rng: 65W Footage at BHL: 2134 FNL 200 FWL
FNL/FSL FEL/FWL

LOCAL GOVERNMENT PERMITTING INFORMATION

County: WELD Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? Yes

Per §34-60-106(1)(f)(I)(A) C.R.S and §37-90.5-107(2)(b)(I) C.R.S, the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas or Deep Geothermal Locations.

The Energy and Carbon Management Act and the Geothermal Resources Act provide that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations.

Does the Relevant Local Government regulate the siting of Oil and Gas and Deep Geothermal Locations, with respect to this Location? Yes No

If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 07/29/2024

Comments: 1041WOGLA23-0056, Approved 7/29/2024.

GEOTHERMAL

Well Overview

The following questions determine informational requirements based on Well type:

Which type of Geothermal Well is this? Select one of the following:

Will this well be constructed using cementing methodologies other than those listed in Rule 408.f?

If Yes, what method will be used:

Please describe the cementing method to be used in detail:

Geothermal Resource Units

Fill out the information below to submit an application for a Geothermal Resource Unit (GRU) as part of the current permit application. This may also be completed later using a Form 4 Sundry.

Will this Well be in an existing GRU?

Are you submitting your application for a new GRU as part of the current application?

SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS OR DEEP GEOTHERMAL LOCATION

Surface Owner of the land at this Well's Oil and Gas Or Deep Geothermal Location: Fee State Federal Indian

Mineral Owner beneath this Well's Oil and Gas Or Deep Geothermal Location: Fee State Federal Indian

Surface Owner Protection Bond (if applicable): _____ Surety ID Number (if applicable): _____

MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- Fee
- State
- Federal
- Indian
- N/A

LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

* If this Well is within a unit, describe a lease that will be developed by the Well.

* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

Township 6 North - Range 65 West
Section 36: All

Total Acres in Described Lease: 640 Described Mineral Lease is: Fee State Federal Indian
Federal or State Lease # 81/6537-S

SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 1090 Feet
Building Unit: 1851 Feet
Public Road: 1622 Feet
Above Ground Utility: 1071 Feet
Railroad: 5280 Feet
Property Line: 313 Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

OBJECTIVE FORMATIONS

| Objective Formation(s) | Formation Code | Spacing Order Number(s) | Unit Acreage Assigned to Well | Unit Configuration (N/2, SE/4, etc.) |
|------------------------|----------------|-------------------------|-------------------------------|--|
| NIOBRARA | NBRR | 407-2106 | 1280 | Township 6 North, Range 65 West Section 35: All Section 36: All |

Federal or State Unit Name (if appl): _____ Unit Number: _____

SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 460 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 327 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

SPACING & FORMATIONS COMMENTS

DRILLING PROGRAM

Proposed Total Measured Depth: 17318 Feet TVD at Proposed Total Measured Depth 6771 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:
 Enter distance if less than or equal to 1,500 feet: 68 Feet No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H₂S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H₂S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? Yes

BOP Equipment Type: Annular Preventor Double Ram Rotating Head None

Beneficial reuse or land application plan submitted? No

Reuse Facility ID: _____ or Document Number: _____

CASING PROGRAM

| Casing Type | Size of Hole | Size of Casing | Grade | Wt/Ft | Csg/Liner Top | Setting Depth | Sacks Cmt | Cmt Btm | Cmt Top |
|-------------|--------------|----------------|-------|-------|---------------|---------------|-----------|---------|---------|
| CONDUCTOR | 26 | 16 | A-53B | 36.95 | 0 | 80 | 175 | 80 | 0 |
| SURF | 13+1/2 | 9+5/8 | J-55 | 36 | 0 | 1530 | 532 | 1530 | 0 |
| 1ST | 8+1/2 | 5+1/2 | P-110 | 17 | 0 | 17318 | 2009 | 17318 | 1000 |

Conductor Casing is NOT planned

POTENTIAL FLOW AND CONFINING FORMATIONS

| Zone Type | Formation /Hazard | Top M.D. | Top T.V.D. | Bottom M.D. | Bottom T.V.D. | TDS (mg/L) | Data Source | Comment |
|-------------------|----------------------|----------|------------|-------------|---------------|------------|-------------|------------------------|
| Confining Layer | Pierre Shale | 0 | 0 | 405 | 405 | | | |
| Groundwater | UPIR/Pawnee Aquifer | 405 | 405 | 1418 | 1402 | 1001-10000 | Other | COGCC UPWQ Study |
| Confining Layer | Pierre Shale | 1418 | 1402 | 3752 | 3599 | | | |
| Hydrocarbon | Parkman | 3752 | 3599 | 4112 | 3938 | | | |
| Confining Layer | Pierre Shale | 4112 | 3938 | 4235 | 4054 | | | |
| Hydrocarbon | Sussex | 4235 | 4054 | 4629 | 4425 | | | |
| Confining Layer | Pierre Shale | 4629 | 4425 | 5079 | 4849 | | | |
| Hydrocarbon | Shannon | 5079 | 4849 | 5346 | 5101 | | | |
| Confining Layer | Pierre Shale | 5346 | 5101 | 6950 | 6594 | | | |
| Subsurface Hazard | Sharon Springs Shale | 6950 | 6594 | 6995 | 6624 | | | least competent shales |
| Hydrocarbon | Niobrara | 6995 | 6624 | 17318 | 6771 | | | Nio Target |

OPERATOR COMMENTS AND SUBMITTAL

Comments

Operator Best Management Practices

| No | BMP/COA Type | Description |
|-----------|--------------------------------|--|
| 1 | Drilling/Completion Operations | Operator will perform anti-collision evaluation of all active (producing, shut-in, or temporarily abandoned) offset wellbores that have the potential of being within 150' of the proposed well prior to drilling operations. |
| 2 | Drilling/Completion Operations | During and Post stimulation: Operator will comply with the COGCC Policy for Bradenhead Monitoring During Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated 5/29/12. |
| 3 | Drilling/Completion Operations | If a skid is performed for the subject well, then the only required BOPE tests are for the BOPE connection bonnet seal breaks, as long as a full BOPE test was performed at the beginning of the pad, and as long as all necessary BOPE tests are completed at least every 30 days during the pad operations. |
| 4 | Drilling/Completion Operations | Alternative Logging Program: One of the first wells drilled on the pad during the first rig occupation will be logged with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing for one of the stratigraphically deepest wells on the pad. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs will state "Alternative Logging Program - No open-hole logs were run" and will clearly identify the type of log and the well (by API#) in which open-hole logs were run. |

Total: 4 comment(s)

ATTACHMENT LIST

| Att Doc Num | Name |
|--------------------|-----------------------------|
| 404072378 | SURFACE AGRMT/SURETY |
| 404108348 | DIRECTIONAL DATA |
| 404128954 | OffsetWellEvaluations Data |
| 404128970 | DEVIATED DRILLING PLAN |
| 404132644 | WELL LOCATION PLAT |
| 404156618 | STIMULATION SETBACK CONSENT |

Total Attach: 6 Files

General Comments

| User Group | Comment | Comment Date |
|-------------------|----------------|---------------------|
| | | Stamp Upon Approval |

Total: 0 comment(s)