

FORM
5A

Rev
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

404140939

Date Received:

03/25/2025

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. ECMC Operator Number: 96850

2. Name of Operator: TEP ROCKY MOUNTAIN LLC

3. Address: 1058 COUNTY ROAD 215

City: PARACHUTE

State: CO

Zip: 81635

4. Contact Name: MELISSA LUKE

Phone: (970) 263-2721

Fax:

Email: mluke@terraep.com

5. API Number 05-103-12577-00

7. Well Name: FEDERAL

8. Location: QtrQtr: LOT 12

Section: 13

Township: 2S

Range: 98W

Meridian: 6

9. Field Name: SULPHUR CREEK

Field Code: 80090

6. County: RIO BLANCO

Well Number: RG 321-24-298

Completed Interval

FORMATION: WILLIAMS FORK-CAMEO-ROLLINS-COZZETTE-CORCORAN

Status: PRODUCING

Treatment Type: HYDRAULIC FRACTURING

Treatment Date: 12/30/2024 End Date: 01/10/2025 Date this Formation was Completed: 01/11/2025
Perforations Top: 6655 Bottom: 11627 No. Holes: 630 Hole size: 35/100 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

216,086 bbls of Slickwater; 2,381 gals of Biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 216086 Max pressure during treatment (psi): 7276
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):
Type of gas used in treatment: Min frac gradient (psi/ft): 0.58
Total acid used in treatment (bbl): Number of staged intervals: 21
Recycled or Reused Fluids used in treatment (bbl): 216086 Flowback volume recovered (bbl): 76489
Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE
Total proppant used (lbs):

Fracture stimulations must be reported on [FracFocus.org](https://fracfocus.org)

Test Information:

01/11/2025 Hours: 24 Bbl oil: 0 Mcf Gas: 3700 Bbl H2O: 0
Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 3700 Bbl H2O: 0 GOR: 0
Test Method: FLOWING Casing PSI: 2470 Tubing PSI: 2100 Choke Size: 24/64
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1179 API Gravity Oil: 0
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: MELISSA LUKE
Title: REGULATORY SPECIALIST Date: 3/25/2025 Email: mluke@terraep.com

ATTACHMENT LIST

Att Doc Num	Name
404140939	FORM 5A SUBMITTED
404140951	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Passed Completion review	04/10/2025

Total: 1 comment(s)