



<div>FORM 6</div> <div>Rev 11/20</div>	<div>State of Colorado</div> <div>Energy & Carbon Management Commission</div> <div>1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109</div>	<div></div>	<table><tr><td>DE</td><td>ET</td><td>OE</td><td>ES</td></tr></table>	DE	ET	OE	ES																																								
	DE	ET	OE	ES																																											
<div>WELL ABANDONMENT REPORT</div> <div><p>This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.</p></div>			<div>Replug By Other Operator</div> <div>Document Number: 404144316</div> <div>Date Received:</div>																																												
<div><div>ECMC Operator Number: 10261</div><div>Contact Name: Sterling Metzger</div><div>Name of Operator: BAYSWATER EXPLORATION & PRODUCTION LLC</div><div>Phone: (330) 605.2231</div><div>Address: 730 17TH ST STE 500</div><div>Fax:</div><div>City: DENVER State: CO Zip: 80202</div><div>Email: smetzger@bayswater.us</div><div>For "Intent" 24 hour notice required, Name: Tel:</div><div>ECMC contact: Email:</div></div>																																															
<div>Type of Well Abandonment Report: <input type="checkbox"/> Notice of Intent to Abandon <input checked="" type="checkbox"/> Subsequent Report of Abandonment</div>																																															
<div><div>API Number 05-123-05451-00</div><div>Well Name: UPRR Well Number: 1</div><div>Location: QtrQtr: SWSW Section: 31 Township: 8N Range: 66W Meridian: 6</div><div>County: WELD Federal, Indian or State Lease Number:</div><div>Field Name: BLACK HOLLOW Field Number: 6835</div></div>																																															
<div>Only Complete the Following Background Information for Intent to Abandon</div> <div><div>Latitude: 40.612540 Longitude: -104.828570</div><div>GPS Data: GPS Quality Value: 1.1 Type of GPS Quality Value: PDOP Date of Measurement: 12/16/2024</div><div>Reason for Abandonment: <input type="checkbox"/> Dry <input type="checkbox"/> Production Sub-economic <input type="checkbox"/> Mechanical Problems</div><div><input type="checkbox"/> Other</div><div>Casing to be pulled: <input type="checkbox"/> Yes <input type="checkbox"/> No Estimated Depth:</div><div>Fish in Hole: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, explain details below</div><div>Wellbore has Uncemented Casing leaks: <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, explain details below</div><div>Details:</div></div>																																															
<div>Current and Previously Abandoned Zones</div> <table><tr><th>Formation</th><th>Perf. Top</th><th>Perf. Btm</th><th>Abandoned Date</th><th>Method of Isolation</th><th>Plug Depth</th></tr><tr><td>LYONS</td><td>8889</td><td>8889</td><td>05/20/1967</td><td>BRIDGE PLUG</td><td>4810</td></tr></table> <div>Total: 1 zone(s)</div>				Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth	LYONS	8889	8889	05/20/1967	BRIDGE PLUG	4810																																
Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth																																										
LYONS	8889	8889	05/20/1967	BRIDGE PLUG	4810																																										
<div>Casing History</div> <table><tr><th>Casing Type</th><th>Size of Hole</th><th>Size of Casing</th><th>Grade</th><th>Wt/Ft</th><th>Csg/Liner Top</th><th>Setting Depth</th><th>Sacks Cmt</th><th>Cmt Btm</th><th>Cmt Top</th><th>Status</th></tr><tr><td>CONDUCTOR</td><td>26</td><td>16</td><td>H40</td><td>65</td><td>0</td><td>50</td><td>48</td><td>50</td><td>0</td><td>VISU</td></tr><tr><td>SURF</td><td>13+1/2</td><td>10+3/4</td><td>J55</td><td>40.50</td><td>0</td><td>851</td><td>440</td><td>851</td><td>0</td><td>VISU</td></tr><tr><td>1ST</td><td>7+7/8</td><td>7</td><td>J55</td><td>23/26</td><td>0</td><td>8870</td><td>300</td><td>8870</td><td>5000</td><td>CALC</td></tr></table>				Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status	CONDUCTOR	26	16	H40	65	0	50	48	50	0	VISU	SURF	13+1/2	10+3/4	J55	40.50	0	851	440	851	0	VISU	1ST	7+7/8	7	J55	23/26	0	8870	300	8870	5000	CALC
Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status																																					
CONDUCTOR	26	16	H40	65	0	50	48	50	0	VISU																																					
SURF	13+1/2	10+3/4	J55	40.50	0	851	440	851	0	VISU																																					
1ST	7+7/8	7	J55	23/26	0	8870	300	8870	5000	CALC																																					

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth _____ with _____ sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at _____ 1500 ft. with _____ 345 sacks. Leave at least 100 ft. in casing _____ 1490 CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ 320 sacks half in. half out surface casing from _____ 1490 ft. to _____ 0 ft. Plug Tagged: ☐

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☐ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing

Surface Plug Setting Date: 03/19/2025 Cut and Cap Date: 03/24/2025 Number of Days from Setting Surface Plug to Capping or Sealing the Well: 5

*Wireline Contractor: Ranger Wireline

*Cementing Contractor: Axis Energy Services

Type of Cement and Additives Used: G Neat

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

Technical Detail/Comments:

Collapsed casing @ 4850' noted on Doc# 254381

- Form 42 notifications for MIRU and P&A filed, Doc# 404118993, 404118955
- No evidence of fluid migration or pressure prior to placing 1490' plug
- Squeeze and plug @ 1500' - cement circulated to surface
- 15 min FLIR camera verified isolation 03/24/2025 prior to cap

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Jeanell Ries

Title: Contractor

Date: _____

Email: jgr@s-companies.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____

Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

<u>COA Type</u>	<u>Description</u>
0 COA	

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
404146090	WELLBORE DIAGRAM
404146091	OTHER
404146542	CEMENT JOB SUMMARY
404164605	WIRELINE JOB SUMMARY

Total Attach: 4 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)