

State of Colorado  
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
404164824

Receive Date:

---

Report taken by:

Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: NOBLE ENERGY INC	Operator No: 100322	<b>Phone Numbers</b>
Address: 1099 18TH STREET SUITE 1500		Phone: (970) 730-7281
City: DENVER State: CO Zip: 80202		Mobile: ( )
Contact Person: Dan Peterson	Email: danpeterson@chevron.com	

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 20862 Initial Form 27 Document #: 402856200

PURPOSE INFORMATION

- Rule 913.c.(1): Pit or Cuttings Trench closure.
- Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- Rule 913.g: Changes of Operator.
- Rule 915.b: Request to leave elevated inorganics in situ.
- Other: \_\_\_\_\_

SITE INFORMATION

Yes Multiple Facilities

Facility Type: LOCATION	Facility ID: 323665	API #: _____	County Name: WELD
Facility Name: LILLI UNIT-68N58W 5SWSE	Latitude: 40.685820	Longitude: -103.884010	
** correct Lat/Long if needed: Latitude: 40.685862		Longitude: -103.883548	
QtrQtr: SWSE	Sec: 5	Twp: 8N	Range: 58W Meridian: 6 Sensitive Area? Yes
Facility Type: SPILL OR RELEASE	Facility ID: 482192	API #: _____	County Name: WELD
Facility Name: Lilli Unit O-5	Latitude: 40.685537	Longitude: -103.883526	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: SWSE	Sec: 5	Twp: 8N	Range: 58W Meridian: 6 Sensitive Area? Yes

## SITE CONDITIONS

General soil type - USCS Classifications CL Most Sensitive Adjacent Land Use Range Land  
 Is domestic water well within 1/4 mile? No Is surface water within 1/4 mile? No  
 Is groundwater less than 20 feet below ground surface? No

### Other Potential Receptors within 1/4 mile

Structures 0.03mi NNW

## SITE INVESTIGATION PLAN

### TYPE OF WASTE:

- E&P Waste       Other E&P Waste       Non-E&P Waste  
 Produced Water       Workover Fluids  
 Oil       Tank Bottoms  
 Condensate       Pigging Waste  
 Drilling Fluids       Rig Wash  
 Drill Cuttings       Spent Filters  
 Pit Bottoms  
 Other (as described by EPA)

### DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	GROUNDWATER	NA	Lab Analysis or Field Screened, if Encountered
Yes	SOILS	Refer to Tables and Figures	Lab Analysis and Field Screening

### INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

A site investigation was conducted per ECMC Rule 911 during decommissioning activities at the Lilli Unit-68N58W 5SESW (AKA Lilli Unit O-5) Tank Battery and the Lilli Unit 14-5 (AKA Lilli Unit N-5) Tank Battery. The Lilli Unit N-5 facility was decommissioned on 3/31/22, as reported in Form 27 # 403093229. Following the spill discovery at the Lilli Unit N-5 facility, the remedial actions at that tank battery were split into a new remediation number (# 25074) as approved in Form 27 # 403152303. This report, and all Form 27s following #403093229, do not include any additional information about the Lilli Unit N-5 facility.

The Lilli Unit O-5 facility was decommissioned on 05/03/22. Soil samples were collected from the tank battery infrastructure per the approved sampling plan in Initial Form 27 # 402856200. A historical release was discovered at sample location FS01@3.5', collected from the base of the produced water vessel excavation as reported in Form 19 # 403051165 (Spill ID: 482192).

On 08/10/22, a site investigation was conducted to delineate inorganic exceedances and collect additional background samples (BG02 - BG06). Soil borings BH01 - BH05 were advanced to vertically and laterally delineate the SAR exceedance at sample location SEP01-FL@3'. Soil boring logs were not completed for hand auger locations BH01-BH05. Though the 6' sample collected beneath SEP01-FL did not exhibit SAR exceedances, SAR concentrations above Table 915-1 standards were observed in the 6' delineation samples to the east (BH03) and south (BH04).

Groundwater has not been encountered during any field investigations to date.

### PROPOSED SAMPLING PLAN

#### Proposed Soil Sampling

Will soil samples be collected as part of this investigation? ( Number, type (grab/composite), analyses, and locations of samples ):

Ten (10) grab confirmation soil samples were collected from the produced water vessel (PWV) excavation area, beneath the three above-ground oil tanks, and from the flowline and dumphine risers at the separator. A screening sample was taken beneath the meter house (MH01). Decommissioning soil samples were analyzed by a certified laboratory for TPH (total volatile [C6-C10] and extractable [C10-C36] hydrocarbons), organic compounds in soil per ECMC Table 915-1, EC, SAR, pH, and boron. Additionally, one soil sample (FS01@3.5') was analyzed for metals in soil per ECMC Table 915-1. Backgrounds collected at sample location BG01 were analyzed for SAR and Table 915-1 metals.

The delineation samples collected during the investigation on 08/10/22 (BH01 - BH05) were analyzed for SAR. Backgrounds collected at sample locations BG02 - BG06 were analyzed for SAR, arsenic, barium, and selenium.

#### Proposed Groundwater Sampling

Will groundwater samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

If groundwater is encountered during the site investigation, a grab groundwater sample will be collected and analyzed for all organic and inorganic compounds per ECMC Table 915-1. This sample analysis includes, but is not limited to: BTEX, naphthalene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB by EPA Method 8260; chloride and sulfate anions by EPA Method 300.0; and total dissolved solids (TDS) by Method SM 2540C.

### Proposed Surface Water Sampling

Will surface water samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

### Additional Investigative Actions

Additional alternative investigative actions described in attached Site Investigation Plan ( summary ):

Visual inspection of the tank battery occurred during the decommissioning and 2Q22 site investigation. Field personnel screened all disturbed areas using visual and olfactory senses to determine if laboratory confirmation sampling was required. The tank battery closure data and 3Q22 site investigation are summarized in Form 27 # 403149657, and Figure 2 of the attached excavation packet provides the sampling locations from both events.

## SITE INVESTIGATION REPORT

### SAMPLE SUMMARY

#### Soil

Number of soil samples collected 146

Number of soil samples exceeding 915-1 130

Was the areal and vertical extent of soil contamination delineated? No

Approximate areal extent (square feet) 25600

#### NA / ND

-- Highest concentration of TPH (mg/kg) 2490

-- Highest concentration of SAR 15.6

BTEX > 915-1 Yes

Vertical Extent > 915-1 (in feet) 20

#### Groundwater

Number of groundwater samples collected 0

Was extent of groundwater contaminated delineated? Yes

Depth to groundwater (below ground surface, in feet)         

Number of groundwater monitoring wells installed         

Number of groundwater samples exceeding 915-1         

Highest concentration of Benzene (µg/l)         

Highest concentration of Toluene (µg/l)         

Highest concentration of Ethylbenzene (µg/l)         

Highest concentration of Xylene (µg/l)         

Highest concentration of Methane (mg/l)         

#### Surface Water

0 Number of surface water samples collected

         Number of surface water samples exceeding 915-1

If surface water is impacted, other agency notification may be required.

### OTHER INVESTIGATION INFORMATION

Were impacts to adjacent property or offsite impacts identified?

Were background samples collected as part of this site investigation?

A total of 24 background soil samples were collected from 11 discrete locations (BG01 - BG11) near the former Lilli Unit O-5 tank battery between 05/03/22 and 02/28/24 (see Figure 2). Samples were collected between 2.5' and 18' below ground surface (bgs). The photos of the excavated background locations show a similar lithology to that observed in site soil boring logs and the photos of the remedial excavation. The background soil samples were analyzed for pH, EC, SAR, boron, and/or Table 915-1 metals. The maximum background concentrations for pH, EC, and SAR were 8.73, 8.87 mmhos/cm, and 10.0, respectively. The maximum background concentrations with a 1.25x multiplier for arsenic, barium, cadmium, lead, and selenium were 18.4 mg/kg, 698 mg/kg, 1.23 mg/kg, 31.8 mg/kg, and 5.08 mg/kg, respectively. All site concentrations of barium, cadmium, and selenium exceeding Table 915-1 are either below background concentrations or have been mechanically removed.

Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) 5298

Volume of liquid waste (barrels)         

Is further site investigation required?

A site investigation will be conducted to investigate site conditions, delineate inorganic/metals exceedances, collect Table 915-1 compliance samples, and collect additional background samples.

At least one soil boring will be advanced to investigate the site conditions and determine if residential soil screening levels (RSSLs) can be used as the regulatory standard for the site. Soil boring BH09R2 (and other borings as necessary) will be advanced via hollow stem auger to refusal and/or groundwater. This boring will also serve to confirm compliance at sample location BH09R@19-20' and vertically delineate any remaining inorganics or metals exceedances

Boring BH09R2 will be sampled at 19 - 20' bgs to confirm that the observed benzene exceedance (0.025 mg/kg) didn't result from drilling through the heavily impacted material above. Clean base samples have been collected across the excavation at depths of 18' bgs, indicating that all contaminants have been removed at depth. Samples will be collected from below BH09R@19-20' to provide vertical delineation for the pH, SAR, and lead exceedances that remain in place following the 1Q24 remedial excavation. Borings BH15 - BH18 will be advanced in each cardinal direction to provide vertical and lateral delineation.

Decommissioning samples SEP01-FL and SEP01-DL will be recollected to ensure compliance with Table 915-1 metals. Background samples (BG12 - BG17) will be collected to determine if elevated concentrations of pH, SAR, arsenic, and lead can be attributed to native soil conditions. Delineation and compliance samples will be analyzed for all Table 915-1 contaminants. Backgrounds will be analyzed for all Table 915-1 inorganics and metals. The proposed soil boring locations are shown in the attached Proposed Site Investigation Map. The investigation will be conducted per the implementation schedule, and the results will be submitted in a subsequent Form 27.

## REMEDIAL ACTION PLAN

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? Yes         

### SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

Between 9/20/2022 and 1/9/2023, 11 additional borings (BH06-BH14, BH09R, and BH10R) were advanced to delineate hydrocarbon impacts identified at the produced water vessel during decommissioning. Soil samples were analyzed by a certified laboratory for TPH (total volatile [C6-C10] and extractable [C10-C36] hydrocarbons), organic compounds in soil per ECMC Table 915-1, metals in soil per ECMC Table 915-1, EC, SAR, pH, and boron. The source was partially delineated, and results were provided in Form 27 # 403651367. Soil boring locations are shown in Figure 3.

A remedial excavation event was conducted between 01/11/24 and 03/11/24, including excavating test pits to ensure delineation of the source and removing the source to depth. Soil samples from the test pits and excavation were analyzed for all Table 915-1 contaminants. A total of 7 test pits (TP01 - TP07) were excavated to depths ranging from 15' to 25' in depth, and 21 soil samples were collected between 6' and 25' below ground surface (bgs). Samples collected from test pits TP01, TP02, and TP04 exhibited Table 915-1 organic compound exceedances at depths between 10' and 15' bgs. Test pit locations are shown in Figure 4.

The source mass removal excavation had an approximate aerial extent of 90' x 150' (13,500 sq ft) and was approximately 17' to 18' in depth. Approximately 5,298 cubic yards of impacted material sourced from the test pits and excavation were removed and disposed of at the Waste Management Buffalo Ridge facility. A total of 77 soil samples were collected during the excavation. Samples FS01 - FS09 were collected from the excavation floor at 17' to 18' bgs. Samples SS01 - SS68 were collected from the sidewalls of the excavation at 6' and 15' bgs. Sample locations are shown in Figure 5A and Figure 5B.

### REMEDICATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Analytical results from the floor and sidewall samples from the final excavation extent indicate that the hydrocarbon impacts have been successfully removed from the area. However, a single benzene exceedance (0.025 mg/kg) encountered at sample location BH09R@19-20' remains unaccounted for. Clean base samples have been collected across the excavation at depths of 18' bgs, indicating that all contaminants have been removed at depth. This exceedance may be a result of drilling through the heavily contaminated material above. Additionally, samples from the final extent of the excavation exhibit anomalously low pH concentrations and high SAR, arsenic, and lead concentrations.

A site investigation will be conducted to confirm the benzene exceedance, investigate site conditions, delineate inorganics/metals exceedances, collect Table 915-1 compliance samples, and collect additional background samples. The site investigation will be conducted per the proposed plan in the Site Investigation Report section of this Form 27, the attached Proposed Site Investigation Map, and the proposed Implementation Schedule.

### Soil Remediation Summary

In Situ

Ex Situ

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )

Yes \_\_\_\_\_ Excavate and offsite disposal

\_\_\_\_\_ Chemical oxidation

If Yes: Estimated Volume (Cubic Yards) \_\_\_\_\_ 5298

\_\_\_\_\_ Air sparge / Soil vapor extraction

Name of Licensed Disposal Facility or ECMC Facility ID # \_\_\_\_\_

\_\_\_\_\_ Natural Attenuation

\_\_\_\_\_ Excavate and onsite remediation

\_\_\_\_\_ Other \_\_\_\_\_

\_\_\_\_\_ Land Treatment

\_\_\_\_\_ Bioremediation (or enhanced bioremediation)

\_\_\_\_\_ Chemical oxidation

\_\_\_\_\_ Other \_\_\_\_\_

### Groundwater Remediation Summary

- Bioremediation ( or enhanced bioremediation )
- Chemical oxidation
- Air sparge / Soil vapor extraction
- Natural Attenuation
- Other \_\_\_\_\_

**GROUNDWATER MONITORING**

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

Groundwater was not encountered during any remedial efforts to date.

**REMEDIATION PROGRESS UPDATE**

**PERIODIC REPORTING**

Approved Reporting Schedule:

- Quarterly
- Semi-Annually
- Annually
- Other \_\_\_\_\_

Request Alternative Reporting Schedule:

- Semi-Annually
- Annually
- Other \_\_\_\_\_

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

- Report Type:  Groundwater Monitoring     Land Treatment Progress Report     O&M Report
- Other Remedial Excavation Report and Site Investigation Proposal

**Adequacy of Operator's General Liability Insurance and Financial Assurance**

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).  
If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

Noble intends to directly address the costs of remediation at the locations as part of our asset retirement obligation process and operations. Noble has general liability insurance (policy MWZZ 316714) and financial assurance in compliance with ECMC rules. Records are available on the ECMC's website. The cost for remediation is an estimate only, costs may change upwards or downward based on site-specific information. Noble makes no representation or guarantees as to the accuracy of the estimate.

Operator anticipates the remaining cost for this project to be: \$ 50000

**WASTE DISPOSAL INFORMATION**

Was E&P waste generated as part of this remediation? Yes

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

None

Volume of E&P Waste (solid) in cubic yards 5298

E&P waste (solid) description Hydrocarbon impacted/potentially impacted soils

ECMC Disposal Facility ID #, if applicable: \_\_\_\_\_

Non-ECMC Disposal Facility: Waste Management Buffalo Ridge

Volume of E&P Waste (liquid) in barrels 0

E&P waste (liquid) description \_\_\_\_\_

ECMC Disposal Facility ID #, if applicable: \_\_\_\_\_

Non-ECMC Disposal Facility: \_\_\_\_\_

# REMEDIATION COMPLETION REPORT

## REMEDIATION COMPLETION SUMMARY

Is this a Final Closure Request for this Remediation Project? No \_\_\_\_\_

If YES:

Compliant with Rule 913.h.(1).

Compliant with Rule 913.h.(2).

Compliant with Rule 913.h.(3).

Do all soils meet Table 915-1 standards? \_\_\_\_\_

Does the previous reply indicate consideration of background concentrations? \_\_\_\_\_

Does Groundwater meet Table 915-1 standards? \_\_\_\_\_

Is additional groundwater monitoring to be conducted? \_\_\_\_\_

Operator shall comply with the ECMC 1000-Series Reclamation Requirements for all impacted and disturbed areas.

## RECLAMATION PLAN

### RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

Reclamation will be in accordance with ECMC 1000 Series Rules.

Is the described reclamation complete? Yes \_\_\_\_\_

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

Interim  Final

Did the Surface Owner provide the seed mix? \_\_\_\_\_

If YES, does the seed mix comply with local soil conservation district recommendations? \_\_\_\_\_

Did the local soil conservation district provide the seed mix? \_\_\_\_\_

### SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. 05/03/2022

Proposed date of completion of Reclamation. 01/24/2027

## IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

### PRIOR DATES

Date of Surface Owner notification/consultation, if required. 09/02/2021

Actual Spill or Release date, or date of discovery. 05/16/2022

### SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 05/03/2022

Proposed site investigation commencement. 07/21/2025

Proposed completion of site investigation. 07/24/2025

### REMEDIAL ACTION DATES

Proposed start date of Remediation. 07/24/2025

Proposed date of completion of Remediation. 07/24/2026

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

The implementation schedule has been changed due to the necessity for an additional site investigation at the Lilli Unit O-5 Facility. The site investigation is tentatively scheduled to commence on July 21st, 2025, and is expected to conclude by July 24th, 2025. The ECMC will be updated with the investigation results in a subsequent Form 27, or if there are any changes to the implementation schedule.

**OPERATOR COMMENT**

This Form 27 is being submitted to include the results of the 1Q24 remedial excavation and propose a site investigation for the Lilli Unit O-5 project. The tank battery closure data and 3Q22 site investigation are summarized in Form 27 # 403149657. A summary of the subsequent 3Q22 and 1Q23 site investigations is provided in Form 27 # 403651367.

A remedial excavation event was conducted in 1Q24, including excavating test pits to ensure delineation of the source and removing the source to depth. Soil samples from the test pits and excavation were analyzed for all Table 915-1 contaminants. A total of 7 test pits were excavated and 21 soil samples were collected between 6' and 25' below ground surface (bgs). Samples collected from test pits TP01, TP02, and TP04 exhibited Table 915-1 organic compound exceedances at depths between 10' and 15' bgs. The source mass removal excavation had an approximate aerial extent of 90' x 150' and was approximately 17' to 18' in depth. Approximately 5,298 cubic yards of impacted material were removed and disposed of at the Waste Management Buffalo Ridge facility. Samples FS01 - FS09 were collected from the excavation floor at 17' to 18' bgs. Samples SS01 - SS68 were collected from the sidewalls of the excavation at 6' and 15' bgs.

Analytical results from the floor and sidewall samples from the final excavation extent indicate that the hydrocarbon impacts have been successfully removed from the area. However, a single benzene exceedance (0.025 mg/kg) encountered at sample location BH09R@19-20 remains unaccounted for. Additionally, samples from the final extent of the excavation exhibit anomalously low pH concentrations and high SAR, arsenic, and lead concentrations.

A site investigation will be conducted to confirm the benzene exceedance, investigate site conditions, delineate inorganics/metals exceedances, collect Table 915-1 compliance samples, and collect additional background samples. Quarterly reporting will be conducted until closure criteria are achieved for the remediation project. The site investigation will be conducted per the proposed plan in the Site Investigation Report section of this Form 27, the attached Proposed Site Investigation Map, and the proposed Implementation Schedule.

Based on currently available data, this project is not affected by data integrity irregularities and is not associated with Operator's data integrity review process and its Rule 525.e. Voluntary Disclosure. As part of its data integrity review process, Operator requested the lab protect the laboratory analytical report from subsequent modification by anyone outside the lab, which resulted in the lab reissuing the original report with the additional protections (Reissued Report). The Reissued Reports were received directly from Summit Scientific on April 3, 2025, and include the application of a Digital ID/Verified Certification (lock) to support reissuance. The metadata associated with the Reissued Reports also includes the lab representative's name, the date and time the laboratory reissued the report, and an explanation for the report reissuance. The Reissued Report is attached to this submission.

In the event additional responsive information is received or discovered that would suggest this project should be incorporated into the ongoing data integrity review process associated with Operator's Rule 525.e. Voluntary Disclosure, Operator will update and/or amend the statements in this submission and provide any new or revised data or other information.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Jeff Rollins

Title: Environment Scientist II

Submit Date:

Email: tas-chevron-5@tasman-geo.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved:

Date:

Remediation Project Number: 20862

**COA Type**

**Description**

0 COA	
-------	--

**ATTACHMENT LIST**

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

<u>Att Doc Num</u>	<u>Name</u>
404169170	SITE INVESTIGATION PLAN
404169175	ANALYTICAL RESULTS
404169176	ANALYTICAL RESULTS
404169177	ANALYTICAL RESULTS
404169180	ANALYTICAL RESULTS
404169182	ANALYTICAL RESULTS
404169183	ANALYTICAL RESULTS
404169184	ANALYTICAL RESULTS
404169185	ANALYTICAL RESULTS
404169187	ANALYTICAL RESULTS
404169188	ANALYTICAL RESULTS
404169190	ANALYTICAL RESULTS
404169193	ANALYTICAL RESULTS
404169195	ANALYTICAL RESULTS
404169196	ANALYTICAL RESULTS
404169198	ANALYTICAL RESULTS
404172380	SITE INVESTIGATION REPORT

Total Attach: 17 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)