

HALLIBURTON SERVICES
JOB SUMMARY
 FORM 2012 R-1

HALLIBURTON DIVISION DENVER, COLORADO
 HALLIBURTON LOCATION BRIGHTON, Colo.

BILLED ON TICKET NO. D25877

CUSTOMER WEBB REPAIRS
 LEASE WEBB OPERATOR
 WELL NO. 12-6-X
 JOB TYPE SPIT CMT THROUGH TUBING
 DATE 8-19-76

WELL DATA

FIELD WC SEC. 12 TWP. 35 RNG. 63W COUNTY ADAMS STATE COLORADO

	NEW USED	SIZE	FROM	TO	WEIGHT	MAXIMUM PSI ALLOWABLE
CASING	<u>U</u>	<u>5 1/2"</u>	<u>0</u>	<u>8155</u>	<u>17.10</u>	<u>150</u>
LINER						
TUBING	<u>U</u>	<u>2 7/8"</u>	<u>0</u>	<u>8155</u>	<u>6.5</u>	<u>150</u>
OPEN HOLE					TOTAL DEPTH:	
PERFORATIONS					SHOTS/FT.	
PERFORATIONS					SHOTS/FT.	
PERFORATIONS					SHOTS/FT.	

FORMATION NAME _____ TYPE _____
 FORMATION THICKNESS _____ FROM _____ TO _____
 INITIAL PROD: OIL _____ BPD. WATER _____ BPD. GAS _____ MCFD _____
 PRESENT PROD: OIL _____ BPD. WATER _____ BPD. GAS _____ MCFD _____
 COMPLETION DATE _____ MUD TYPE _____ MUD WT. _____
 PACKER TYPE _____ SET AT _____
 BOTTOM HOLE TEMP. _____ PRESSURE _____
 MISC. DATA _____

JOB DATA

CALLED OUT	ON LOCATION	JOB STARTED	JOB COMPLETED
DATE <u>8-19-76</u> TIME <u>0910</u>	DATE <u>8-19-76</u> TIME <u>12:30</u>	DATE <u>8-19-76</u> TIME <u>1430</u>	DATE <u>8-19-76</u> TIME <u>1520</u>

PERSONNEL AND SERVICE UNITS

NAME	UNIT NO. & TYPE	LOCATION
<u>F. KICHLER</u>	<u>0189-4613</u>	
<u>D. PETTY</u>	<u>58 TMS</u>	<u>BRIGHTON</u>
<u>M. ANSCHUTZ</u>	<u>9330</u>	<u>BULK CRT.</u>

TOOLS AND ACCESSORIES

TYPE AND SIZE	QTY.	MAKE
FLOAT COLLAR		
FLOAT SHOE		
GUIDE SHOE		
CENTRALIZERS		
BOTTOM PLUG		
TOP PLUG		
HEAD <u>SAWEDGE 2 7/8"</u>	<u>1 EA.</u>	<u>HALLIBURTON</u>
PACKER		
OTHER		

MATERIALS

TREAT. FLUID _____ DENSITY _____ LB/GAL. API
 DISPL. FLUID WATER DENSITY 8.33 LB/GAL. API
 PROP. TYPE _____ SIZE _____ LB.
 ACID TYPE _____ GAL. %
 SURFACTANT TYPE _____ GAL. IN
 NE AGENT TYPE _____ GAL. IN
 FLUID LOSS ADD. TYPE _____ GAL.-LB. IN
 GELLING AGENT TYPE _____ GAL.-LB. IN
 FRIC. RED. AGENT TYPE _____ GAL.-LB. IN
 BREAKER TYPE _____ GAL.-LB. IN
 BLOCKING AGENT TYPE _____ GAL.-LB.
 PERFPAC BALLS TYPE _____ QTY. _____
 OTHER _____

DEPARTMENT CEMENT
 DESCRIPTION OF JOB SPIT CMT. OVER PERFS. THROUGH TUBING
 JOB DONE THRU: TUBING CASING ANNULUS TBG./ANN.
 CUSTOMER REPRESENTATIVE X
 HALLIBURTON OPERATOR F. KICHLER COPIES REQUESTED 1

CEMENT DATA

STAGE	NUMBER OF SACKS	TYPE	API CLASS	BRAND	BULK SACKED	ADDITIVES	YIELD CU.FT./SK.	MIXED LBS./GAL.
<u>1</u>	<u>10</u>	<u>PERMA D</u>	<u>D</u>	<u>IDEAL B</u>	<u>18% GEL</u>		<u>5.64</u>	<u>11.0</u>

PRESSURES IN PSI

CIRCULATING 150 DISPLACEMENT 150
 BREAKDOWN _____ MAXIMUM 150
 AVERAGE _____ FRACTURE GRADIENT _____
 SHUT-IN INSTANT _____ 5-MIN. _____ 15-MIN. _____
 ORDERED _____ AVAILABLE _____ USED _____
 TREATING 6 DISPL. 5 OVERALL 515
 CEMENT LEFT IN PIPE _____
 FEET _____ REASON _____

SUMMARY

VOLUMES
 PREFLUSH: BBL.-GAL. 5 TYPE WATER
 LOAD & BKDN: BBL.-GAL. _____ PAD: BBL.-GAL. _____
 TREATMENT: BBL.-GAL. 45 DISPL: BBL.-GAL. 47
 CEMENT SLURRY: BBL.-GAL. 10
 TOTAL VOLUME: BBL.-GAL. 107

REMARKS **RECEIVED**

AUG 25 1976

COLO. OIL & GAS CONS. COMM.

CUSTOMER



WORK ORDER CONTRACT AND PRE-TREATMENT DATA

FORM 1908 R-2 A Division of Halliburton Company DUNCAN, OKLAHOMA 73533

ATTACH TO INVOICE & TICKET NO. 025877

DISTRICT BRIGHTON COLORADO

DATE 8-19-76

TO: HALLIBURTON SERVICES YOU ARE HEREBY REQUESTED TO FURNISH EQUIPMENT AND SERVICEMEN TO DELIVER AND OPERATE THE SAME AS AN INDEPENDENT CONTRACTOR TO: WEBB RESOURCES (CUSTOMER) AND DELIVER AND SELL PRODUCTS, SUPPLIES, AND MATERIALS FOR THE PURPOSE OF SERVICING

WELL NO. 12-6X LEASE WEBB-CHAMPLIN SEC. 12 TWP. 3S RANGE 63W

FIELD WC COUNTY ADAMS STATE COLORADO OWNED BY WEBB RESOURCES

THE FOLLOWING INFORMATION WAS FURNISHED BY THE CUSTOMER OR HIS AGENT

FORMATION NAME TYPE FORMATION THICKNESS FROM TO PACKER: TYPE SET AT TOTAL DEPTH MUD WEIGHT BORE HOLE INITIAL PROD: OIL BPD, H2O BPD, GAS MCF PRESENT PROD: OIL BPD, H2O BPD, GAS MCF

Table with columns: NEW USED, WEIGHT, SIZE, FROM, TO, MAX. ALLOW. P.S.I. Rows include CASING (17.00, 5 1/2", 0, 8155', 150), LINER, TUBING (6.5, 2 7/8", 0, 8155', 150), OPEN HOLE (SHOTS/FT.), and three rows for PERFORATIONS.

PREVIOUS TREATMENT: DATE TYPE MATERIALS

TREATMENT INSTRUCTIONS: TREAT THRU TUBING ANNULUS CASING TUBING/ANNULUS HYDRAULIC HORSEPOWER ORDERED

SPOT 10 SK. CMT. OVER PERFS THROUGH TUBING

RECEIVED AUG 25 1976

CUSTOMER OR HIS AGENT STATES THE WELL IS IN PROPER CONDITION TO RECEIVE THE PRODUCTS, SUPPLIES, MATERIALS, AND SERVICES. THIS CONTRACT MUST BE SIGNED BEFORE WORK IS COMMENCED

- (a) To pay Halliburton in accord with the rates and terms stated in Halliburton's current price lists. (b) Halliburton shall not be responsible for and Customer shall secure Halliburton against any liability for damage to property of Customer and of the well owner... (k) Halliburton shall not be bound by any changes or modifications in this contract, except where such change or modification is made in writing by a duly authorized executive officer of Halliburton.

I HAVE READ AND UNDERSTAND THIS CONTRACT AND REPRESENT THAT I AM AUTHORIZED TO SIGN THE SAME AS CUSTOMER'S AGENT

SIGNED [Signature] CUSTOMER

DATE 8-19-76

TIME 1:00 A.M. (P.M.)

We certify that the Fair Labor Standards Act of 1938, as amended, has been complied with in the production of goods and/or with respect to services furnished under this contract.

CUSTOMER