

State of Colorado
Energy & Carbon Management Commission1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:

404119733

Receive Date:

03/27/2025

Report taken by:

Krystal Heibel

Site Investigation and Remediation Workplan (Initial Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: <u>OWN RESOURCES OPERATING LLC</u>	Operator No: <u>10699</u>	Phone Numbers Phone: <u>(970) 630-3585</u> Mobile: <u>(713) 628-7339</u>
Address: <u>305 S RIDGE STREET #6279</u>		
City: <u>BRECKENRIDGE</u>	State: <u>CO</u>	Zip: <u>80424</u>
Contact Person: <u>Niels Phaf</u>	Email: <u>niels.phaf@ownresources.com</u>	

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 40143 Initial Form 27 Document #: 404119733

PURPOSE INFORMATION

- ☐ Rule 913.c.(1): Pit or Cuttings Trench closure.
- ☐ Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- ☐ Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- ☐ Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- ☐ Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- ☐ Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- ☐ Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- ☐ Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- ☒ Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- ☐ Rule 913.g: Changes of Operator.
- ☐ Rule 915.b: Request to leave elevated inorganics in situ.
- ☐ Other: _____

SITE INFORMATION

Yes Multiple Facilities

Facility Type: <u>WELL</u>	Facility ID: _____	API #: <u>125-09453</u>	County Name: <u>YUMA</u>
Facility Name: <u>KGA 17-8</u>	Latitude: <u>40.229590</u>	Longitude: <u>-102.416120</u>	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: <u>SENE</u>	Sec: <u>17</u>	Twp: <u>3N</u>	Range: <u>45W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u>

Facility Type: <u>LOCATION</u>	Facility ID: <u>336814</u>	API #: _____	County Name: <u>YUMA</u>
Facility Name: <u>KGA-63N45W 17SENE</u>	Latitude: <u>40.229590</u>	Longitude: <u>-102.416120</u>	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: <u>SENE</u>	Sec: <u>17</u>	Twp: <u>3N</u>	Range: <u>45W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u>

SITE CONDITIONS

General soil type - USCS Classifications SM

Most Sensitive Adjacent Land Use Pasture

Is domestic water well within 1/4 mile? No

Is surface water within 1/4 mile? No

Is groundwater less than 20 feet below ground surface? No

Other Potential Receptors within 1/4 mile

Potential Receptors: A livestock well is located approximately 2,273 feet northwest, with a water depth greater than 105 feet. The site falls within a designated groundwater management area, a designated basin, and is part of both the Greater Prairie Chicken Production Area and a Greater Prairie Chicken Lek Site.

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- ☒ E&P Waste ☐ Other E&P Waste ☐ Non-E&P Waste
- ☒ Produced Water ☐ Workover Fluids _____
- ☐ Oil ☐ Tank Bottoms
- ☐ Condensate ☐ Pigging Waste
- ☐ Drilling Fluids ☐ Rig Wash
- ☐ Drill Cuttings ☐ Spent Filters
- ☐ Pit Bottoms
- ☐ Other (as described by EPA) _____

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	SOILS	TBD	Field Screening & Soil Analysis

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

No initial action or emergency response measures were required or taken. This submission is for a planned P&A well. Scope: wellhead, on-location meter shed, gas gathering line and water line. Waterline runs east of the wellhead, it will be disconnected from the State 16-15 Location ID 337124 as shown on the map. Water line will be abandoned in place. Gas gathering line will be cut and capped at the meter shed and gas gathering system as shown on the map. We will also remediate the lease road.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

☒ Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

A minimum of 5 soil sample will be collected: one from the wellhead, one from the gas disconnect at the meter shed, one from the gas disconnect at the gas gathering system, one from the water line disconnect at the water collection system and a background sample 60 feet from the wellhead. Visual field screening will be conducted at the well site/meter shed location and along the flowline, any visual disturbance will be investigated. Also field screening will be done at the one excavation, covering each wall and floor quadrant. A pressure test will be performed on the gas and water lines. Sampling locations will be adjusted based on field screening, excavation screening, and pressure test results. Samples will be taken from the highest soil screening location within the excavation; if all screenings are zero, from the highest visible staining location; if no staining is present we will use the samples as described earlier All samples will be analyzed according to the full Table 915-1.

Proposed Groundwater Sampling

☐ Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Groundwater is not expected in any of the excavations, water depth >105'

Proposed Surface Water Sampling

☐ Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

no permanent surface water in area

Additional Investigative Actions

☐ Additional alternative investigative actions described in attached Site Investigation Plan (summary):

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

NA / ND

Number of soil samples collected 0

Highest concentration of TPH (mg/kg) _____

Number of soil samples exceeding 915-1 _____

Highest concentration of SAR _____

Was the areal and vertical extent of soil contamination delineated? _____

BTEX > 915-1 _____

Approximate areal extent (square feet) _____

Vertical Extent > 915-1 (in feet) _____

Groundwater

Number of groundwater samples collected _____ 0

Highest concentration of Benzene (µg/l) _____

Was extent of groundwater contaminated delineated? No _____

Highest concentration of Toluene (µg/l) _____

Depth to groundwater (below ground surface, in feet) _____

Highest concentration of Ethylbenzene (µg/l) _____

Number of groundwater monitoring wells installed _____

Highest concentration of Xylene (µg/l) _____

Number of groundwater samples exceeding 915-1 _____

Highest concentration of Methane (mg/l) _____

Surface Water

_____ 0 Number of surface water samples collected

_____ Number of surface water samples exceeding 915-1

If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

☐ Were impacts to adjacent property or offsite impacts identified?

☒ Were background samples collected as part of this site investigation?

A background sample from an undisturbed area will be collected to use as a baseline for Table 915 reclamation standards.

☐ Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) _____

Volume of liquid waste (barrels) _____

☐ Is further site investigation required?

REMEDIAL ACTION PLAN

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

If samples don't meet table 915-1 levels remedial actions are required which typically include decompaction, natural attenuation and gypsum which will bring the most common outliers (EC, SAR) - salt content - back to allowed levels within 1-2 years.

REMEDIAL SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Remediation actions required will most likely be for produced water; This historically represents itself with high salt content in soil and EC readings; Remediation action that has been efficient in the past is decompaction, natural attenuation combined with gypsum; Typical EC levels reach 915-1 table levels between 1 and 2 years; This location is in pastureland, access road and any impacted soil will be treated and monitored until there is no indication of significant unrestored subsistence.

Soil Remediation Summary

☐ In Situ

☐ Ex Situ

_____ Bioremediation (or enhanced bioremediation)

_____ Excavate and offsite disposal

_____ Chemical oxidation

_____ If Yes: Estimated Volume (Cubic Yards) _____

_____ Air sparge / Soil vapor extraction

_____ Name of Licensed Disposal Facility or ECOM Facility ID # _____

_____ Natural Attenuation

_____ Excavate and onsite remediation

Other _____

Land Treatment

Bioremediation (or enhanced bioremediation)

Chemical oxidation

Other _____

Groundwater Remediation Summary

Bioremediation (or enhanced bioremediation)

Chemical oxidation

Air sparge / Soil vapor extraction

Natural Attenuation

Other _____

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

REMEDIATION PROGRESS UPDATE

PERIODIC REPORTING

Approved Reporting Schedule:

☒

Quarterly

☐

Semi-Annually

☐

Annually

☐

Other

☐

Request Alternative Reporting Schedule:

☐

Semi-Annually

☐

Annually

☐

Other

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

Report Type:

☐

Groundwater Monitoring

☐

Land Treatment Progress Report

☐

O&M Report

☐

Other

Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

Own Resources Operating is following the minimum insurance requirements of Rule 705.b and these insurances are registered with the ECMC as per Rules 705.d and 705.e. The ECMC requires a minimum of \$5M of liability coverage, which exceeds Remediation Costs. We also have an approved assurance plan under option 5

Operator anticipates the remaining cost for this project to be: \$ 1500

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation?

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Volume of E&P Waste (solid) in cubic yards

E&P waste (solid) description

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility:

Volume of E&P Waste (liquid) in barrels

E&P waste (liquid) description

ECMC Disposal Facility ID #, if applicable:

Non-ECMC Disposal Facility:

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

Upon the plugging and abandonment of well, abandoned gathering line risers and flowline risers, will be removed within 30 days; surface equipment will be removed within three (3) months of cut and cap date. Well location will then be reclaimed. Where necessary, compaction alleviation, restoration, and revegetation of well site will be performed to the standards as set up under Rule 1003. All disturbed areas affected will be reclaimed as early and as close to their original condition or their final land use as designated by the surface owner and shall be maintained to minimize erosion. This location is in an pastureland and shall be treated if necessary and practical to prevent invasion of undesirable species and noxious weeds, and to control erosion. The disturbed area and access road will be treated in the first favorable season and monitored until there is no indication of significant unrestored subsistence.

Is the described reclamation complete? _____

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

☐ Interim ☐ Final

Did the Surface Owner provide the seed mix? _____

If YES, does the seed mix comply with local soil conservation district recommendations? _____

Did the local soil conservation district provide the seed mix? _____

SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. 04/23/2025

Proposed date of completion of Reclamation. 05/28/2027

IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

PRIOR DATES

Date of Surface Owner notification/consultation, if required. 02/24/2025

Actual Spill or Release date, or date of discovery. _____

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 04/23/2025

Proposed site investigation commencement. _____

Proposed completion of site investigation. 06/11/2025

REMEDIAL ACTION DATES

Proposed start date of Remediation. 04/23/2025

Proposed date of completion of Remediation. 06/11/2025

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

☐ Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

OPERATOR COMMENT

A Supplemental Form 27 will be submitted upon completion of P&A work and receipt of soil analysis results. It will include updated remediation and reclamation plans.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Azucena Torres

Title: Reclamation & Remediation

Submit Date: 03/27/2025

Email: azucena.torres@ownresources.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Krystal Heibel

Date: 04/24/2025

Remediation Project Number: 40143

COA Type**Description**

	Operators will collect and submit for laboratory analysis a soil sample collected from the areas most likely to have been impacted during the operational life of the flowline. These areas include, but are not limited to: where Flowlines connect to the wellhead, surface equipment, risers, valves, or manifolds; where Flowlines bend or were repaired in the past and at joints and hammer unions; where Flowlines connect to Flowlines or equipment of different material; and where Flowlines crossed drainages or surface water or are in contact with shallow groundwater.
	If groundwater is encountered, inorganic parameters (TDS, chloride, sulfate) will be sampled in addition to the organic compounds in groundwater (benzene, toluene, ethylbenzene, xylenes, naphthalene, 1,2,4 TMB, and 1,3,5 TMB).
2 COAs	

ATTACHMENT LIST

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num**Name**

404119733	FORM 27-INITIAL-SUBMITTED
404127234	PHOTO DOCUMENTATION
404143760	AERIAL IMAGE
404143767	SOIL SAMPLE LOCATION MAP
404143773	SOIL SAMPLE LOCATION MAP
404143774	SOIL SAMPLE LOCATION MAP

Total Attach: 6 Files

General Comments**User Group****Comment****Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)