

## ANALYTICAL REPORT

Eurofins Denver  
4955 Yarrow Street  
Arvada, CO 80002  
Tel: (303)736-0100

Laboratory Job ID: 280-166454-2  
Client Project/Site: Waterwell Baseline

For:  
Evergreen Natural Resources LLC  
27000 Hwy 12  
Trinidad, Colorado 81082

Attn: Lab Data



Authorized for release by:  
9/27/2022 11:35:30 AM

Matthew Gardner, Project Manager I  
(303)736-0100  
[Matthew.Gardner@et.eurofinsus.com](mailto:Matthew.Gardner@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions . . . . .	3
Case Narrative . . . . .	4
Detection Summary . . . . .	6
Method Summary . . . . .	7
Sample Summary . . . . .	8
Client Sample Results . . . . .	9
Surrogate Summary . . . . .	11
Chronicle . . . . .	12
Chain of Custody . . . . .	13

# Definitions/Glossary

Client: Evergreen Natural Resources LLC  
Project/Site: Waterwell Baseline

Job ID: 280-166454-2

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
S1-	Surrogate recovery exceeds control limits, low biased.

### General Chemistry

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
^+	Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
H	Sample was prepped or analyzed beyond the specified holding time
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Evergreen Natural Resources LLC  
Project/Site: Waterwell Baseline

Job ID: 280-166454-2

**Job ID: 280-166454-2**

**Laboratory: Eurofins Denver**

**Narrative**

## CASE NARRATIVE

**Client: Evergreen Natural Resources LLC**

**Project: Waterwell Baseline**

**Report Number: 280-166454-2**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

This report may include reporting limits (RLs) less than Eurofins TestAmerica's standard reporting limit. The reported sample results and associated reporting limits are being used specifically to meet the needs of this project. Note that data are not normally reported to these levels without qualification because they are inherently less reliable and potentially less defensible than required by the latest industry standards.

This submission may contain field data obtained by the sampler. The methods referenced in this submission for the field data results may not be the methods used to obtain the field data by the sampler.

### **RECEIPT**

The samples were received on 9/14/2022 10:18 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.1° C and 0.5° C.

### **RECEIPT EXCEPTIONS**

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. The first COC was not relinquished.

### **VOLATILE ORGANIC COMPOUNDS (GC-MS)**

In analytical batch 280-587742 for Method 8260, two surrogates are associated and used for this analysis of the one target analyte. Surrogate Dibromofluoromethane (Surr) was within limits (77%-120%) at 81% and surrogate 1,2-Dichloroethane-d4 (Surr) was outside of limits (70%-127%) at 69%. The analysis has four surrogates assessed but only two are associated with the target analyte. Three of the four surrogates are within limits. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: TRIP BLANK (280-166454-4). These results have been reported and qualified. The associated sample is non-detect for the target analyte.

In analytical batch 280-587742 for Method 8260, the method requirement for no headspace was not met. The following volatile sample was analyzed with significant headspace in the sample container(s): DeField WW9089383 (280-166454-3). Significant headspace is defined as a bubble greater than 6 mm in diameter.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **DISSOLVED GASES**

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **TOTAL METALS (ICP/ICPMS)**

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### **GENERAL CHEMISTRY - VARIOUS**

Due to the high concentration of Sulfate, the matrix spike / matrix spike duplicate (MS/MSD) for analytical batch 280-586935 could not be

# Case Narrative

Client: Evergreen Natural Resources LLC  
Project/Site: Waterwell Baseline

Job ID: 280-166454-2

---

## Job ID: 280-166454-2 (Continued)

---

### Laboratory: Eurofins Denver (Continued)

evaluated for accuracy and precision. The associated laboratory control sample (LCS) met acceptance criteria.

Reanalysis of the following sample was performed outside of the analytical holding time for method 300.0 due to mechanical malfunction involving multiple IC instruments : DeField WW9089383 (280-166454-3).

The matrix spike and matrix spike duplicate (MS/MSD) recoveries for analytical batch 280-586789 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample and laboratory control sample duplicate (LCS/LCSD) recoveries were within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



# Detection Summary

Client: Evergreen Natural Resources LLC  
Project/Site: Waterwell Baseline

Job ID: 280-166454-2

**Client Sample ID: DeField WW9089383**

**Lab Sample ID: 280-166454-3**

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tert-butyl alcohol (2-methyl-2-propanol)	39		5.0		ug/L	1		8260B	Total/NA
Methane	14		0.0050		mg/L	1		RSK-175	Total/NA
Calcium	8.4		0.20		mg/L	1		200.7 Rev 4.4	Total/NA
Iron	140		100		ug/L	1		200.7 Rev 4.4	Total/NA
Magnesium	0.46		0.20		mg/L	1		200.7 Rev 4.4	Total/NA
Manganese	29		10		ug/L	1		200.7 Rev 4.4	Total/NA
Sodium	260		1.0		mg/L	1		200.7 Rev 4.4	Total/NA
Sodium Adsorption Ratio	24		0.40		No Unit	1		20B	Total/NA
Nitrate as N	0.21	H	0.10		mg/L	1		300.0	Total/NA
Chloride	80		1.0		mg/L	1		300.0	Total/NA
Fluoride	4.9		0.20		mg/L	1		300.0	Total/NA
Total Alkalinity	470		10		mg/L	1		SM 2320B	Total/NA
Bicarbonate Alkalinity as CaCO3	440		10		mg/L	1		SM 2320B	Total/NA
Carbonate Alkalinity as CaCO3	33		10		mg/L	1		SM 2320B	Total/NA
Specific Conductance	1000		1.0		umhos/cm	1		SM 2510B	Total/NA
Total Dissolved Solids	630		10		mg/L	1		SM 2540C	Total/NA
pH	8.1	HF	0.1		SU	1		SM 4500 H+ B	Total/NA
Field pH	8.1		1.0		SU	1		SM4500 S2 H	Total/NA
Field Temperature	21		1.0		Celsius	1		SM4500 S2 H	Total/NA
Specific Conductance	1000		2.0		umhos/cm	1		SM4500 S2 H	Total/NA

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 280-166454-4**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Denver

# Method Summary

Client: Evergreen Natural Resources LLC  
Project/Site: Waterwell Baseline

Job ID: 280-166454-2

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	EET DEN
RSK-175	Dissolved Gases (GC)	RSK	EET DEN
200.7 Rev 4.4	Metals (ICP)	EPA	EET DEN
200.8	Metals (ICP/MS)	EPA	EET DEN
20B	Sodium Adsorption Ratio	USDA	EET DEN
300.0	Anions, Ion Chromatography	MCAWW	EET DEN
SM 2320B	Alkalinity	SM	EET DEN
SM 2510B	Conductivity, Specific Conductance	SM	EET DEN
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET DEN
SM 4500 H+ B	pH	SM	EET DEN
SM 4500 S2 D	Sulfide, Total	SM	EET DEN
SM4500 S2 H	Unionized Hydrogen Sulfide	SM	EET DEN
200.7	Preparation, Total Metals	EPA	EET DEN
200.8	Preparation, Total Metals	EPA	EET DEN
5030B	Purge and Trap	SW846	EET DEN

## Protocol References:

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

USDA = "USDA Agriculture Handbook 60, section 20B".

## Laboratory References:

EET DEN = Eurofins Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

# Sample Summary

Client: Evergreen Natural Resources LLC  
Project/Site: Waterwell Baseline

Job ID: 280-166454-2

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
280-166454-3	DeField WW9089383	Water	09/13/22 10:15	09/14/22 10:18
280-166454-4	TRIP BLANK	Water	09/13/22 10:15	09/14/22 10:18

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11



# Client Sample Results

Client: Evergreen Natural Resources LLC  
Project/Site: Waterwell Baseline

Job ID: 280-166454-2

**Client Sample ID: DeField WW9089383**

**Lab Sample ID: 280-166454-3**

Date Collected: 09/13/22 10:15

Matrix: Water

Date Received: 09/14/22 10:18

## Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Tert-butyl alcohol (2-methyl-2-propanol)</b>	<b>39</b>		5.0		ug/L			09/23/22 12:56	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
1,2-Dichloroethane-d4 (Surr)	96		70 - 127					09/23/22 12:56	1
Toluene-d8 (Surr)	93		80 - 125					09/23/22 12:56	1
4-Bromofluorobenzene (Surr)	89		78 - 120					09/23/22 12:56	1
Dibromofluoromethane (Surr)	104		77 - 120					09/23/22 12:56	1

## Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Methane</b>	<b>14</b>		0.0050		mg/L			09/23/22 18:41	1

## Method: 200.7 Rev 4.4 - Metals (ICP)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Calcium</b>	<b>8.4</b>		0.20		mg/L		09/15/22 08:42	09/16/22 16:46	1
<b>Iron</b>	<b>140</b>		100		ug/L		09/15/22 08:42	09/16/22 16:46	1
Potassium	ND		3000		ug/L		09/15/22 08:42	09/16/22 16:46	1
<b>Magnesium</b>	<b>0.46</b>		0.20		mg/L		09/15/22 08:42	09/16/22 16:46	1
<b>Manganese</b>	<b>29</b>		10		ug/L		09/15/22 08:42	09/16/22 16:46	1
<b>Sodium</b>	<b>260</b>		1.0		mg/L		09/15/22 08:42	09/16/22 16:46	1

## Method: 200.8 - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Selenium	ND		5.0		ug/L		09/15/22 14:52	09/16/22 21:41	1

## Method: 20B - Sodium Adsorption Ratio

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Sodium Adsorption Ratio</b>	<b>24</b>		0.40		No Unit			09/21/22 13:19	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	ND		0.23		mg/L			09/18/22 02:31	1
<b>Nitrate as N</b>	<b>0.21</b>	<b>H</b>	0.10		mg/L			09/15/22 17:26	1
<b>Chloride</b>	<b>80</b>		1.0		mg/L			09/15/22 17:26	1
Nitrite as N	ND	*+ H ^+	0.10		mg/L			09/15/22 17:26	1
<b>Fluoride</b>	<b>4.9</b>		0.20		mg/L			09/15/22 17:26	1
Sulfate	ND		5.0		mg/L			09/15/22 17:26	1
<b>Total Alkalinity</b>	<b>470</b>		10		mg/L			09/16/22 00:16	1
<b>Bicarbonate Alkalinity as CaCO3</b>	<b>440</b>		10		mg/L			09/16/22 00:16	1
<b>Carbonate Alkalinity as CaCO3</b>	<b>33</b>		10		mg/L			09/16/22 00:16	1
<b>Total Dissolved Solids</b>	<b>630</b>		10		mg/L			09/15/22 11:13	1
Sulfide	ND	F1	0.050		mg/L			09/14/22 12:56	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Specific Conductance</b>	<b>1000</b>		1.0		umhos/cm			09/19/22 11:53	1
<b>pH</b>	<b>8.1</b>	<b>HF</b>	0.1		SU			09/15/22 13:11	1
Un-ionized Hydrogen Sulfide	ND		1.0		mg/L			09/20/22 15:50	1
<b>Field pH</b>	<b>8.1</b>		1.0		SU			09/20/22 15:50	1
<b>Field Temperature</b>	<b>21</b>		1.0		Celsius			09/20/22 15:50	1
<b>Specific Conductance</b>	<b>1000</b>		2.0		umhos/cm			09/20/22 15:50	1
Sulfide	ND		4.0		mg/L			09/20/22 15:50	1

Eurofins Denver

# Client Sample Results

Client: Evergreen Natural Resources LLC  
 Project/Site: Waterwell Baseline

Job ID: 280-166454-2

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 280-166454-4**

**Date Collected: 09/13/22 10:15**

**Matrix: Water**

**Date Received: 09/14/22 10:18**

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-butyl alcohol (2-methyl-2-propanol)	ND		5.0		ug/L			09/23/22 08:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	69	S1-	70 - 127					09/23/22 08:26	1
Toluene-d8 (Surr)	96		80 - 125					09/23/22 08:26	1
4-Bromofluorobenzene (Surr)	91		78 - 120					09/23/22 08:26	1
Dibromofluoromethane (Surr)	81		77 - 120					09/23/22 08:26	1

# Surrogate Summary

Client: Evergreen Natural Resources LLC  
Project/Site: Waterwell Baseline

Job ID: 280-166454-2

**Method: 8260B - Volatile Organic Compounds (GC/MS)**

**Matrix: Water**

**Prep Type: Total/NA**

## Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DCA	TOL	BFB	DBFM
		(70-127)	(80-125)	(78-120)	(77-120)
280-166454-3	DeField WW9089383	96	93	89	104
280-166454-4	TRIP BLANK	69 S1-	96	91	81
LCS 280-587742/1002	Lab Control Sample	98	96	86	103
LCSD 280-587742/5	Lab Control Sample Dup	98	94	86	102
MB 280-587742/9	Method Blank	91	97	89	103

### Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

TOL = Toluene-d8 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

# Lab Chronicle

Client: Evergreen Natural Resources LLC  
 Project/Site: Waterwell Baseline

Job ID: 280-166454-2

**Client Sample ID: DeField WW9089383**

**Lab Sample ID: 280-166454-3**

**Date Collected: 09/13/22 10:15**

**Matrix: Water**

**Date Received: 09/14/22 10:18**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	587742	09/23/22 12:56	MD	EET DEN
Total/NA	Analysis	RSK-175		1	20 mL	20 mL	587817	09/23/22 18:41	CAS	EET DEN
Total/NA	Prep	200.7			50 mL	50 mL	586799	09/15/22 08:42	PFM	EET DEN
Total/NA	Analysis	200.7 Rev 4.4		1			587108	09/16/22 16:46	KRP	EET DEN
Total/NA	Prep	200.8			50 mL	50 mL	586868	09/15/22 14:52	MCR	EET DEN
Total/NA	Analysis	200.8		1			587147	09/16/22 21:41	LMT	EET DEN
Total/NA	Analysis	20B		1			587539	09/21/22 13:19	KRP	EET DEN
Total/NA	Analysis	300.0		1	10 mL	10 mL	587105	09/18/22 02:31	MEC	EET DEN
Total/NA	Analysis	300.0		1	5 mL	5 mL	586934	09/15/22 17:26	RAF	EET DEN
Total/NA	Analysis	300.0		1	5 mL	5 mL	586935	09/15/22 17:26	RAF	EET DEN
Total/NA	Analysis	SM 2320B		1			586996	09/16/22 00:16	KEG	EET DEN
Total/NA	Analysis	SM 2510B		1			587202	09/19/22 11:53	KEG	EET DEN
Total/NA	Analysis	SM 2540C		1	100 mL	100 mL	586897	09/15/22 11:13	ASP	EET DEN
Total/NA	Analysis	SM 4500 H+ B		1			586932	09/15/22 13:11	KEG	EET DEN
Total/NA	Analysis	SM 4500 S2 D		1	2 mL	2 mL	586789	09/14/22 12:56	LRB	EET DEN
Total/NA	Analysis	SM4500 S2 H		1			587394	09/20/22 15:50	ZPM	EET DEN

**Client Sample ID: TRIP BLANK**

**Lab Sample ID: 280-166454-4**

**Date Collected: 09/13/22 10:15**

**Matrix: Water**


**Date Received: 09/14/22 10:18**


Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	587742	09/23/22 08:26	MD	EET DEN

**Laboratory References:**

EET DEN = Eurofins Denver, 4955 Yarrow Street, Arvada, CO 80002, TEL (303)736-0100

**Chain of Custody Record**



<b>Client Information</b>		Sampler: <b>L. MONTANA / C. Sanchez</b>	Lab PM: <b>Harrington, Danielle M</b>	Carrier Tracking No(s):	COCC No: <b>280-91655-28453.1</b>
Client Contact: <b>Chris Sanchez</b>		Phone: <b>(719) 846-7898</b>	E-Mail: <b>danielle.harrington@testamerica.com</b>		Page: <b>Page 1 of 1</b>
Company: <b>Evergreen Natural Resources LLC</b>					Job #:
Address: <b>27000 Hwy 12</b>		Due Date Requested: <b>STD</b>	<b>Analysis Requested</b>  <b>280-166454 Chain of Custody</b>		
City: <b>Trinidad</b>		TAT Requested (days): <b>STD</b>			
State: <b>CO</b> , Zip: <b>81082</b>		PO #:			
Phone:		WO #:			
Email: <b>labs@enrllc.com</b>		Project #:	<b>Preservation Codes:</b> M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO4 S - H2SO4 G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:		
Project Name: <b>Evergreen Natural Resources Event: Waterwell Baseline</b>		Project #: <b>28001998</b>	<b>Special Instructions/Note:</b> Login: shortfalls include pH, Nitrate, Nitrite		
Site: <b>Colorado</b>		SSOW#:	<b>Total Number of containers</b> <input checked="" type="checkbox"/> 10		
<b>Sample Identification</b> <b>NORTON WW0095072</b> <b>WW FAC ID# 750013</b> <b>Charge To: Carbon 34-21 Compliance</b>		<b>Sample Date</b> <b>9-13-22</b>	<b>Sample Time</b> <b>0900</b>	<b>Sample Type</b> <b>G</b>	<b>Matrix</b> (W=water, S=solid, O=water/oil, BT=Tissue, A=Air)
<b>NICOLI WW0084960</b> <b>WW FAC ID# 75006</b> <b>Charge To: Carbon 34-21 Compliance</b>		<b>Sample Date</b> <b>9-13-22</b>	<b>Sample Time</b> <b>1000</b>	<b>Sample Type</b> <b>G</b>	<b>Matrix</b> (W=water, S=solid, O=water/oil, BT=Tissue, A=Air)
<b>Possible Hazard Identification</b> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input checked="" type="checkbox"/> Unknown <input type="checkbox"/> Radiological		<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months			
<b>Deliverable Requested: I, II, III, IV, Other (specify)</b>		<b>Special Instructions/QC Requirements:</b>			
<b>Empty Kit Relinquished by:</b>		<b>Method of Shipment:</b>			
<b>Relinquished by:</b>		<b>Received by:</b> <i>AJG</i>			
<b>Relinquished by:</b>		<b>Date/Time:</b> <b>09/14/2012 1018</b>			
<b>Relinquished by:</b>		<b>Date/Time:</b>			
<b>Relinquished by:</b>		<b>Date/Time:</b>			
<b>Custody Seals Intact:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No		<b>Cooler Temperature(s) °C and Other Remarks:</b> <b>0.1, 0.5 CF+0.0 12#12</b>			
<b>Custody Seal No.:</b> <b>1972141</b>		<b>Company:</b> <b>ETA DE-1</b>			



