

October 10, 2022

Report to:
Chris Sanchez
Evergreen Natural Resources LLC
27000 HWY-12
Trinidad, CO 7898

Bill to:
Chris Sanchez
Evergreen Natural Resources
27000 HWY-12
Trinidad, CO 81082

Project ID:
ACZ Project ID: L75857

Chris Sanchez:

Enclosed are the analytical results for sample(s) submitted to ACZ Laboratories, Inc. (ACZ) on September 14, 2022. This project has been assigned to ACZ's project number, L75857. Please reference this number in all future inquiries.

All analyses were performed according to ACZ's Quality Assurance Plan. The enclosed results relate only to the samples received under L75857. Each section of this report has been reviewed and approved by the appropriate Laboratory Supervisor, or a qualified substitute.

Except as noted, the test results for the methods and parameters listed on ACZ's current NELAC certificate letter (#ACZ) meet all requirements of NELAC.

This report shall be used or copied only in its entirety. ACZ is not responsible for the consequences arising from the use of a partial report.

All samples and sub-samples associated with this project will be disposed of after November 09, 2022. If the samples are determined to be hazardous, additional charges apply for disposal (typically \$11/sample). If you would like the samples to be held longer than ACZ's stated policy or to be returned, please contact your Project Manager or Customer Service Representative for further details and associated costs. ACZ retains analytical raw data reports for ten years.

If you have any questions or other needs, please contact your Project Manager.



Sue Webber has reviewed and approved this report.



Evergreen Natural Resources LLC

Project ID:

Sample ID: DEFIELD WW 9089383 WW FAC ID# 752169 CHA

ACZ Sample ID: **L75857-03**

Date Sampled: 09/13/22 09:00

Date Received: 09/14/22

Sample Matrix: *Surface Water*

Wet Chemistry

Parameter	EPA Method	Dilution	Result	Qual	XQ	Units	MDL	PQL	Date	Analyst
Iron Related Bacteria	HACH IRB-BART	1	0		*	ABSENT			09/16/22 18:56	jck
Slime Forming Bacteria	HACH SLYM-BART	1	1		*	PRESENT			09/16/22 18:56	jck
Sulfate Reducing Bacteria	HACH SRB-BART	1	0		*	ABSENT			09/16/22 18:56	jck

Report Header Explanations

<i>Batch</i>	A distinct set of samples analyzed at a specific time
<i>Found</i>	Value of the QC Type of interest
<i>Limit</i>	Upper limit for RPD, in %.
<i>Lower</i>	Lower Recovery Limit, in % (except for LCSS, mg/Kg)
<i>MDL</i>	Method Detection Limit. Same as Minimum Reporting Limit unless omitted or equal to the PQL (see comment #5). Allows for instrument and annual fluctuations.
<i>PCN/SCN</i>	A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis
<i>PQL</i>	Practical Quantitation Limit. Synonymous with the EPA term "minimum level".
<i>QC</i>	True Value of the Control Sample or the amount added to the Spike
<i>Rec</i>	Recovered amount of the true value or spike added, in % (except for LCSS, mg/Kg)
<i>RPD</i>	Relative Percent Difference, calculation used for Duplicate QC Types
<i>Upper</i>	Upper Recovery Limit, in % (except for LCSS, mg/Kg)
<i>Sample</i>	Value of the Sample of interest

QC Sample Types

<i>AS</i>	Analytical Spike (Post Digestion)	<i>LCSWD</i>	Laboratory Control Sample - Water Duplicate
<i>ASD</i>	Analytical Spike (Post Digestion) Duplicate	<i>LFB</i>	Laboratory Fortified Blank
<i>CCB</i>	Continuing Calibration Blank	<i>LFM</i>	Laboratory Fortified Matrix
<i>CCV</i>	Continuing Calibration Verification standard	<i>LFMD</i>	Laboratory Fortified Matrix Duplicate
<i>DUP</i>	Sample Duplicate	<i>LRB</i>	Laboratory Reagent Blank
<i>ICB</i>	Initial Calibration Blank	<i>MS</i>	Matrix Spike
<i>ICV</i>	Initial Calibration Verification standard	<i>MSD</i>	Matrix Spike Duplicate
<i>ICSAB</i>	Inter-element Correction Standard - A plus B solutions	<i>PBS</i>	Prep Blank - Soil
<i>LCSS</i>	Laboratory Control Sample - Soil	<i>PBW</i>	Prep Blank - Water
<i>LCSSD</i>	Laboratory Control Sample - Soil Duplicate	<i>PQV</i>	Practical Quantitation Verification standard
<i>LCSW</i>	Laboratory Control Sample - Water	<i>SDL</i>	Serial Dilution

QC Sample Type Explanations

Blanks	Verifies that there is no or minimal contamination in the prep method or calibration procedure.
Control Samples	Verifies the accuracy of the method, including the prep procedure.
Duplicates	Verifies the precision of the instrument and/or method.
Spikes/Fortified Matrix	Determines sample matrix interferences, if any.
Standard	Verifies the validity of the calibration.

ACZ Qualifiers (Qual)

B	Analyte concentration detected at a value between MDL and PQL. The associated value is an estimated quantity.
H	Analysis exceeded method hold time. pH is a field test with an immediate hold time.
L	Target analyte response was below the laboratory defined negative threshold.
U	The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit.

Method References

- (1) EPA 600/4-83-020. Methods for Chemical Analysis of Water and Wastes, March 1983.
- (2) EPA 600/R-93-100. Methods for the Determination of Inorganic Substances in Environmental Samples, August 1993.
- (3) EPA 600/R-94-111. Methods for the Determination of Metals in Environmental Samples - Supplement I, May 1994.
- (4) EPA SW-846. Test Methods for Evaluating Solid Waste.
- (5) Standard Methods for the Examination of Water and Wastewater.

Comments

- (1) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (2) Soil, Sludge, and Plant matrices for Inorganic analyses are reported on a dry weight basis.
- (3) Animal matrices for Inorganic analyses are reported on an "as received" basis.
- (4) An asterisk in the "XQ" column indicates there is an extended qualifier and/or certification qualifier associated with the result.
- (5) If the MDL equals the PQL or the MDL column is omitted, the PQL is the reporting limit.

For a complete list of ACZ's Extended Qualifiers, please click:

<https://acz.com/wp-content/uploads/2019/04/Ext-Qual-List.pdf>

ACZ Project ID:

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

ACZ ID	Type	Analyzed	PCN/SCN	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
--------	------	----------	---------	----	--------	-------	-------	------	-------	-------	-----	-------	------

Evergreen Natural Resources LLC

ACZ Project ID: **L75857**

ACZ ID	WORKNUM	PARAMETER	METHOD	QUAL	DESCRIPTION
--------	---------	-----------	--------	------	-------------

No extended qualifiers associated with this analysis

Evergreen Natural Resources LLC

ACZ Project ID: **L75857**

Wet Chemistry

The following parameters are not offered for certification or are not covered by NELAC certificate #ACZ.

Iron Related Bacteria	HACH IRB-BART
Slime Forming Bacteria	HACH SLYM-BART
Sulfate Reducing Bacteria	HACH SRB-BART

Evergreen Natural Resources LLC

ACZ Project ID: L75857
 Date Received: 09/14/2022 11:56
 Received By:
 Date Printed: 9/15/2022

Receipt Verification

	YES	NO	NA
1) Is a foreign soil permit included for applicable samples?			X
2) Is the Chain of Custody form or other directive shipping papers present?	X		
3) Does this project require special handling procedures such as CLP protocol?		X	
4) Are any samples NRC licensable material?			X
5) If samples are received past hold time, proceed with requested short hold time analyses?	X		
6) Is the Chain of Custody form complete and accurate?	X		
7) Were any changes made to the Chain of Custody form prior to ACZ receiving the samples?		X	

Samples/Containers

	YES	NO	NA
8) Are all containers intact and with no leaks?	X		
9) Are all labels on containers and are they intact and legible?	X		
10) Do the sample labels and Chain of Custody form match for Sample ID, Date, and Time?	X		
11) For preserved bottle types, was the pH checked and within limits? ¹	X		
12) Is there sufficient sample volume to perform all requested work?	X		
13) Is the custody seal intact on all containers?			X
14) Are samples that require zero headspace acceptable?			X
15) Are all sample containers appropriate for analytical requirements?	X		
16) Is there an Hg-1631 trip blank present?			X
17) Is there a VOA trip blank present?			X
18) Were all samples received within hold time?	X		

NA indicates Not Applicable

Chain of Custody Related Remarks

Client Contact Remarks

Shipping Containers

Cooler Id	Temp (°C)	Temp Criteria (°C)	Rad (µR/Hr)	Custody Seal Intact?
NA38450	1.6	NA	15	Yes

Was ice present in the shipment container(s)?

Yes - Wet ice was present in the shipment container(s).

Client must contact an ACZ Project Manager if analysis should not proceed for samples received outside of their thermal preservation acceptance criteria.

Evergreen Natural Resources LLC

ACZ Project ID: L75857
Date Received: 09/14/2022 11:56
Received By:
Date Printed: 9/15/2022

¹ The preservation of the following bottle types is not checked at sample receipt: Orange (oil and grease), Purple (total cyanide), Pink (dissolved cyanide), Brown (arsenic speciation), Sterile (fecal coliform), EDTA (sulfite), HCl preserved vial (organics), Na₂S₂O₃ preserved vial (organics), and HG-1631 (total/dissolved mercury by method 1631).



Laboratories, Inc. L75857

CHAIN of CUSTODY

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

Report to:

Name: Chris Sanchez
 Company: ENR
 E-mail: labs@enrllc.com

Address: 27000 HWY-12
Trinidad, CO 81082
 Telephone: (719) 846-7898

Copy of Report to:

Name: Chris Sanchez
 Company: ENR

E-mail: labs@enrllc.com
 Telephone: (719) 846-7898

Invoice to:

Name: Chris Sanchez
 Company: ENR
 E-mail: labs@enrllc.com

Address: 27000 HWY-12
Trinidad, CO 81082
 Telephone: (719) 846-7898

If sample(s) received past holding time (HT), or if insufficient HT remains to complete analysis before expiration, shall ACZ proceed with requested short HT analyses?

YES
 NO

If "NO" then ACZ will contact client for further instruction. If neither "YES" nor "NO" is indicated, ACZ will proceed with the requested analyses, even if HT is expired, and data will be qualified

Are samples for SDWA Compliance Monitoring?

Yes No

If yes, please include state forms. Results will be reported to PQL for Colorado.

Sampler's Name: L. Montoya Sampler's Site Information State CO Zip code 81082 Time Zone MST
 *Sampler's Signature: Levi D. Montoya

I attest to the authenticity and validity of this sample. I understand that intentionally mislabeling the time/date/location or tampering with the sample in anyway, is considered fraud and punishable by State Law.

PROJECT INFORMATION

ANALYSES REQUESTED (attach list or use quote number)

Quote #: _____
 PO#: _____
 Reporting state for compliance testing: _____
 Check box if samples include NRC licensed material?

SAMPLE IDENTIFICATION	DATE:TIME	Matrix	# of Containers																
NORTON WW0095072	9-13-22: 0900	W	1	✓	BART														
WW FAC ID# 750013																			
Charge to: Carbon 34-21	Environmental Compliance																		
NICCOLI WW0084960	9-13-22: 1000	W	1	✓															
WW FAC ID# 703906																			
Charge to: Carbon 34-21	Environmental Compliance																		

Matrix SW (Surface Water) · GW (Ground Water) · WW (Waste Water) · DW (Drinking Water) · SL (Sludge) · SO (Soil) · OL (Oil) · Other (Specify)

REMARKS

CUSTODY SEAL 91322

Please refer to ACZ's terms & conditions located on the reverse side of this COC.

RELINQUISHED BY: Levi D. Montoya DATE:TIME 9-13-22: 1600 RECEIVED BY: [Signature] DATE:TIME 9/14/22 1156

L75857 Chain of Custody



Laboratories, Inc.

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

175857

CHAIN of CUSTODY

Report to:

Name: Chris Sanchez
 Company: ENR
 E-mail: labs@enrllc.com

Address: 2700 HWY-12
Trinidad, CO 81082
 Telephone: (719) 846-7898

Copy of Report to:

Name: Chris Sanchez
 Company: ENR

E-mail: labs@enrllc.com
 Telephone: (719) 846-7898

Invoice to:

Name: Chris Sanchez
 Company: ENR
 E-mail: labs@enrllc.com

Address: 2700 HWY-12
Trinidad CO 81082
 Telephone: (719) 846-7898

If sample(s) received past holding time (HT), or if insufficient HT remains to complete analysis before expiration, shall ACZ proceed with requested short HT analyses?

YES
 NO

If "NO" then ACZ will contact client for further instruction. If neither "YES" nor "NO" is indicated, ACZ will proceed with the requested analyses, even if HT is expired, and data will be qualified

Are samples for SDWA Compliance Monitoring? Yes No

If yes, please include state forms. Results will be reported to PQL for Colorado.

Sampler's Name: _____ Sampler's Site Information State CO Zip code 81082 Time Zone MST

*Sampler's Signature: _____
*I attest to the authenticity and validity of this sample. I understand that intentionally mislabeling the time/date/location or tampering with the sample in anyway, is considered fraud and punishable by State Law.

PROJECT INFORMATION

ANALYSES REQUESTED (attach list or use quote number)

Quote #:	PO#:	Reporting state for compliance testing:	Check box if samples include NRC licensed material?	SAMPLE IDENTIFICATION	DATE:TIME	Matrix	# of Containers	ANALYSES REQUESTED									
				Defield WW 9083383	9-13-22:	W	1	X									
				NW FACID* 752169													
				Charge To: Angler TR AFE Number													
				REC 22-54													
				[REDACTED]													
				[REDACTED]													
				[REDACTED]													
				[REDACTED]													

Matrix SW (Surface Water) · GW (Ground Water) · WW (Waste Water) · DW (Drinking Water) · SL (Sludge) · SO (Soil) · OL (Oil) · Other (Specify)

REMARKS

Please refer to ACZ's terms & conditions located on the reverse side of this COC.

RELINQUISHED BY:	DATE:TIME	RECEIVED BY:	DATE:TIME
<u>Levi D. Montoya</u>	<u>9-13-22: 1600</u>	<u>[Signature]</u>	<u>9/14/22 1156</u>