

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|--------------------------------------|----|----|----|
| DE | ET | OE | ES |
| Document Number: 404186890 | | | |
| Date Received: | | | |

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: 10705 Contact Name Timothy Fernandez
 Name of Operator: EVERGREEN NATURAL RESOURCES LLC Phone: (719) 2204330
 Address: 1875 LAWRENCE ST STE 1150 Fax: ()
 City: DENVER State: CO Zip: 80202 Email: timothy.fernandez@enrllc.com

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION
 API Number : 05- 071 00 ID Number: 309115
 Name: GROVE-633S66W Number: 29NENW
 Location QtrQtr: NENW Section: 29 Township: 33S Range: 66W Meridian: 6
 County: LAS ANIMAS Field Name: PURGATOIRE RIVER

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

| Location ID | Location Name and Number |
|-------------|--------------------------|
| 309115 | GROVE-633S66W 29NENW |

OGDP(s)
No OGDP

GROUNDWATER SAMPLING

Uses of Groundwater Sampling Section

Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or to request exceptions to the requirements in previous Rules 318A.f and 609.
 Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements described in Rules 615.c.(3) and 907.b.(9).A or requirements in previous Rules 318A.f and 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Groundwater Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

Request an Exception to Groundwater Sampling Requirements per previous Rule 318A.f: There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or previous Rule 609.c.

0 Number of Water Sources located within one-half mile of an oil or gas well or multi-well site (Rule 615.c) or within one (1) mile of a Centralized E&P Waste Management Facility (Rule 907.b.(9)).

4 Number of Water Source Exceptions requested per Rule 615.c or Rule 907.b.(9).

0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 615.d.(3) and 907.b.(9) or as described in previous Rules 318A.f.(2).A and 609.d.(3).

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

| Sample ID | Facility ID | Sample Date | Sample Purpose |
|-----------|-------------|-------------|----------------|
| | | | |
| | | | |
| | | | |
| | | | |

COMMENTS

This Form 4 is being filed to notify the commission that no available water sources are located within 1/2 mile of proposed oil and gas operations at the Grove 21-29 well. ENR is requesting an exemption from Rule 615 sampling requirements due to no available water sources being located within 1/2 mile of proposed oil and gas operations at the Grove 21-29 well, per Rule 615.c.(1). No Available Water Sources are located within 1/2 mile of a proposed Oil and Gas Well operations. See attached map.

Operator Comments:

This Form 4 is being filed to notify the commission that no available water sources are located within 1/2 mile of proposed oil and gas operations at the Grove 21-29 well. ENR is requesting an exemption from Rule 615 sampling requirements due to no available water sources being located within 1/2 mile of proposed oil and gas operations at the Grove 21-29 well, per Rule 615.c.(1).

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Timothy Fernandez
 Title: Regulatory Supervisor Email: timothy.fernandez@enrllc.com Date: _____

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

| <u>COA Type</u> | <u>Description</u> |
|-----------------|--------------------|
| 0 COA | |

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
| | | Stamp Upon Approval |

Total: 0 comment(s)

ATTACHMENT LIST

| <u>Att Doc Num</u> | <u>Name</u> |
|--------------------|--------------------|
| 404186896 | REFERENCE AREA MAP |

Total Attach: 1 Files