

Chevron - CO

Sample Delivery Group: L1852450
Samples Received: 04/27/2025
Project Number: 30279746
Description: Bishop Loc
Site: BISHOP LOC
Report To: Maxwell Moran
2115 117th Avenue
Greeley, CO 80631

Entire Report Reviewed By:












Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

TABLE OF CONTENTS

Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
MW-S16-CO-20250426 L1852450-01	5	
MW-N13-W-20250426 L1852450-02	6	
MW-N14-W-20250426 L1852450-03	7	
MW-N15-W-20250426 L1852450-04	8	
Qc: Quality Control Summary	9	
Radiochemistry by Method 904/9320	9	
Radiochemistry by Method SM7500Ra B M	10	
Gl: Glossary of Terms	11	
Al: Accreditations & Locations	12	
Sc: Sample Chain of Custody	13	

SAMPLE SUMMARY

MW-S16-CO-20250426 L1852450-01 Non-Potable Water

Collected by Justin Mixon
 Collected date/time 04/26/25 10:30
 Received date/time 04/27/25 10:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2501819	1	04/28/25 16:04	05/01/25 16:45	DDD	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2501527	1	04/28/25 06:24	04/28/25 16:08	ZRG	Mt. Juliet, TN

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

MW-N13-W-20250426 L1852450-02 Non-Potable Water

Collected by Justin Mixon
 Collected date/time 04/26/25 12:10
 Received date/time 04/27/25 10:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2501819	1	04/28/25 16:04	05/01/25 16:45	DDD	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2501527	1	04/28/25 06:24	04/28/25 16:08	ZRG	Mt. Juliet, TN

MW-N14-W-20250426 L1852450-03 Non-Potable Water

Collected by Justin Mixon
 Collected date/time 04/26/25 13:40
 Received date/time 04/27/25 10:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2501819	1	04/28/25 16:04	05/01/25 16:45	DDD	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2501527	1	04/28/25 06:24	04/28/25 16:08	ZRG	Mt. Juliet, TN

MW-N15-W-20250426 L1852450-04 Non-Potable Water

Collected by Justin Mixon
 Collected date/time 04/26/25 15:10
 Received date/time 04/27/25 10:15

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG2501819	1	04/28/25 16:04	05/01/25 16:45	DDD	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG2501527	1	04/28/25 06:24	04/28/25 16:08	ZRG	Mt. Juliet, TN

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Radiochemistry by Method 904/9320

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+ / -	+ / -	pCi/l	pCi/l	date / time	
RADIUM-228	1.09		0.632	0.680	1.00	0.306	05/01/2025 16:45	WG2501819
(T) Barium	99.3					30.0-143	05/01/2025 16:45	WG2501819
(T) Yttrium	77.8					30.0-136	05/01/2025 16:45	WG2501819

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Radiochemistry by Method SM7500Ra B M

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+ / -	+ / -	pCi/l	pCi/l	date / time	
RADIUM-226	0.478		0.253	0.354	0.196	0.0509	04/28/2025 16:08	WG2501527
(T) Barium-133	103					30.0-143	04/28/2025 16:08	WG2501527

Radiochemistry by Method 904/9320

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+ / -	+ / -	pCi/l	pCi/l	date / time	
RADIUM-228	0.210	<u>U</u>	0.525	0.545	0.909	0.279	05/01/2025 16:45	WG2501819
(T) Barium	74.2					30.0-143	05/01/2025 16:45	WG2501819
(T) Yttrium	83.2					30.0-136	05/01/2025 16:45	WG2501819

Radiochemistry by Method SM7500Ra B M

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+ / -	+ / -	pCi/l	pCi/l	date / time	
RADIUM-226	0.261		0.188	0.262	0.155	0.0271	04/28/2025 16:08	WG2501527
(T) Barium-133	105					30.0-143	04/28/2025 16:08	WG2501527

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Radiochemistry by Method 904/9320

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+ / -	+ / -	pCi/l	pCi/l	date / time	
RADIUM-228	1.71		0.684	0.745	1.03	0.313	05/01/2025 16:45	WG2501819
(T) Barium	91.3					30.0-143	05/01/2025 16:45	WG2501819
(T) Yttrium	80.1					30.0-136	05/01/2025 16:45	WG2501819

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Radiochemistry by Method SM7500Ra B M

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+ / -	+ / -	pCi/l	pCi/l	date / time	
RADIUM-226	0.650		0.306	0.423	0.204	0.0494	04/28/2025 16:08	WG2501527
(T) Barium-133	95.6					30.0-143	04/28/2025 16:08	WG2501527

Radiochemistry by Method 904/9320

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+ / -	+ / -	pCi/l	pCi/l	date / time	
RADIUM-228	0.904	J	0.807	0.852	1.34	0.417	05/01/2025 16:45	WG2501819
(T) Barium	80.4					30.0-143	05/01/2025 16:45	WG2501819
(T) Yttrium	73.1					30.0-136	05/01/2025 16:45	WG2501819

Radiochemistry by Method SM7500Ra B M

Analyte	Result	Qualifier	2 sigma CE	TPU	MDA	Lc	Analysis Date	Batch
	pCi/l		+ / -	+ / -	pCi/l	pCi/l	date / time	
RADIUM-226	0.221		0.178	0.247	0.177	0.0382	04/28/2025 16:08	WG2501527
(T) Barium-133	104					30.0-143	04/28/2025 16:08	WG2501527

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R4208557-1 05/01/25 16:45

Analyte	MB Result pCi/l	MB Qualifier	MB 2 sigma CE + / -	MB MDA pCi/l	MB Lc pCi/l
Radium-228	0.0910	<u>U</u>	0.313	0.544	0.168
(T) Barium	102		102		
(T) Yttrium	79.4		79.4		

L1852450-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1852450-03 05/01/25 16:45 • (DUP) R4208557-5 05/01/25 16:45

Analyte	Original Result pCi/l	Original 2 sigma CE + / -	Original MDA pCi/l	Original Lc pCi/l	DUP Result pCi/l	DUP 2 sigma CE + / -	DUP MDA pCi/l	DUP Lc pCi/l	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-228	1.71	0.684	1.03	0.313	0.656	1.56	2.69	0.836	88.9	0.616	<u>U</u>	20	3
(T) Barium	91.3				86.7	86.7							
(T) Yttrium	80.1				77.0	77.0							

Laboratory Control Sample (LCS)

(LCS) R4208557-2 05/01/25 16:45

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-228	5.00	5.37	107	80.0-120	
(T) Barium			106		
(T) Yttrium			66.4		

L1847121-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1847121-04 05/01/25 16:45 • (MS) R4208557-3 05/01/25 16:45 • (MSD) R4208557-4 05/01/25 16:45

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
Radium-228	16.7	0.992	20.3	19.5	116	111	1	70.0-130			4.23		20
(T) Barium		99.2			109	98.8							
(T) Yttrium		72.8			76.7	70.5							

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4206992-1 04/28/25 16:08

Analyte	MB Result pCi/l	MB Qualifier	MB 2 sigma CE + / -	MB MDA pCi/l	MB Lc pCi/l
Radium-226	0.0427	↓	0.0513	0.0706	0.0193
(T) Barium-133	90.9		90.9		

L1852037-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1852037-03 04/28/25 16:08 • (DUP) R4206992-5 04/28/25 16:08

Analyte	Original Result pCi/l	Original 2 sigma CE + / -	Original MDA pCi/l	Original Lc pCi/l	DUP Result pCi/l	DUP 2 sigma CE + / -	DUP MDA pCi/l	DUP Lc pCi/l	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
Radium-226	0.644	0.323	0.228	0.0550	0.442	0.309	0.314	0.0894	37.2	0.452		20	3
(T) Barium-133	95.5				89.9	89.9							

Laboratory Control Sample (LCS)

(LCS) R4206992-2 04/28/25 16:08

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Radium-226	5.00	4.64	92.7	80.0-120	
(T) Barium-133			95.0		

L1852111-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1852111-02 04/28/25 16:08 • (MS) R4206992-3 04/28/25 16:08 • (MSD) R4206992-4 04/28/25 16:08

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
Radium-226	20.0	0.0498	15.7	17.7	78.2	88.4	1	75.0-125			12.3		20
(T) Barium-133		104			99.0	96.2							

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.
Rec.	Recovery.
RER	Replicate Error Ratio.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits: Indicates that the analyte was not detected.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Company Name/Address:

Chevron - CO

2115 117th Avenue
Greeley, CO 80631

Billing Information:

Dan Peterson
2115 117th Avenue
Greeley, CO 80631

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 2

Report to:
Maxwell Moran 970-304-5000

Email To: chris.ward@pacelabs.com

Project Description: *Bishop Loc*

City/State
Collected: *Galeton, Co*

Please Circle:
PT MT CT ET

Regulatory Program(DOD,RCRA,DW,etc):

Client Project #

Lab Project #

30279746

CHEGCO-ARCADIS

Collected by (print):

Site/Facility ID #

P.O. #

John Moran

Bishop Loc

30279746

Collected by (signature):

Rush? (Lab MUST Be Notified)

Quote #

Same Day Five Day
Next Day 5 Day (Rad Only)
Two Day 10 Day (Rad Only)
Three Day STD TAT

Date Results Needed

No.
of
Cnts

Immediately Packed on Ice N *Y* X

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cnts	RA-226 1L-HDPE-Add HNO3	RA-228 1L-HDPE-Add HNO3	TDS 1L-HDPE NoPres	TOC 250mlAmb-HCl	TSS 1L-HDPE NoPres	V8260 40mlAmb-HCl	pH 125mlHDPE-NoPres	pH,SPCON 250mlHDPE-NoPres
<i>G</i>		<i>GW</i>		<i>4-26-25</i>	<i>1030</i>	<i>23</i>	X	X	X	X	X	X	X	X
<i>G</i>		<i>GW</i>		<i>4-26-25</i>	<i>1210</i>	<i>23</i>	X	X	X	X	X	X	X	X
<i>G</i>		<i>GW</i>		<i>4-26-25</i>	<i>1340</i>	<i>23</i>	X	X	X	X	X	X	X	X
<i>G</i>		<i>GW</i>		<i>4-26-25</i>	<i>1510</i>	<i>23</i>	X	X	X	X	X	X	X	X
		<i>GW</i>				<i>23</i>	X	X	X	X	X	X	X	X
		<i>GW</i>				<i>23</i>	X	X	X	X	X	X	X	X
		<i>GW</i>				<i>23</i>	X	X	X	X	X	X	X	X



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # *1852450*
E106

Acctnum: **CHEGCO**

Template: **T272375**

Prelogin: **P1146472**

PM: **824 - Chris Ward**

PB:

Shipped Via: **FedEX Ground**

Remarks Sample # (lab only)

-01
-02
-03
-04

- * Matrix:
- SS - Soil AIR - Air F - Filter
- GW - Groundwater B - Bioassay
- WW - WasteWater
- DW - Drinking Water
- OT - Other

Remarks: Metals - Ag,Al,As,Cd,Cu,Mn,Ni,Pb,Se,U,Zn

FF metal, hex chrome, rush metals 15 min 910, voc, SVOC, TPH - GRO DRO

pH _____ Temp _____
Flow _____ Other _____

Samples returned via:

UPS FedEx Courier

Tracking #

Sample Receipt Checklist

COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N
RAD Screen <0.5 mR/hr: Y N

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Trip Blank Received: Yes No
HCL/MeOH
TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: _____ °C Bottles Received: *multi 91*

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date: *4-27-25* Time: *1015*

Hold:

Condition:
NCF / OK

Company Name/Address:

Chevron - CO

2115 117th Avenue
Greeley, CO 80631

Billing Information:

Dan Peterson
2115 117th Avenue
Greeley, CO 80631

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 2 of 2



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

SDG #

Table #

Acctnum: **CHEGCO**

Template: **T272375**

Prelogin: **P1146472**

PM: **824 - Chris Ward**

PB:

Shipped Via: **FedEx Ground**

Remarks

Sample # (lab only)

-01
-02
-03
-04

Report to:

Maxwell Moran 970-304-5000

Project Description:

Bishop Loc

City/State
Collected:

Greeley, CO

Please Circle:
PT MT CT ET

Email To: chris.ward@pacelabs.com

Regulatory Program (DOD, RCRA, DW, etc):

Client Project #

302 79746

Lab Project #

CHEGCO-ARCADIS

Collected by (print):

Justin Moran

Site/Facility ID #

P.O. #

302 79746

Collected by (signature):

[Signature]

Rush? (Lab MUST Be Notified)

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day STD TAT

Quote #

Date Results Needed

Immediately
Packed on Ice N Y

Sample ID

Comp/Grab

Matrix *

Depth

Date

Time

No.
of
Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	8270 100ml Amb NoPres	ALK, ALK81, ALKCA 125ml HDPE-NoPres	Br, Cl, F, SO4 125ml HDPE-NoPres	CR6/CFFP 50ml Tube/plunger Pres	DRONMLVI 40ml Amb-HCl-BI	Diss Metals+Cr3 250ml HDPE-NoPres	GRO 40ml Amb HCl	MBAS 500ml HDPE-NoPres	NH3, NO2, NO3 250ml HDPE-H2SO4	PT, TKN 250ml HDPE-H2SO4
MW-516-CO-20250426	6	GW		4-26-25	1030	23	X	X	X	X	X	X	X	X	X	X
MW-N13-W-20250426	6	GW		4-26-25	1210	23	X	X	X	X	X	X	X	X	X	X
MW-N14-W-20250426	6	GW		4-26-25	1340	23	X	X	X	X	X	X	X	X	X	X
MW-N15-W-20250426	6	GW		4-26-25	1510	23	X	X	X	X	X	X	X	X	X	X
	6	GW				23	X	X	X	X	X	X	X	X	X	X
		GW				23	X	X	X	X	X	X	X	X	X	X
		GW				23	X	X	X	X	X	X	X	X	X	X
		GW				23	X	X	X	X	X	X	X	X	X	X
		GW				23	X	X	X	X	X	X	X	X	X	X
		GW				23	X	X	X	X	X	X	X	X	X	X

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - Waste Water
DW - Drinking Water
OT - Other

Remarks: Metals - Ag, Al, As, Cd, Cu, Mn, Ni, Pb, Se, U, Zn
field filter mats, hex chrome, rush metals, 9 pH, 5, 5, 5
VOC, SUOC, TPH-GRO/DRO

Samples returned via:
 UPS FedEx Courier

Tracking #

Date:

4-26-25

Time:

1700

Received by: (Signature)

Received by: (Signature)

Date:

4-26-25

Time:

2000

Date:

Received for lab by: (Signature)

Li. Denton 17

Temp: °C

91

Bottles Received:

91

Date:

4-27-25

Time:

1015

Sample Receipt Checklist

COC Seal Present/Intact:	<input checked="" type="checkbox"/> NP	Y	N
COC Signed/Accurate:	<input checked="" type="checkbox"/>	Y	N
Bottles arrive intact:	<input checked="" type="checkbox"/>	Y	N
Correct bottles used:	<input checked="" type="checkbox"/>	Y	N
Sufficient volume sent:	<input checked="" type="checkbox"/>	Y	N
IF Applicable			
VOA Zero Headspace:	<input type="checkbox"/>	Y	N
Preservation Correct/Checked:	<input checked="" type="checkbox"/>	Y	N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/>	Y	N

If preservation required by Login: Date/Time

Hold:

Condition:
NCF / OK

Company Name/Address:

Chevron - CO

2115 117th Avenue
Greeley, CO 80631

Billing Information:

Dan Peterson
2115 117th Avenue
Greeley, CO 80631

Report to:
Maxwell Moran 970-304-5000

Email To: chris.ward@pacelabs.com

Project Description:

City/State Collected: **Greeley, CO**

Please Circle:
PT MT CT ET

Regulatory Program (DOD, RCRA, DW, etc):

Client Project #
302 79746

Lab Project #
CHEGCO-ARCADIS

Collected by (print):
Justin Moran

Site/Facility ID #
Bidnap Loc

P.O. #
302 79746

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day STD TAT

Quote #
Date Results Needed
(16)

Immediately Packed on Ice N Y

Sample ID

Comp/Grab

Matrix *

Depth

Date

Time

No. of Cntrs

Analysis / Container / Preservative

Chain of Custody Page ___ of ___



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

SDG # **1852450**

Table #

Acctnum: **CHEGCO**

Template: **T272375**

Prelogin: **P1146472**

PM: **824 - Chris Ward**

PB:

Shipped Via: **FedEX Ground**

Remarks

Sample # (lab only)

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	8270 100ml Amb NoPres	ALK,ALKBI,ALKCA 125mlHDPE-NoPres	Br,Cl,F,SO4 125mlHDPE-NoPres	CR6ICFFP 50mlTube/plungerPres	DRONMLVI 40mlAmb-HCl-BT	Diss Metals+Cr3 250mlHDPE-NoPres	GRO 40mlAmb HCl	MBA5 500mlHDPE-NoPres	NH3,NO2NO3 250mlHDPEH2SO4	PT,TKN 250mlHDPE-H2SO4	
MW-516-w-20250426	G	GW		1630	4-26-25	23	X	X	X	X	X	X	X	X	X	X	
MW-113-w-20250426	G	GW		1210	4-26-25	23	X	X	X	X	X	X	X	X	X	X	
MW-114-w-20250426	G	GW		1340	4-26-25	23	X	X	X	X	X	X	X	X	X	X	
MW-M26-w-20250426	G	GW		1510	4-26-25	23	X	X	X	X	X	X	X	X	X	X	
		GW				23	X	X	X	X	X	X	X	X	X	X	
		GW				23	X	X	X	X	X	X	X	X	X	X	
		GW				23	X	X	X	X	X	X	X	X	X	X	
		GW				23	X	X	X	X	X	X	X	X	X	X	

-01
-02
-03
-04

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks: Metals - Ag, Al, As, Cd, Cu, Mn, Ni, Pb, Se, U, Zn

pH _____ Temp _____
Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact: NP Y N

COC Signed/Accurate: Y N

Bottles arrive intact: Y N

Correct bottles used: Y N

Sufficient volume sent: Y N

If Applicable

VOA Zero HeadSpace: Y N

Preservation Correct/Checked: Y N

RAD Screen <0.5 mR/hr: Y N

Samples returned via:
 UPS FedEx Courier

Tracking #

N/A

Relinquished by: (Signature)

Date: **4-26-25**

Received by: (Signature)

Trip Blank Received: Yes No
HCL/MeOH
TBR

Relinquished by: (Signature)

Date:

Received by: (Signature)

Temp: _____ °C Bottles Received: **91**

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Received for lab by: (Signature)

Date: **4-27-25** Time: **1015**

Hold:

Condition: **(OK)**
NCF / (OK)

