

Stat
Oil and Gas Commission
DEPARTMENT OF NATURAL RESOURCES

00375232

FOR OGCC USE ONLY

JUL 24 97

OGCC

WELL ABANDONMENT REPORT

This form is to be submitted as an intent whenever a plugging is planned on a borehole. The approved intent shall be valid for one year after the approval date; after that period a new intent will be required. After the plugging is complete, this form shall again be submitted as a subsequent report of the work as actually completed.

OGCC Operator Number: 83130	Contact Name & Phone
Name of Operator: STRACHAN EXPLORATION, INC.	
Address: 1675 BROADWAY SUITE 2330	No: (303) 592-5157
City: DENVER State: CO Zip: 80202	Fax: (303) 592-5159
API Number: 05-103-9607	
Well Name: EXXON Number: 1	
Location (QtrQtr, Sec, Twp, Rng, Meridian): SW-SW, SEC 18, T3S, R95W, 6TH PM	
County: RIO BLANCO Federal, Indian or State lease number: —	
Field Name: SOUTH PICEANCE CREEK Field Number: 68802	

ET	OE	PR	ES
24 hour notice required, contact			
@			
Complete the			
Attachment Checklist			
Oper OGCC			
Wellbore Diagram			
Cement Job Summary			
Wireline Job Summary			

☒ Notice of Intent to Abandon ☐ Subsequent Report of Abandonment

Background for Intent Only

Reason for abandonment:	<input type="checkbox"/> Dry	<input checked="" type="checkbox"/> Production Sub-economic	<input type="checkbox"/> Mechanical Problems	<input type="checkbox"/> Other
Casing to be pulled:	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes	Top of casing cement:	
Fish in hole:	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes	If yes, explain details below:	
Wellbore has uncemented casing leaks:	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Yes	If yes, explain details below:	
Details:				

Current and Previously Abandoned Zones

Formation	Perforations	Date	Method of Isolation (None, Squeezed, BP, Cement, etc.)	Plug Depth
DOUGLAS CREEK	OPEN HOLE 2448-2603	currently open		

Casing History

Casing String	Size	Cement Top	Stage Cement Top
9 5/8" surface csq	9 5/8" @ 402	circ. to surface	
LONG STRING	7" @ 2448	circ. to surface	

Plugging Procedure for Intent and Subsequent Report

1. CIBP #1 Depth	—	CIBP #2 Depth	—	CIBP #3 Depth	—	NOTE: Two (2) sacks cement required on all CIBPs
2. Set	75	skt cmt from	2603	ft. to	2310	<input checked="" type="checkbox"/> Casing <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Annulus
3. Set	35	skt cmt from	160	ft. to	surf	<input checked="" type="checkbox"/> Casing <input type="checkbox"/> Open Hole <input type="checkbox"/> Annulus
4. Set		skt cmt from		ft. to		<input type="checkbox"/> Casing <input type="checkbox"/> Open Hole <input type="checkbox"/> Annulus
5. Set		skt cmt from		ft. to		<input type="checkbox"/> Casing <input type="checkbox"/> Open Hole <input type="checkbox"/> Annulus
6. Set		skt cmt from		ft. to		<input type="checkbox"/> Casing <input type="checkbox"/> Open Hole <input type="checkbox"/> Annulus
7. Perforate and squeeze @		ft. with		SKS	Leave at least 100 ft. in casing	
8. Perforate and squeeze @		ft. with		SKS	Leave at least 100 ft. in casing	
9. Perforate and squeeze @		ft. with		SKS	Leave at least 100 ft. in casing	
10. Set		SKS	1/2 in 1/2 out surface casing from	ft. to	ft.	
11. Set	35	SKS @ surface	as shown #3			
Cut 4 feet below ground level, weld on plate				Dry-Hole Marker	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes	
Set — SKS in rate hole				Set — SKS in mouse hole		

Additional Plugging Information for Subsequent Report Only

Casing recovered:	—	ft. of	—	in. casing	Plugging date:	—
*Wireline contractor:						
*Cementing contractor:						
Type of cement and additives used:						
*Attach job summaries.						

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.
Print Name C. WILLIAM CLAXTON

Signed C. William Claxton Title: CONSULTANT Date: 7/23/97

OGCC Approved: [Signature] Title: [Signature] Date: 7/28/97

CONDITIONS OF APPROVAL, IF ANY: