

BROWN 22-05 (05-123-21910): Wellhead Cut/Cap

40.082021, -105.029653

SENW Sec. 5 T1N, R68W, 6th PM

Weld County, Colorado

Crestone Peak Resources (10633)



Equipment to be Removed		
Legend	Equipment On-Site	# Pieces of Equipment
1	BROWN 22-05 (05-123-21910) 40.082021, -105.029653	1

Legend
Site Investigation Points
X Visual Inspection and Soil Sample

BROWN 22-05 (12321910_FL): Off-Location Flowline Decommission

40.082021, -105.029653

SENW Sec. 5 T1N, R68W, 6th PM

Weld County, Colorado

Crestone Peak Resources (10633)

Flowline Unique OperFeatID	Line Type	Start Location	Start Location Latitude/Longitude	End Location	End Location Latitude, Longitude (Cut Point)	Approx. Length to Decommission (ft)
12321910_FL	Multiphase	Wellhead	40.082021, -105.029653	Separator	40.085274, -105.034547	2460



Site Investigation Points

✗ Visual Inspection and Soil Sample

Potholes will be dug every 250 feet along the flowline path. These observation points will be photographed and field screened. Additional soil samples will be collected when flowline repairs are observed, changes in flow direction, or when there is a change in the flowline material type.



