

**State of Colorado**  
**Energy & Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>404213666</b>			
Date Received: <b>05/22/2025</b>			

**SUNDRY NOTICE**

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>47120</u>	Contact Name <u>DANE OLSON</u>
Name of Operator: <u>KERR MCGEE OIL &amp; GAS ONSHORE LP</u>	Phone: <u>(307) 7605319</u>
Address: <u>P O BOX 173779</u>	Fax: <u>( )</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-3779</u>	Email: <u>DANE_OLSON@OXY.COM</u>

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL

API Number : 05- 123 36222 00 ID Number: 430628

Name: RUSSIAN FIDDLER Number: 14N-18HZ

Location QtrQtr: SESW Section: 19 Township: 2N Range: 65W Meridian: 6

County: WELD Field Name: WATTENBERG

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

Location ID	Location Name and Number
430621	RUSSIAN FIDDLER 35C-18HZ

**OGDP(s)**

No OGDP

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

- Change of Location for Well \*     As-Built GPS Location Report     As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA**    Data must be provided for Change of Surface Location and As Built Reports.

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_

GPS Quality Value: \_\_\_\_\_ Type of GPS Quality Value: \_\_\_\_\_ Measurement Date: \_\_\_\_\_

Well Ground Elevation: \_\_\_\_\_ feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: \_\_\_\_\_ (Vertical, Directional, Horizontal)

				FNL/FSL		FEL/FWL	
Change of <b>Surface</b> Footage <b>From:</b>				<input type="text" value="318"/>	<input type="text" value="FSL"/>	<input type="text" value="1303"/>	<input type="text" value="FWL"/>
Change of <b>Surface</b> Footage <b>To:</b>				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Current <b>Surface</b> Location <b>From</b>	QtrQtr <input type="text" value="SESW"/>	Sec <input type="text" value="19"/>	Twp <input type="text" value="2N"/>	Range <input type="text" value="65W"/>	Meridian <input type="text" value="6"/>		
New <b>Surface</b> Location <b>To</b>	QtrQtr <input type="text"/>	Sec <input type="text"/>	Twp <input type="text"/>	Range <input type="text"/>	Meridian <input type="text"/>		
Change of <b>Top of Productive Zone</b> Footage <b>From:</b>				<input type="text" value="725"/>	<input type="text" value="FSL"/>	<input type="text" value="1767"/>	<input type="text" value="FWL"/>
Change of <b>Top of Productive Zone</b> Footage <b>To:</b>				<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Current <b>Top of Productive Zone</b> Location		Sec <input type="text" value="19"/>	Twp <input type="text" value="2N"/>	Range <input type="text" value="65W"/>			
New <b>Top of Productive Zone</b> Location		Sec <input type="text"/>	Twp <input type="text"/>	Range <input type="text"/>			

\*\*

Change of **Base of Productive Zone** Footage **From:**

FSL

FWL

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

100 FSL

1781 FWL

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

### SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

- Building: \_\_\_\_\_ Feet
- Building Unit: \_\_\_\_\_ Feet
- Public Road: \_\_\_\_\_ Feet
- Above Ground Utility: \_\_\_\_\_ Feet
- Railroad: \_\_\_\_\_ Feet
- Property Line: \_\_\_\_\_ Feet

#### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

### SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? \_\_\_\_\_

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: \_\_\_\_\_ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### LOCATION CHANGE COMMENTS

### CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
NIOBRARA	NBRR		200	GWA			X	



Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

**REPORT OF TEMPORARY ABANDONMENT**

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

**REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS**

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

**NOTICE OF INTENT/REQUEST FOR APPROVAL**      Approximate Start Date \_\_\_\_\_

**SUBSEQUENT REPORT**      Date of Activity 05/22/2025

- |   |  |  |
|---|--|--|
| <input checked="" type="checkbox"/> Bradenhead Plan   | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input type="checkbox"/> Change Drilling Plan   | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

**COMMENTS:**

APR 2025 MONTHLY CHECK 04/15/25, 55PSI, GAUGE ONLY NOT OPEN TO ATMOSPHERE, EXCEEDED ACTION THRESHOLD. SAMPLE OBTAINED 01/13/25 PRODUCED WATER. FORM 17 OBTAINED 05/02/25, 58PSI PRODUCED WATER. BRADENHEAD PRESSURE WILL BE MANAGED WITH ABATEMENT. FORM 42 WILL BE FILED UPON START.

**GAS CAPTURE**

**VENTING AND FLARING:**

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

\_\_\_\_\_

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

\_\_\_\_\_

Total volume of gas vented or flared: \_\_\_\_\_ mcf  estimated  measured

Total duration of emission event: \_\_\_\_\_ hours  consecutive  cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

**GAS CAPTURE PLAN**

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

\_\_\_\_\_

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

**CASING PROGRAM**

(No Casing Provided)

**POTENTIAL FLOW AND CONFINING FORMATIONS**

**H2S REPORTING**

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

**Gas Analysis Report must be attached.**

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)      Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

\_\_\_\_\_

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

\_\_\_\_\_

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

[Empty text box for comments]

OIL & GAS LOCATION UPDATES

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

- Wells \_\_\_\_\_ Oil Tanks \_\_\_\_\_ Condensate Tanks \_\_\_\_\_ Water Tanks \_\_\_\_\_ Buried Produced Water Vaults \_\_\_\_\_
- Drilling Pits \_\_\_\_\_ Production Pits \_\_\_\_\_ Special Purpose Pits \_\_\_\_\_ Multi-Well Pits \_\_\_\_\_ Modular Large Volume Tank \_\_\_\_\_
- Pump Jacks \_\_\_\_\_ Separators \_\_\_\_\_ Injection Pumps \_\_\_\_\_ Heater-Treaters \_\_\_\_\_ Gas Compressors \_\_\_\_\_
- Gas or Diesel Motors \_\_\_\_\_ Electric Motors \_\_\_\_\_ Electric Generators \_\_\_\_\_ Fuel Tanks \_\_\_\_\_ LACT Unit \_\_\_\_\_
- Dehydrator Units \_\_\_\_\_ Vapor Recovery Unit \_\_\_\_\_ VOC Combustor \_\_\_\_\_ Flare \_\_\_\_\_ Enclosed Combustion Devices \_\_\_\_\_
- Meter/Sales Building \_\_\_\_\_ Pigging Station \_\_\_\_\_ Vapor Recovery Towers \_\_\_\_\_

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

[Empty text box for location changes]

POTENTIAL OGDP UPDATES

PROPOSED CHANGES TO AN APPROVED OGDP

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDP:

- Add Oil and Gas Location(s)  Add Drilling and Spacing Unit(s)
- Amend Oil and Gas Location(s)  Amend Drilling and Spacing Unit(s)
- Remove Oil and Gas Location(s)  Remove Drilling and Spacing Unit(s)
- Oil and Gas Location attachment or plan updates  Amend the lands subject to the OGDP
- Other

Provide a detailed description of the changes being proposed for this OGDP. Attach supporting documentation such as maps if necessary.

[Empty text box for proposed changes description]

**Operator Best Management Practices**

**No BMP/COA Type**

**Description**

No BMP/COA Type	Description

Operator Comments:

[Empty box for Operator Comments]

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: DANE OLSON  
Title: REG ANALYST Email: DANE\_OLSON@OXY.COM Date: 5/22/2025

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Jacobson, Eric Date: 5/23/2025

**CONDITIONS OF APPROVAL, IF ANY LIST**

<u>COA Type</u>	<u>Description</u>
1 COA	<ol style="list-style-type: none"> <li>Operator shall implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well operations do not constitute a nuisance or hazard to public welfare.</li> <li>Bradenhead gas is not to be vented to the atmosphere; any gas from the Bradenhead will be routed to the specified abatement system. Shut in bradenhead pressure shall not exceed 50 psig. Operator shall implement measures to get an estimate of the gas flow rate and/or volume from the bradenhead.</li> <li>Within thirty days of 05/23/2026, submit a Form 4 Sundry that summarizes current well condition. The sundry should include details of the future plans, sample analysis interpretation, bradenhead test description, and the flow rate information and pressure data.</li> <li>Shut well in for at least seven days to monitor build up pressures then conduct a new bradenhead test and submit the Form 17 within ten days of the test.</li> <li>If a sample has not been collected from surface casing within the last twelve months collect bradenhead gas samples for laboratory analysis. Sampling shall comply with Operator Guidance - Bradenhead Testing and Reporting Instructions, Appendix A: Liquid and Gas Sampling. Copies of all final laboratory analytical results shall be provided to the ECMC within three months of collecting the samples.</li> </ol>

**General Comments**

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	Bradenhead test date 05/02/2025 had 58 psig and had water at the surface.	05/23/2025

Total: 1 comment(s)

**ATTACHMENT LIST**

<u>Att Doc Num</u>	<u>Name</u>
404213666	SUNDRY NOTICE APPROVED-OBJ
404213669	OPERATIONS SUMMARY
404215374	FORM 4 SUBMITTED

Total Attach: 3 Files