

TANK BATTERY CLOSURE REPORT

CECIL-66N64W 12NWNW TANK BATTERY

ECMC REMEDIATION # 39385

Prepared for:




PDC ENERGY

1099 18th Street
Suite 1500
Denver, CO 80202


Prepared by:




4725 Independence Street
Wheat Ridge, CO 80033



Legend

 **Site Location**

 N

0 2,000 4,000 Feet

1 inch = 2,000 feet
1:24,000

Service Layer Credits: Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road data; Natural Earth Data; U.S. Department of State HIU; NOAA National

DATE:	June 2025
DESIGNED BY:	B. Nelson
DRAWN BY:	L. Reed



Tasman, Inc.
4725 Independence St.
Wheat Ridge, CO 80033

PDC Energy, Inc. – 69175 – DJ Basin
Cecil 66N64W 12NWNW
 NWNW, Section 12, Township 6 North, Range 64 West
 Weld County, Colorado

Site Location Map

Figure
1



DATE: June 2, 2025

DESIGNED BY: J. Whritenour

DRAWN BY: A. Haug



PDC Energy, Inc. – 69175 – DJ Basin
Cecil-66N64W 12NWNW Tank Battery
 NENW, Section 12, Township 6 North, Range 64 West
 Weld County, Colorado

SOIL SAMPLE LOCATION MAP
 (05/30/2025)

FIGURE 2

TABLE 1
FIELD DATA SUMMARY TABLE
PDC ENERGY, INC. - 69175
CECIL-66N64W 12NWNW TANK BATTERY, WELD COUNTY, COLORADO
REM #39385



Sample ID	Sample Date	Depth (ft. bgs)	GPS Data ⁽¹⁾ Latitude/Longitude		PDOP Value	VOC Concentration ⁽²⁾ (ppm)
FLARE01@0-6"	5/30/2025	0-0.5	40.505033	-104.506210	1.3	0.0
FLARE02@0-6"	5/30/2025	0-0.5	40.505092	-104.506220	1.0	0.0
MH01@0-6"	5/30/2025	0-0.5	40.505028	-104.506318	0.8	0.0
AST01@0-6"	5/30/2025	0-0.5	40.504737	-104.506233	0.8	1.4
PWV01-N@2'	5/30/2025	2	40.504808	-104.506228	NC	1.0
PWV02-N@2'	5/30/2025	2	40.504807	-104.506188	NC	1.3
PWV01-E@2'	5/30/2025	2	40.504801	-104.506152	0.8	0.8
PWV02-W@2'	5/30/2025	2	40.504780	-104.506247	0.8	8.7
PWV01-S@2'	5/30/2025	2	40.504774	-104.506170	0.8	1.9
PWV02-S@2'	5/30/2025	2	40.504770	-104.506217	0.8	1.0
PWV02-B@5'	5/30/2025	5	40.504788	-104.506220	NC	0.4
PWV01-B@5'	5/30/2025	5	40.504793	-104.506185	NC	1.0
PWV02-B2@5'	5/30/2025	5	40.504769	-104.506245	NC	1.1
PWV02-W2@2'	5/30/2025	2	40.504767	-104.506255	0.9	0.7
SEP01-DL@4'	5/30/2025	4	40.505008	-104.506265	0.8	0.8
BKG01@1-2'	5/30/2025	1-2	40.504931	-104.505982	1.5	0.0
BKG01@2-3'	5/30/2025	2-3	40.504931	-104.505982	1.5	0.0
BKG01@4-5	5/30/2025	4-5	40.504931	-104.505982	1.5	0.0
BKG02@1-2'	5/30/2025	1-2	40.504838	-104.505894	1.2	0.0
BKG02@2-3'	5/30/2025	2-3	40.504838	-104.505894	1.2	0.0
BKG02@4-5'	5/30/2025	4-5	40.504838	-104.505894	1.2	0.0

1. Global Positioning System (GPS) data is provided in decimal degrees using North American Datum (NAD) 83 UTM Zone 13 North.

2. Volatile organic compound (VOC) concentrations are measured in the field using a photoionization detector (PID).

NC = Not Calculated

PDOP = Position Dilution of Precision

ppm = Parts per million

ft. = Feet

bgs = Below ground surface

Source material characterization sample, excavated and transported off site for disposal.

Material excavated and transported off site for disposal.

TABLE 2
SUMMARY OF VOLATILE ORGANIC SOIL CHEMISTRY DATA
PDC ENERGY, INC. - 69175
CECIL-66N64W 12NWNW TANK BATTERY, WELD COUNTY, COLORADO
REM #39385



Sample ID	Sample Date	Depth (ft. bgs)	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-Benzene (mg/kg)	Xylenes (mg/kg)	1,2,4-Trimethyl-Benzene (mg/kg)	1,3,5-Trimethyl-Benzene (mg/kg)	Naphthalene (mg/kg)	TPH (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			1.2	490	5.8	58	30	27	2	500	500**		
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.0026	0.69	0.78	9.9	0.0081	0.0087	0.0038	500	500**		
PWV01-B@5'	5/30/2025	5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
PWV01-E@2'	5/30/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
PWV01-N@2'	5/30/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
PWV01-S@2'	5/30/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
PWV02-B@5'	5/30/2025	5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
PWV02-B2@5'	5/30/2025	5	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
PWV02-N@2'	5/30/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50	<0.50	<50	<50
PWV02-S@2'	5/30/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	RP	<0.50	RP	RP
PWV02-W2@2'	5/30/2025	2	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	RP	<0.50	RP	RP
AST01@0-6"	5/30/2025	0-0.5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
SEP01-DL@4'	5/30/2025	4	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP

1. Bold values exceed the ECMC Table 915-1 limit(s)
 2. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL)
 3. ** Summation of GRO+DRO+ORO must be less than 500 mg/kg
- (<) = Analytical result is less than the indicated laboratory reporting limit.
TPH-GRO = Total petroleum hydrocarbons - gasoline range organics
TPH-DRO = Total petroleum hydrocarbons - diesel range organics
TPH-ORO = Total petroleum hydrocarbons - oil range organics
mg/kg = Milligrams per kilogram
RP = Results Pending
ECMC = Energy & Carbon Management Commission
ft. = Feet
bgs = Below ground surface
NA - Not analyzed

TABLE 3
SUMMARY OF POLYCYCLIC AROMATIC HYDROCARBON SOIL CHEMISTRY DATA
PDC ENERGY, INC. - 69175
CECIL-66N64W 12NWNW TANK BATTERY, WELD COUNTY, COLORADO
REM #39385



Sample ID	Sample Date	Depth (ft. bgs)	Acenaphthene (mg/kg)	Anthracene (mg/kg)	Benzo (a) Anthracene (mg/kg)	Benzo (a) Pyrene (mg/kg)	Benzo (b) Fluoranthene (mg/kg)	Benzo (k) Fluoranthene (mg/kg)	Chrysene (mg/kg)	Dibenzo (a,h) Anthracene (mg/kg)	Fluoranthene (mg/kg)	Fluorene (mg/kg)	Indeno (1,2,3-cd) Pyrene (mg/kg)	Pyrene (mg/kg)	1-Methyl - Naphthalene (mg/kg)	2-Methyl- Naphthalene (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			360	1800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180	18	24
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3	0.006	0.019
PWV01-B@5'	5/30/2025	5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV01-E@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV01-N@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV01-S@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-B@5'	5/30/2025	5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-B2@5'	5/30/2025	5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-N@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-S@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-W2@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
AST01@0-6"	5/30/2025	0-0.5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
SEP01-DL@4'	5/30/2025	4	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP

1. Bold values exceed the ECMC Table 915-1 limit(s)
2. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL)
3. * Indicates laboratory minimum detection limit in excess of SSL
(<) = Analytical result is less than the indicated laboratory reporting limit.
mg/kg = Milligrams per kilogram
ECMC = Energy & Carbon Management Commission
ft. = Feet
RP = Results Pending
bgs = Below ground surface
NA = Not analyzed

TABLE 4
SUMMARY OF SOIL SUITABILITY FOR RECLAMATION
PDC ENERGY, INC. - 69175
CECIL-66N64W 12NWNW TANK BATTERY, WELD COUNTY, COLORADO
REM #39385



Sample ID	Sample Date	Depth (ft. bgs)	pH (Standard Units)	EC (mmhos/cm)	SAR (Standard Units)	Boron (mg/L)
ECMC Table 915-1 Soil Suitability Limits			6 - 8.3	<4	<6	2
PWV01-B@5'	5/30/2025	5	RP	RP	RP	RP
PWV01-E@2'	5/30/2025	2	RP	RP	RP	RP
PWV01-N@2'	5/30/2025	2	RP	RP	RP	RP
PWV01-S@2'	5/30/2025	2	RP	RP	RP	RP
PWV02-B@5'	5/30/2025	5	RP	RP	RP	RP
PWV02-B2@5'	5/30/2025	5	RP	RP	RP	RP
PWV02-N@2'	5/30/2025	2	RP	RP	RP	RP
PWV02-S@2'	5/30/2025	2	RP	RP	RP	RP
PWV02-W2@2'	5/30/2025	2	RP	RP	RP	RP
AST01@0-6"	5/30/2025	0-0.5	RP	RP	RP	RP
SEP01-DL@4'	5/30/2025	4	RP	RP	RP	RP
BKG01@1-2'	5/30/2025	1-2	RP	RP	RP	RP
BKG01@2-3'	5/30/2025	2-3	RP	RP	RP	RP
BKG01@4-5	5/30/2025	4-5	RP	RP	RP	RP
BKG02@1-2'	5/30/2025	1-2	RP	RP	RP	RP
BKG02@2-3'	5/30/2025	2-3	RP	RP	RP	RP
BKG02@4-5'	5/30/2025	4-5	RP	RP	RP	RP
Maximum Background Concentration			NA	NA	NA	NA

1. **Bold** faced values exceed the ECMC Table 915-1 limit(s), but are within background concentrations.

2. **Bold** faced values exceed the ECMC Table 915-1 limit(s) and native background concentrations.

3. Brown highlighted soil analytical values indicate a regulatory exceedance.

mg/L = Milligrams per liter

(<) = Analytical result is less than the indicated laboratory reporting limit.

ECMC = Energy & Carbon Management Commission

RP = Results Pending

ft. = Feet

bgs = Below ground surface

mmhos/cm = Millimohs per centimeter

NA - Not analyzed



TABLE 4
SUMMARY OF SOIL SUITABILITY FOR RECLAMATION
PDC ENERGY, INC. - 69175
CECIL-66N64W 12NWNW TANK BATTERY, WELD COUNTY, COLORADO
REM #39385

Sample ID	Sample Date	Depth (ft. bgs)	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) ⁽⁴⁾ (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			0.68	15000	71	0.3	3100	400	1500	390	390	23000
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
PWV01-B@5'	5/30/2025	5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV01-E@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV01-N@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV01-S@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-B@5'	5/30/2025	5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-B2@5'	5/30/2025	5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-N@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-S@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
PWV02-W2@2'	5/30/2025	2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
AST01@0-6"	5/30/2025	0-0.5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
SEP01-DL@4'	5/30/2025	4	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
BKG01@1-2'	5/30/2025	1-2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
BKG01@2-3'	5/30/2025	2-3	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
BKG01@4-5	5/30/2025	4-5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
BKG02@1-2'	5/30/2025	1-2	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
BKG02@2-3'	5/30/2025	2-3	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
BKG02@4-5'	5/30/2025	4-5	RP	RP	RP	RP	RP	RP	RP	RP	RP	RP
1.25x Maximum Background Concentration			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. **Bold** faced values exceed the ECMC Table 915-1 limit(s), but are within 1.25x background concentrations.
2. **Red** faced values exceed the ECMC Table 915-1 limit(s) and native background concentrations.
3. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL).
4. Compound falls within ECMC Table 915-1 Footnote 9.
5. Non-detect background results accounted for in the highest background concentration by using the reporting limit.
6. * Indicates laboratory minimum detection limit in excess of SSL

RP = Results Pending

ECMC = Energy & Carbon Management Commission

(<) = Analytical result is less than the indicated laboratory reporting limit.

mg/kg = Milligrams per kilogram

ft. = Feet

bgs = Below ground surface

NA - Not analyzed



CLIENT: PDC Energy, Inc. or PDC Permian		SITE NAME: CECIL-66N64W 12NWNW					DATE: 5/30/2025	REM. PROJECT #: 39385	WEATHER: 60s Cloudy	
SITE DIRECTIONS: CR 59&70. 0.9 M N. E into site.							JOB#: 10517			
LEGALS AND LAT/LONG: 40.504882, -104.506243							TASMAN PERSONNEL: C Lovell, W Runge			
SOIL TYPES: Well Graded Sand - SW							SURFACE GRADIENT: West			
SOIL SAMPLING							FACILITY INFRASTRUCTURE			
Date/Time	Soil Sample ID	PID (ppm)	Visual	Olfactory	Photo?	Grab or Lab Sample?	EQUIPMENT	Quantity		
							Above Ground Storage Tank (AST)	1		
05-30-2025 08:59	FLARE01@0-6"	0.0	No Staining	No Odor	Yes	Grab	Buried or Partially Buried Vessel	2		
05-30-2025 09:01	FLARE02@0-6"	0.0	No Staining	No Odor	Yes	Grab	Separator	1		
05-30-2025 09:04	MH01@0-6"	0.0	No Staining	No Odor	Yes	Grab	Emission Control Device (ECD)	2		
05-30-2025 09:29	AST01@0-6"	1.4	No Staining	No Odor	Yes	Lab	Dump Line			
05-30-2025 09:51	PWV01-N@2'	1.0	No Staining	No Odor	Yes	Lab	Wellhead			
05-30-2025 09:52	PWV02-N@2'	1.3	No Staining	No Odor	Yes	Lab	Flowline			
05-30-2025 09:54	PWV01-E@2'	0.8	No Staining	No Odor	Yes	Lab	Other: Meter House	1		
05-30-2025 09:57	PWV02-W@2'	8.7	HC Staining	HC Odor	Yes	Grab	Soil Loads Removed			
05-30-2025 10:02	PWV01-S@2'	1.9	No Staining	No Odor	Yes	Lab	IMPACTED SOIL IDENTIFIED? Yes			
05-30-2025 10:03	PWV02-S@2'	1.0	No Staining	No Odor	Yes	Lab	ESTIMATED VOLUME OF IMPACTS: 9 cubic yards			
05-30-2025 10:05	PWV02-B@5'	0.4	No Staining	No Odor	Yes	Lab	Date	Number	CY	
05-30-2025 10:07	PWV01-B@5'	1.0	No Staining	No Odor	Yes	Lab	5/30/2025	1	9	
05-30-2025 11:36	PWV02-B2@5'	1.1	No Staining	No Odor	Yes	Lab				
05-30-2025 11:37	PWV02-W2@2'	0.7	No Staining	No Odor	Yes	Lab				
05-30-2025 12:08	SEP01-DL@4'	0.8	No Staining	No Odor	Yes	Lab				
05-30-2025 13:10	BKG01@1-2'	0.0	No Staining	No Odor	Yes	Lab	Total Removed		1 9	
05-30-2025 13:11	BKG01@2-3'	0.0	No Staining	No Odor	Yes	Lab	Disposal Facility: WM - Ault			
05-30-2025 13:14	BKG01@4-5'	0.0	No Staining	No Odor	Yes	Lab	Groundwater Recovery			
05-30-2025 13:15	BKG02@1-2'	0.0	No Staining	No Odor	Yes	Lab	DATE GW ENCOUNTERED:		DEPTH:	
05-30-2025 13:17	BKG02@2-3'	0.0	No Staining	No Odor	Yes	Lab	GROUNDWATER IN CONTACT WITH IMPACTED SOIL?			
05-30-2025 13:19	BKG02@4-5'	0.0	No Staining	No Odor	Yes	Lab	GROUNDWATER IN CONTACT WITH IMPACTED SOIL?			
							LNAPL OR SHEEN OBSERVED ON GW?			
GROUNDWATER SAMPLING							Date	BBLs		
Date/Time	Groundwater Sample ID	Depth Collected	Turbid?	Sheen?	Odor?	Photo?				
							Total Removed		0	
							Disposal Facility:			

Chevron Rockies Business Unit

Field Qualitative Criteria for ECMC Reporting Associated with the Discovery of Potentially Impacted Material

If answered **Yes** to any of the questions listed below, this may suggest the presence of potentially impacted materials as outlined in ECMC Rule 912. Out of an abundance of caution, a “Yes” response will be reported to the ECMC within 24 hours after discovery, regardless of laboratory results. **Immediately notify the RBU Remediation Team.** Include a copy of this Field Qualitative Spill Criteria Checklist in the field Report.

Please answer the following questions when on-site:

1. Is there visible petroleum hydrocarbon staining in the soil? Yes_____
2. Does the soil sample from the stained area have a petroleum odor? Yes_____
3. Is there a petroleum hydrocarbon sheen on the nearby surface water? No_____
4. Does there appear to be a sheen of the surface of accumulated groundwater or seeps within the excavation indicative of petroleum? No_____
5. Is stained soil in contact with groundwater? No_____

Please Include relevant photos of the site conditions for items 1-5.

Location name: CECIL-66N64W 12NWNW

Please Circle Facility Type: Production Facility




Equipment ID:		Equipment Type:	
Material:	Volume:	Contents:	
Notes/Conditions:			

Equipment ID: FLARE02@0-6"		Equipment Type:	
Material:	Volume:	Contents:	
Notes/Conditions:			



Equipment ID: MH01@0-6"		Equipment Type:	
Material:	Volume:	Contents:	
Notes/Conditions:			

Equipment ID: AST01@0-6"		Equipment Type:	
Material:	Volume:	Contents:	
Notes/Conditions:			



Equipment ID:		Equipment Type:	
Material:	Volume:	Contents:	
Notes/Conditions: Missing infrastructure SE of MH01			


Equipment ID:		Equipment Type:	
Material:	Volume:	Contents:	
Notes/Conditions: Missing infrastructure N of MH01			



Equipment ID: PWV01-N@2'		Equipment Type:		Equipment ID: PWV02-N@2'		Equipment Type:	
Material:	Volume:	Contents:		Material:	Volume:	Contents:	
Notes/Conditions:				Notes/Conditions:			



Equipment ID: PWV01-E@2'		Equipment Type:		Equipment ID: PWV02-W@2@2'		Equipment Type:	
Material:	Volume:	Contents:		Material:	Volume:	Contents:	
Notes/Conditions:				Notes/Conditions:			



Equipment ID: PWV01-S@2'		Equipment Type:		Equipment ID: PWV02-S@2'		Equipment Type:	
Material:	Volume:	Contents:		Material:	Volume:	Contents:	
Notes/Conditions:				Notes/Conditions:			



Equipment ID: PWV02-B@5'		Equipment Type:		Equipment ID: PWV01-B@5'		Equipment Type:	
Material:	Volume:	Contents:		Material:	Volume:	Contents:	
Notes/Conditions:				Notes/Conditions:			



Equipment ID: PWV02-B2@5'		Equipment Type:		Equipment ID: PWV02-W2@2'		Equipment Type:	
Material:	Volume:	Contents:		Material:	Volume:	Contents:	
Notes/Conditions:				Notes/Conditions:			



Equipment ID: SEP01-DL@4'		Equipment Type:	
Material:	Volume:	Contents:	
Notes/Conditions:			

Equipment ID: BKG01		Equipment Type:	
Material:	Volume:	Contents:	
Notes/Conditions:			



Equipment ID: BKG02		Equipment Type:		Equipment ID:		Equipment Type:	
Material:	Volume:	Contents:		Material:	Volume:	Contents:	
Notes/Conditions:				Notes/Conditions:			