



EXTENDED NATURAL GAS ANALYSIS (*DHA)

MAIN PAGE

PRIMARY DB KEY: 05-103-10810	NAME/DESCRIP : PCU 297-15A2
LEASE #:	INTER CSG
FIELD/AREA:	
PROJECT NO. : 202505078	ANALYSIS NO. : 03
COMPANY NAME : QB ENERGY OPERATING, LLC	ANALYSIS DATE: MAY 20, 2025 10:05
OFFICE / BRANCH: PARACHUTE, CO	SAMPLE DATE : MAY 2, 2025
CUSTOMER REF:	TO:
PRODUCER : QB ENERGY OPERATING LLC	EFFECTIVE DATE:

*****FIELD DATA*****

SAMPLE CYCLE:	SAMPLE TYPE:
SAMPLE PRES. : 467 psig	PROBE :
FLOW PRES. : psig	CYLINDER NO. : ECA-781
LAB PRES: psig	SAMPLED BY : NICK CROY
SAMPLE TEMP. : °f	SAMPLING COMPANY: QB ENERGY
AMBIENT TEMP.: °f	H2S BY STAIN TUBE: - ppm mol
H2O BY STAIN TUBE: - #/mmcf	CO2 BY STAIN TUBE: - Mol %
FIELD COMMENTS:	
LAB COMMENTS:	

<u>COMPONENT</u>	<u>MOLE %</u>	<u>MASS %</u>	<u>GPM @ 14.65</u>	<u>GPM @ 14.73</u>
ALCOHOLS	0.0005	0.0009	0.0000	0.0000
HELIUM	0.00	0.00	---	---
HYDROGEN	1.42	0.16	---	---
OXYGEN/ARGON	0.00	0.00	---	---
NITROGEN	0.08	0.13	---	---
CARBON DIOXIDE	0.02	0.05	---	---
METHANE	90.8948	82.8983	---	---
ETHANE	4.8098	8.2221	1.2821	1.2891
PROPANE	1.6165	4.0523	0.4437	0.4461
I-BUTANE	0.3335	1.1020	0.1089	0.1095
N-BUTANE	0.3444	1.1380	0.1079	0.1085
I-PENTANE	0.1382	0.5664	0.0500	0.0502
N-PENTANE	0.0985	0.4040	0.0360	0.0362
HEXANES PLUS	0.2438	1.2760	0.0950	0.0953
TOTALS	100.0000	100.0000	2.1236	2.1349

<u>BTEX COMPONENTS</u>	<u>MOLE%</u>	<u>WT%</u>
BENZENE	0.0067	0.0297
TOLUENE	0.0089	0.0466
ETHYLBENZENE	0.0002	0.0012
XYLENES	0.0020	0.0121
TOTAL BTEX	0.0178	0.0896

	<u>CALCULATED VALUES**</u>	
	<u>14.65</u>	<u>14.73</u>
LHV NET DRY REAL :	984.9 /scf	990.3 /scf
NET WET REAL :	967.7 /scf	973.1 /scf
HHV GROSS DRY REAL :	1090.5 /scf	1096.5 /scf
GROSS WET REAL :	1071.4 /scf	1077.4 /scf
NET HEATING VALUE (60 °F ideal reaction):		21275.9 Btu/lbm
GROSS HEATING VALUE (60°F ideal reaction):		23562.0 Btu/lbm
RELATIVE DENSITY (AIR=1):		0.6069
DENSITY		0.04635 lbm/scf
COMPRESSIBILITY FACTOR :		0.9976
REGULAR WOBBE INDEX		1400.8

*(DETAILED HYDROCARBON ANALYSIS/NJ 1993)

Mod ASTM D6730, GPA 2261 & GPA 2286.

** (CALC: GPA 2172, GPA 2145 & TP-17 @14.696 & 60 F)

The data presented herein has been acquired by means of current analytical techniques and represents the judicious conclusion EMPACT Analytical Systems, Inc. Results of the analysis can be affected by the sampling conditions, therefore, are only warranted through proper lab protocol. EMPACT assumes no responsibility for interpretation or any consequences from application of the reported information and is the sole liability of the user. The reproduction in any media of this reported information may not be made, in portion or as a whole, without the written permission of EMPACT Analytical Systems, Inc.



**EXTENDED NATURAL GAS ANALYSIS (*DHA)
GLYCALC INFORMATION**

PROJECT NO. :	202505078	ANALYSIS NO. :	03
COMPANY NAME :	QB ENERGY OPERATING, LLC	ANALYSIS DATE:	MAY 20, 2025 10:05
ACCOUNT NO. :		SAMPLE DATE :	MAY 2, 2025
PRODUCER :	QB ENERGY OPERATING LLC	CYLINDER NO. :	ECA-781
LEASE NO. :		SAMPLED BY :	NICK CROY
NAME/DESCRIP :	PCU 297-15A2 INTER CSG		

FIELD DATA		SAMPLE TEMP. :	
SAMPLE PRES. :	467	AMBIENT TEMP.:	
H2S BY STAIN TUBE:	— ppm mol		
COMMENTS :			

<u>Componet</u>	<u>Mole %</u>	<u>Wt %</u>
Helium	0.00	0.00
Hydrogen	1.42	0.16
Carbon Dioxide	0.02	0.05
Nitrogen	0.08	0.13
Methane	90.8948	82.8983
Ethane	4.8098	8.2221
Propane	1.6165	4.0523
Isobutane	0.3335	1.1020
n-Butane	0.3444	1.1380
Isopentane	0.1330	0.5456
n-Pentane	0.0985	0.4040
Cyclopentane	0.0052	0.0208
n-Hexane	0.0370	0.1812
Cyclohexane	0.0200	0.0957
Other Hexanes	0.0789	0.3843
Heptanes	0.0426	0.2414
Methylcyclohexane	0.0294	0.1641
2,2,4 Trimethylpentane	0.0001	0.0006
Benzene	0.0067	0.0297
Toluene	0.0089	0.0466
Ethylbenzene	0.0002	0.0012
Xylenes	0.0020	0.0121
C8+ Heavies	0.0180	0.1191
<u>Subtotal</u>	<u>99.99950</u>	<u>99.99910</u>
Oxygen/Argon	0.00	0.00
Alcohols	0.0005	0.0009
<u>Total</u>	<u>100.00000</u>	<u>100.00000</u>

	<u>Total</u>	<u>C6+</u>	<u>C8+</u>	<u>C10+</u>
Calculated Values BTU @ <u>14.65</u>	Sample	Fraction	Fraction	Fraction
LHV Net Dry Real:	984.9	4654.3	5792.7	8833.3 Btu/scf
Net Wet Real:	967.7	4572.9	5691.4	8678.9 Btu/scf
HHV Gross Dry Real:	1090.5	5003.9	6226.8	9505.7 Btu/scf
Gross Wet Real:	1071.4	4916.4	6117.9	9339.5 Btu/scf
Other Calculated Values				
Regualr Wobbe Index*	1400.8	2791.1	3116.1	3868.3 Btu/scf
Net Heating Value (60 °F ideal reaction):	21275.9	19255.2	19825.0	19435.7 Btu/lbm
Gross Heating Value (60°F ideal reaction):	23562.0	20703.6	21316.8	20915.1 Btu/lbm
Molar Mass (MW):	17.59013	92.128	115.773	175.946 g/mol
Relative Density (AIR=1):	0.6069	3.1808	3.9968	6.0750 SG
Density:	0.04635	0.24277	0.30507	0.46365 lbm/scf
Compressibility Factor:	0.9976	0.9917	0.9973	0.9999 Z
Liquid Volume real gas @: <u>14.65</u>	17.5788	0.0947	0.006	0 gal/1000 scf

* The Wobbe pressure base in the number considered is based upon the given Pb of the HHV above.
 #DIV/0 or 0 (zero) will appear in the Calculated Value Section when there is no C6+, C8+ or C10+ in the sample to calculate these factors.
 BDL - Below Detection Limit. The H2S LOS has a detection limit of 0.25 ppm. A _ (an underscore) indicates there was no tube pulled for H2S.

The data presented herein has been acquired by means of current analytical techniques and represents the judicious conclusion EMPACT Analytical Systems, Inc. Results of the analysis can be affected by the sampling conditions, therefore, are only warranted through proper lab protocol. EMPACT assumes no responsibility for interpretation or any consequences from application of the reported information and is the sole liability of the user. The reproduction in any media of this reported information may not be made, in portion or as a whole, without the written permission of EMPACT Analytical Systems, Inc.



EXTENDED NATURAL GAS ANALYSIS (*DHA)

DHA COMPONENT LIST

PRIMARY DB KEY: **05-103-10810** NAME/DESCRIP : **PCU 297-15A2**
 LEASE #: INTER CSG
 FIELD/AREA:
 PROJECT NO. : **202505078** ANALYSIS NO. : **03**
 COMPANY NAME : **QB ENERGY OPERATING, LLC** ANALYSIS DATE: **MAY 20, 2025 10:05**
 OFFICE / BRANCH: **PARACHUTE, CO** SAMPLE DATE : **MAY 2, 2025**
 CUSTOMER REF: TO:
 PRODUCER : **QB ENERGY OPERATING LLC** EFFECTIVE DATE:

*****FIELD DATA*****

SAMPLE CYCLE: SAMPLE TYPE:
 SAMPLE PRES. : 467 psig PROBE :
 FLOW PRES. : psig CYLINDER NO. : ECA-781
 LAB PRES: psig SAMPLED BY : NICK CROY
 SAMPLE TEMP. : °f SAMPLING COMPANY: QB ENERGY
 AMBIENT TEMP.: °f H2S BY STAIN TUBE: - ppm mol
 H2O BY STAIN TUBE: - #/mmcf CO2 BY STAIN TUBE: - Mol %
 FIELD COMMENTS:
 LAB COMMENTS:

COMPONENT	PIANO #	MOLE %	MASS %	GPM @ 14.65	GPM @ 14.73
Hydrogen	---	1.42	0.16	---	---
Nitrogen	---	0.08	0.13	---	---
Carbon Dioxide	---	0.02	0.05	---	---
Methane	P1	90.8948	82.8983	---	---
Ethane	P2	4.8098	8.2221	1.282	1.289
Propane	P3	1.6165	4.0523	0.444	0.446
i-Butane	I4	0.3335	1.1020	0.109	0.110
Methanol	X1	0.0005	0.0009	0.000	0.000
n-Butane	P4	0.3444	1.1380	0.108	0.109
2,2-Dimethylpropane	I5	0.0036	0.0148	0.001	0.001
i-Pentane	I5	0.1294	0.5308	0.047	0.047
n-Pentane	P5	0.0985	0.4040	0.036	0.036
2,2-Dimethylbutane	I6	0.0043	0.0211	0.002	0.002
Cyclopentane	N5	0.0052	0.0208	0.002	0.002
2,3-Dimethylbutane	I6	0.0074	0.0363	0.003	0.003
2-Methylpentane	I6	0.0308	0.1509	0.013	0.013
3-Methylpentane	I6	0.0164	0.0803	0.007	0.007
n-Hexane	P6	0.0370	0.1812	0.015	0.015
2,2-Dimethylpentane	I7	0.0005	0.0028	0.000	0.000
Methylcyclopentane	N6	0.0200	0.0957	0.007	0.007
2,4-Dimethylpentane	I7	0.0018	0.0102	0.001	0.001
2,2,3-Trimethylbutane	I7	0.0003	0.0017	0.000	0.000
Benzene	A6	0.0067	0.0297	0.002	0.002
3,3-Dimethylpentane	I7	0.0005	0.0028	0.000	0.000
Cyclohexane	N6	0.0200	0.0957	0.007	0.007
2-Methylhexane	I7	0.0053	0.0302	0.002	0.002

2,3-Dimethylpentane	I7	0.0031	0.0177	0.001	0.001
1,1-Dimethylcyclopentane	N7	0.0016	0.0089	0.001	0.001
3-Methylhexane	I7	0.0060	0.0342	0.003	0.003
1c,3-Dimethylcyclopentane	N7	0.0025	0.0139	0.001	0.001
1t,3-Dimethylcyclopentane	N7	0.0023	0.0129	0.001	0.001
3-Ethylpentane	I7	0.0005	0.0028	0.000	0.000
1t,2-Dimethylcyclopentane	N7	0.0033	0.0184	0.002	0.002
2,2,4-Trimethylpentane	I8	0.0001	0.0006	0.000	0.000
n-Heptane	P7	0.0130	0.0741	0.006	0.006
1c,2-Dimethylcyclopentane	N7	0.0007	0.0039	0.000	0.000
Methylcyclohexane	N7	0.0294	0.1641	0.012	0.012
2,2-Dimethylhexane	I8	0.0004	0.0026	0.000	0.000
1,1,3-Trimethylcyclopentane	N7	0.0003	0.0019	0.000	0.000
Ethylcyclopentane	N7	0.0009	0.0050	0.000	0.000
2,5-Dimethylhexane	I8	0.0005	0.0032	0.000	0.000
2,2,3-Trimethylpentane	I8	0.0005	0.0032	0.000	0.000
1c,2t,4-Trimethylcyclopentane	N8	0.0004	0.0026	0.000	0.000
3,3-Dimethylhexane	I8	0.0002	0.0013	0.000	0.000
Toluene	A7	0.0089	0.0466	0.003	0.003
2,3-Dimethylhexane	I8	0.0003	0.0019	0.000	0.000
2-Methyl-3-ethylpentane	I8	0.0001	0.0006	0.000	0.000
2-Methylheptane	I8	0.0017	0.0110	0.001	0.001
4-Methylheptane	I8	0.0005	0.0032	0.000	0.000
3-Methyl-3-ethylpentane	I8	0.0001	0.0006	0.000	0.000
3-Methylheptane	I8	0.0008	0.0052	0.000	0.000
1c,2t,3-Trimethylcyclopentane	N8	0.0027	0.0172	0.001	0.001
3-Ethylhexane	I8	0.0005	0.0032	0.000	0.000
1t,4-Dimethylcyclohexane	N8	0.0012	0.0077	0.001	0.001
1,1-Dimethylcyclohexane	N8	0.0003	0.0019	0.000	0.000
3c-Ethylmethylcyclopentane	N8	0.0001	0.0006	0.000	0.000
3t-Ethylmethylcyclopentane	N8	0.0001	0.0006	0.000	0.000
2t-Ethylmethylcyclopentane	N8	0.0001	0.0006	0.000	0.000
1t,2-Dimethylcyclohexane	N8	0.0007	0.0045	0.000	0.000
1t,3-Dimethylcyclohexane	N8	0.0001	0.0006	0.000	0.000
n-Octane	P8	0.0030	0.0195	0.002	0.002
1c,4-Dimethylcyclohexane	N8	0.0005	0.0032	0.000	0.000
2,2-Dimethylheptane	I9	0.0001	0.0007	0.000	0.000
1,1,4-Trimethylcyclohexane	N9	0.0004	0.0028	0.000	0.000
2,2,3-Trimethylhexane	I9	0.0002	0.0015	0.000	0.000
2,4-Dimethylheptane	I9	0.0001	0.0007	0.000	0.000
Ethylcyclohexane	N8	0.0002	0.0013	0.000	0.000
n-Propylcyclopentane	N8	0.0001	0.0006	0.000	0.000
2,5-Dimethylheptane	I9	0.0002	0.0015	0.000	0.000
1,1,3-Trimethylcyclohexane	N9	0.0001	0.0007	0.000	0.000
Ethylbenzene	I8	0.0002	0.0012	0.000	0.000
1,3-Dimethylbenzene (m-Xylene)	A8	0.0014	0.0085	0.001	0.001
1,4-Dimethylbenzene (p-Xylene)	A8	0.0004	0.0024	0.000	0.000
3,4-Dimethylheptane	I9	0.0001	0.0007	0.000	0.000
4-Methyloctane	I9	0.0001	0.0007	0.000	0.000
2-Methyloctane	I9	0.0001	0.0007	0.000	0.000
1c,2t,4c-Trimethylcyclohexane	I9	0.0002	0.0014	0.000	0.000
1,2-Dimethylbenzene (o-Xylene)	A8	0.0002	0.0012	0.000	0.000
i-Butylcyclopentane	N9	0.0001	0.0007	0.000	0.000
n-Nonane	P9	0.0004	0.0029	0.000	0.000
i-Propylbenzene	A9	0.0001	0.0007	0.000	0.000
UnknownC9s	U9	0.0002	0.0015	0.000	0.000

n-Decane	P10	0.0001	0.0008	0.000	0.000
UnknownC10s	U10	0.0001	0.0008	0.000	0.000
n-Undecane	P11	0.0001	0.0009	0.000	0.000
UnknownC15s	U15	0.0001	0.0012	0.000	0.000
UnknownC16s	U16	0.0001	0.0013	0.000	0.000
TOTAL		100.00000	100.00000	2.1236	2.1349

CALCULATED VALUES**

BTEX COMPONENTS	MOLE%	WT%	BTU @	14.65	14.73
BENZENE	0.0067	0.0297	LHV NET DRY REAL :	984.9 /scf	990.3 /scf
TOLUENE	0.0089	0.0466	NET WET REAL :	967.7 /scf	973.1 /scf
ETHYLBENZENE	0.0002	0.0012	HHV GROSS DRY REAL :	1090.5 /scf	1096.5 /scf
XYLENES	0.0020	0.0121	GROSS WET REAL :	1071.4 /scf	1077.4 /scf
TOTAL BTEX	0.0178	0.0896	NET HEATING VALUE (60 °F ideal reaction):		21275.9 Btu/lbm
			GROSS HEATING VALUE (60°F ideal reaction):		23562.0 Btu/lbm
			RELATIVE DENSITY (AIR=1):		0.6069
			DENSITY		0.04635 lb/scf
			COMPRESSIBILITY FACTOR :		0.9976
			REGULAR WOBBE INDEX		1400.8

*(DETAILED HYDROCARBON ANALYSIS/NJ 1993)
Mod ASTM D6730,GPA 2261 & GPA 2286.

** (CALC: GPA 2172, GPA 2145 & TP-17 @14.696 & 60 F)

C6+ Fraction of DHA Gas Analysis @60°F, 14.696 psia

Net Dry Ideal BTU	<u>4630</u> /scf	Relative Density - SG (Air=1)	<u>3.1808</u>	C6+ factors
Gross Dry Ideal BTU	<u>4977.8</u> /scf	Z Compressibility Factor	<u>0.99167</u>	<u>0.99105</u>
Net Dry Ideal BTU	<u>19255.2</u> /lb	Density Factor	<u>242.77</u> lbm/1000 ft3	
Gross Dry Ideal BTU	<u>20703.6</u> /lb	Molar Mass or MW	<u>92.128</u> g/mol	
		Volume Liquid Ideal gas	<u>0.095</u> scf/gal	<u>24.1</u>

This hexanes plus fraction may be applied in place of published C6+ factors. The Z & GPM need additional calc for C6+ factors. #DIV/0 or 0 (zero) will appear in this section when there is no hexanes plus in the sample to calculate C6+ factors.

The data presented herein has been acquired by means of current analytical techniques and represents the judicious conclusion EMPACT Analytical Systems, Inc. Results of the analysis can be affected by the sampling conditions, therefore, are only warranted through proper lab protocol. EMPACT assumes no responsibility for interpretation or any consequences from application of the reported information and is the sole liability of the user. The reproduction in any media of this reported information may not be made, in portion or as a whole, without the written permission of EMPACT Analytical Systems, Inc.