

DATE: November 21, 2024

DESIGNED BY: C. Hamlin

DRAWN BY: L. Reed




Tasman, Inc.
4725 Independence St,
Wheat Ridge, CO 80033

PDC Energy, Inc. (69175) – DJ Basin
Former Ikenouye F29-22, 23 Tank Battery
NWSE, Section 29, Township 5 North, Range 65 West
Weld County, Colorado

SOIL BORING
LOCATION MAP

FIGURE
1



Legend

- PDC Underground Flowline Location (Collected via Trimble GPS)
- Excavation Extent (Collected via Trimble GPS)
- Initial Excavation Extent (Collected via Trimble GPS)
- + Proposed Soil Boring Location
- Soil Boring Sample Location (Collected via Trimble GPS)
- + Monitoring Well Location (Collected via Trimble GPS)
- + Background Soil Boring Location (Collected via Trimble GPS)

Notes

All locations are approximate unless otherwise noted.

GPS – Global Positioning System

0 ft. 25 ft. 50 ft.

Image Source: Google Earth; June 2021
Projection: WGS 84 UTM Zone 13 North


DATE:	March 11, 2025
DESIGNED BY:	C. Hamlin
DRAWN BY:	E. Lambert

TASMAN Tasman, Inc.
4725 Independence St,
Wheat Ridge, CO 80033

PDC Energy, Inc. (69175) – DJ Basin
Former Ikenouye F29-22, 23 Tank Battery
 NWSE, Section 29, Township 5 North, Range 65 West
 Weld County, Colorado

PROPOSED SOIL BORING
LOCATION MAP

FIGURE
2



DATE: March 11, 2025

DESIGNED BY: Ben Wagner

DRAWN BY: M. Bush

Tasman, Inc.
4725 Independence St,
Wheat Ridge, CO 80033

PDC Energy, Inc. – DJ Basin
Former Ikenouye F29-22, 23 Tank Battery
NWSE, Section 29, Township 5 North, Range 65 West
Weld County, Colorado

**PROPOSED SOIL BORING
MAP**

**FIGURE
3**

TABLE 1
FORMER IKENOUE F 29-22, 23 TANK BATTERY
FIELD DATA SUMMARY TABLE

Sample ID	Date Sampled	Depth	GPS Data ⁽¹⁾		PDOP Value	VOC
			Latitude / Longitude			Concentration ⁽²⁾ (ppm)
AST01 @ 0-6"	10/30/2023	0-6 in. bgs	40.367869	-104.682198	0.9	2.1
AST02 @ 0-6"	10/30/2023	0-6 in. bgs	40.367825	-104.682188	1.0	1.4
AST03 @ 0-6"	10/30/2023	0-6 in. bgs	40.367777	-104.682182	1.0	0.9
SEP01-DL @ 4'	10/30/2023	4 ft. bgs	40.367763	-104.682500	1.1	0.6
SEP01-FL @ 4'	10/30/2023	4 ft. bgs	40.367733	-104.682545	1.2	0.3
SEP02-DL @ 4'	10/30/2023	4 ft. bgs	40.367748	-104.682496	1.1	0.1
SEP02-FL @ 4'	10/30/2023	4 ft. bgs	40.367723	-104.682535	1.1	0.1
MH01 @ 0-6"	10/30/2023	0-6 in. bgs	40.367789	-104.682432	1.0	0.0
ECD01 @ 0-6"	10/31/2023	0-6 in. bgs	40.367845	-104.682544	0.9	0.0
ECD02 @ 0-6"	10/31/2023	0-6 in. bgs	40.367622	-104.682504	0.9	0.0
GW01 @ 6.5'	10/31/2023	6.5 ft. bgs	40.366794	-104.682655	1.4	NA
WC01 @ 4'	10/31/2023	4 ft. bgs	40.366794	-104.682648	1.2	994
SS01 @ 7'	1/9/2024	7 ft. bgs	NC	NC	NC	10.3
SS02 @ 4'	1/9/2024	4 ft. bgs	40.368011	-104.682210	NC	0.5
SS03 @ 6'	1/9/2024	6 ft. bgs	40.368011	-104.682210	NC	0.6
SS04 @ 7'	1/9/2024	7 ft. bgs	NC	NC	NC	0.9
SS05 @ 4'	1/9/2024	4 ft. bgs	40.368037	-104.682245	0.9	0.4
SS06 @ 6'	1/9/2024	6 ft. bgs	40.368037	-104.682245	0.9	1.4
SS07 @ 4'	1/10/2024	4 ft. bgs	40.368070	-104.682322	NC	0.2
SS08 @ 6'	1/10/2024	6 ft. bgs	40.368070	-104.682322	NC	6.4
SS09 @ 7'	1/10/2024	7 ft. bgs	NC	NC	NC	2.0
SS10 @ 7'	1/10/2024	7 ft. bgs	NC	NC	NC	1.8
SS11 @ 7'	1/10/2024	7 ft. bgs	NC	NC	NC	1.1
SS12 @ 4'	1/10/2024	4 ft. bgs	40.368032	-104.682362	NC	0.5
SS13 @ 6'	1/10/2024	6 ft. bgs	40.368032	-104.682362	NC	0.5
SS14 @ 7'	1/10/2024	7 ft. bgs	NC	NC	NC	0.5
SS15 @ 4'	1/10/2024	4 ft. bgs	40.367992	-104.682382	NC	0.3
SS16 @ 6'	1/10/2024	6 ft. bgs	40.367992	-104.682382	NC	0.3
SS17 @ 7'	1/10/2024	7 ft. bgs	NC	NC	NC	0.5
SS18 @ 4'	1/10/2024	4 ft. bgs	40.367953	-104.682362	NC	0.4
SS19 @ 6'	1/10/2024	6 ft. bgs	40.367953	-104.682362	NC	0.4
SS20 @ 7'	1/10/2024	7 ft. bgs	NC	NC	NC	0.8
SS21 @ 2.5'	1/10/2024	2.5 ft. bgs	40.367917	-104.682359	NC	0.4
SS22 @ 4'	1/10/2024	4 ft. bgs	40.367917	-104.682359	NC	0.2
SS23 @ 6'	1/10/2024	6 ft. bgs	40.367917	-104.682359	NC	3.0
SS24 @ 2.5'	1/11/2024	2.5 ft. bgs	40.367963	-104.682168	NC	0.0
SS25 @ 4'	1/11/2024	4 ft. bgs	40.367963	-104.682168	NC	0.1
SS26 @ 6'	1/11/2024	6 ft. bgs	40.367963	-104.682168	NC	7.5
SS27 @ 7'	1/11/2024	7 ft. bgs	NC	NC	NC	1.9
SS28 @ 4'	1/11/2024	4 ft. bgs	40.367888	-104.682178	NC	0.3
SS29 @ 6'	1/11/2024	6 ft. bgs	40.367888	-104.682178	NC	0.2
SS30 @ 7'	1/11/2024	7 ft. bgs	NC	NC	NC	3.0

TABLE 1
FORMER IKENOUE F 29-22, 23 TANK BATTERY
FIELD DATA SUMMARY TABLE

Sample ID	Date Sampled	Depth	GPS Data ⁽¹⁾		PDOP Value	VOC Concentration ⁽²⁾ (ppm)
			Latitude	Longitude		
SS31 @ 4'	1/17/2024	4 ft. bgs	40.367857	-104.682173	NC	0.2
SS32 @ 6'	1/17/2024	6 ft. bgs	40.367857	-104.682173	NC	0.3
SS33 @ 7'	1/17/2024	7 ft. bgs	NC	NC	NC	0.2
SS34 @ 4'	1/17/2024	4 ft. bgs	40.367862	-104.682333	NC	0.4
SS35 @ 6'	1/17/2024	6 ft. bgs	40.367862	-104.682333	NC	0.4
SS36 @ 7'	1/17/2024	7 ft. bgs	NC	NC	NC	0.9
SS37 @ 4'	1/17/2024	4 ft. bgs	40.367822	-104.682303	NC	0.7
SS38 @ 6'	1/17/2024	6 ft. bgs	40.367822	-104.682303	NC	0.5
SS39 @ 7'	1/17/2024	7 ft. bgs	NC	NC	NC	3.4
SS40 @ 7'	1/17/2024	7 ft. bgs	NC	NC	NC	0.7
SS41 @ 4'	1/17/2024	4 ft. bgs	40.367796	-104.682269	NC	0.4
SS42 @ 6'	1/17/2024	6 ft. bgs	40.367796	-104.682269	NC	0.3
SS43 @ 7'	1/17/2024	7 ft. bgs	NC	NC	NC	0.4
SS44 @ 2.5'	1/17/2024	2.5 ft. bgs	40.368070	-104.682322	NC	0.6
SS45 @ 4'	1/17/2024	4 ft. bgs	40.367814	-104.682173	NC	0.5
SS46 @ 6'	1/17/2024	6 ft. bgs	40.367814	-104.682173	NC	0.6
SS47 @ 2.5'	1/17/2024	2.5 ft. bgs	40.367785	-104.682200	0.8	1.5
SS48 @ 4'	1/17/2024	4 ft. bgs	40.367785	-104.682200	0.8	3.9
SS49 @ 6'	1/17/2024	6 ft. bgs	40.367785	-104.682200	0.8	1.9
SS50 @ 7'	1/17/2024	7 ft. bgs	NC	NC	NC	1.8
SS51 @ 6"	1/17/2024	6 in. bgs	40.367773	-104.682186	NC	2.1
SS52 @ 6"	1/17/2024	6 in. bgs	40.367776	-104.682168	NC	1.4
SS53 @ 6"	1/17/2024	6 in. bgs	40.367752	-104.682180	NC	6.7
SS54 @ 6"	1/17/2024	6 in. bgs	40.367770	-104.682199	NC	7.8
SS55 @ 1'	1/18/2024	1 ft. bgs	40.367794	-104.682131	NC	0.1
SS56 @ 6"	1/18/2024	6 in. bgs	40.367741	-104.682175	0.9	0.0
SS57 @ 4'	1/22/2024	4 ft. bgs	40.367842	-104.682147	NC	0.2
SS58 @ 6'	1/22/2024	6 ft. bgs	40.367842	-104.682147	NC	0.1
SS59 @ 4'	1/22/2024	4 ft. bgs	40.367816	-104.682151	NC	0.2
SS60 @ 6'	1/22/2024	6 ft. bgs	40.367816	-104.682151	NC	0.3
SS61 @ 4'	1/22/2024	4 ft. bgs	40.367854	-104.682343	1.1	0.2
SS62 @ 6'	1/22/2024	6 ft. bgs	40.367854	-104.682343	1.1	0.3
SS63 @ 4'	1/22/2024	4 ft. bgs	40.367775	-104.682284	NC	0.3
SS64 @ 6'	1/22/2024	6 ft. bgs	40.367775	-104.682284	NC	0.3
SS65 @ 4'	2/9/2024	4 ft. bgs	40.367757	-104.682295	1.0	0.3
SS66 @ 6'	2/9/2024	6 ft. bgs	40.367756	-104.682295	1.0	0.2
SS67 @ 3'	2/16/2024	3 ft. bgs	40.367752	-104.682276	0.9	0.0
SS68 @ 6'	2/16/2024	6 ft. bgs	40.367752	-104.682276	0.9	0.0
SS69 @ 7'	2/16/2024	7 ft. bgs	NC	NC	NC	0.0
SS70 @ 3'	2/16/2024	3 ft. bgs	40.367747	-104.682302	0.9	0.2
SS71 @ 6'	2/16/2024	6 ft. bgs	40.367747	-104.682302	0.9	0.0
SS72 @ 3'	2/16/2024	3 ft. bgs	40.367767	-104.682310	0.9	0.2

TABLE 1
FORMER IKENOUE F 29-22, 23 TANK BATTERY
FIELD DATA SUMMARY TABLE

Sample ID	Date Sampled	Depth	GPS Data ⁽¹⁾		PDOP Value	VOC Concentration ⁽²⁾ (ppm)
			Latitude	Longitude		
SS73 @ 6'	2/16/2024	6 ft. bgs	40.367767	-104.682310	0.9	0.0
SS74 @ 3'	2/28/2024	3 ft. bgs	40.367730	-104.682315	1.1	0.6
SS75 @ 6'	2/28/2024	6 ft. bgs	40.367730	-104.682315	1.1	0.4
SS76 @ 3'	3/11/2024	3 ft. bgs	40.367707	-104.682307	0.8	0.0
SS77 @ 6'	3/11/2024	6 ft. bgs	40.367707	-104.682307	0.8	0.1
SS78 @ 3'	3/11/2024	3 ft. bgs	40.367715	-104.682328	0.7	0.0
SS79 @ 6'	3/11/2024	6 ft. bgs	40.367715	-104.682328	0.7	0.0
SS80 @ 3'	3/11/2024	3 ft. bgs	40.367730	-104.682338	0.8	0.0
SS81 @ 6'	3/11/2024	6 ft. bgs	40.367730	-104.682338	0.8	0.1
BH01 @ 11-12'	6/3/2024	11-12 ft. bgs	40.367970	-104.682298	0.8	0.2
BH01 @ 6-7'	6/3/2024	6-7 ft. bgs	40.367970	-104.682298	0.8	0.3
BH02 @ 11-12'	6/3/2024	11-12 ft. bgs	40.367881	-104.682252	0.8	0.0
BH02 @ 6-7'	6/3/2024	6-7 ft. bgs	40.367881	-104.682252	0.8	0.3
BH03 @ 11-12'	6/3/2024	11-12 ft. bgs	40.368122	-104.682330	0.8	0.1
BH03 @ 5-6'	6/3/2024	5-6 ft. bgs	40.368122	-104.682330	0.8	0.2
BH04 @ 11-12'	6/3/2024	11-12 ft. bgs	40.368060	-104.682214	0.9	0.1
BH04 @ 8-9'	6/3/2024	8-9 ft. bgs	40.368060	-104.682214	0.9	0.6
BH05 @ 11-12'	6/3/2024	11-12 ft. bgs	40.367948	-104.682124	0.8	0.2
BH05 @ 5-6'	6/3/2024	5-6 ft. bgs	40.367948	-104.682124	0.8	0.4
BH06 @ 11-12'	6/3/2024	11-12 ft. bgs	40.367835	-104.682123	0.8	0.1
BH06 @ 7-8'	6/3/2024	7-8 ft. bgs	40.367835	-104.682123	0.8	0.2
BH07 @ 11-12'	6/3/2024	11-12 ft. bgs	40.367732	-104.682185	0.8	0.1
BH07 @ 6-7'	6/3/2024	6-7 ft. bgs	40.367732	-104.682185	0.8	0.4
BH08 @ 11-12'	6/3/2024	11-12 ft. bgs	40.367651	-104.682341	0.8	0.0
BH08 @ 6-7'	6/3/2024	6-7 ft. bgs	40.367651	-104.682341	0.8	0.4
BH09 @ 11-12'	6/3/2024	11-12 ft. bgs	40.367759	-104.682329	0.8	0.0
BH09 @ 7-8'	6/3/2024	7-8 ft. bgs	40.367759	-104.682329	0.8	0.3
BH10 @ 11-12'	6/3/2024	11-12 ft. bgs	40.367912	-104.682407	0.9	0.2
BH10 @ 7-8'	6/3/2024	7-8 ft. bgs	40.367912	-104.682407	0.9	0.3
BH11 @ 11-12'	6/3/2024	11-12 ft. bgs	40.368039	-104.682441	1.0	0.2
BH11 @ 7-8'	6/3/2024	7-8 ft. bgs	40.368039	-104.682441	1.0	0.2
BH12 @ 11-12'	11/21/2024	11-12 ft. bgs	40.366845	-104.682654	NC	0.0
BH12 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	40.366845	-104.682654	NC	0.0
BH12 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	40.366845	-104.682654	NC	0.0
BH13 @ 11-12'	11/21/2024	11-12 ft. bgs	40.366871	-104.682734	NC	0.0
BH13 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	40.366871	-104.682734	NC	0.0
BH13 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	40.366871	-104.682734	NC	0.0
BH14 @ 11-12'	11/21/2024	11-12 ft. bgs	40.366796	-104.682650	NC	0.0
BH14 @ 12-13'	11/21/2024	12-13 ft. bgs	40.366796	-104.682650	NC	0.0
BH14 @ 13-14'	11/21/2024	13-14 ft. bgs	40.366796	-104.682650	NC	0.1
BH14 @ 17-18'	11/21/2024	17-18 ft. bgs	40.366796	-104.682650	NC	0.9
BH15 @ 11-12'	11/21/2024	11-12 ft. bgs	40.366795	-104.682589	NC	0.1

TABLE 1
FORMER IKENOUE F 29-22, 23 TANK BATTERY
FIELD DATA SUMMARY TABLE

Sample ID	Date Sampled	Depth	GPS Data ⁽¹⁾		PDOP Value	VOC Concentration ⁽²⁾ (ppm)
			Latitude	Longitude		
BH15 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	40.366795	-104.682589	NC	0.1
BH15 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	40.366795	-104.682589	NC	0.1
BKG01 @ 2.5'	10/30/2023	2.5 ft. bgs	40.368129	-104.682373	1.2	0.0
BKG01 @ 4'	10/30/2023	4 ft. bgs	40.368129	-104.682373	1.2	0.2
BKG02 @ 2.5'	1/11/2024	2.5 ft. bgs	40.367644	-104.682772	NC	0.3
BKG02 @ 4'	1/11/2024	4 ft. bgs	40.367644	-104.682772	NC	0.3
BKG02 @ 6'	1/11/2024	6 ft. bgs	40.367644	-104.682772	NC	0.5
BKG02 @ 7'	1/11/2024	7 ft. bgs	40.367644	-104.682772	NC	0.4
BKG03 @ 2.5'	1/11/2024	2.5 ft. bgs	40.367957	-104.682804	1.0	0.2
BKG03 @ 4'	1/11/2024	4 ft. bgs	40.367957	-104.682804	1.0	0.2
BKG03 @ 6'	1/11/2024	6 ft. bgs	40.367957	-104.682804	1.0	0.3
BKG03 @ 7'	1/11/2024	7 ft. bgs	40.367957	-104.682804	1.0	0.5
BKG04 @ 11-12'	11/21/2024	11-12 ft. bgs	40.368199	-104.682266	NC	0.0
BKG04 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	40.368199	-104.682266	NC	0.0
BKG04 @ 12.5 - 13'	11/21/2024	12.5 - 13 ft. bgs	40.368199	-104.682266	NC	0.0
BKG05 @ 11-12'	11/21/2024	11-12 ft. bgs	40.367879	-104.681962	1.3	0.0
BKG05 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	40.367879	-104.681962	1.3	0.0
BKG05 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	40.367879	-104.681962	1.3	0.0
BKG06 @ 10-11'	11/21/2024	10-11 ft. bgs	40.367567	-104.681845	0.9	0.0
BKG06 @ 11-11.5'	11/21/2024	11-11.5 ft. bgs	40.367567	-104.681845	0.9	0.0
BKG07 @ 11-12'	11/21/2024	11-12 ft. bgs	40.367510	-104.682657	0.9	0.0
BKG07 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	40.367510	-104.682657	0.9	0.0
BKG07 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	40.367510	-104.682657	0.9	0.0
BKG08 @ 11-12'	11/21/2024	11-12 ft. bgs	40.367631	-104.682817	0.9	0.0
BKG08 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	40.367631	-104.682817	0.9	0.0
BKG08 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	40.367631	-104.682817	0.9	0.0
BKG09 @ 11-12'	11/21/2024	11-12 ft. bgs	40.367990	-104.682609	1.1	0.0
BKG09 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	40.367990	-104.682609	1.1	0.0
BKG09 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	40.367990	-104.682609	1.1	0.0

Notes:

1. Global Positioning System (GPS) data is provided in decimal degrees using North American Datum 1983 (NAD83) UTM Zone 13 North.

2. Volatile organic compound (VOC) concentrations are measured in the field using a photoionization detector (PID).

PDOP = Position Dilution of Precision


ppm = Parts per million

ft. = Feet

in. = Inches

bgs = Below ground surface

NC = Data not collected

 = Source material characterization sample material, excavated and transported off-site for disposal


 = Material excavated and transported off-site for disposal

TABLE 2
FORMER IKENOUYE F 29-22, 23 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
CONTAMINANTS OF CONCERN

Sample ID	Date Sampled	Depth	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	1, 2, 4-TMB (mg/kg)	1, 3, 5-TMB (mg/kg)	Naphthalene (mg/kg)	TPH ⁽⁴⁾ (mg/kg)	Benz(a) (mg/kg)	1-M (mg/kg)	2-M (mg/kg)
Residential SSL ^(1,2)			1.2	490	5.8	58	30	27	2	500	1.1	18	24
Protection of Groundwater SSL ^(1,2,3)			0.0026	0.69	0.78	9.9	0.0081	0.0087	0.0038	500	0.011	0.006	0.019

Notes:

1. Compounds referenced from the ECMC 2 CCR 404-1, Table 915-1, effective January 15, 2021.
2. Soil Screening Levels (SSL) referenced from EPA Regional Screening Levels (EPA RSLs) for Chemical Contaminants at Superfund Sites, effective November 2020.
3. SSLs are applicable if a pathway for communication with groundwater is present.
4. Value calculated by adding TPH-GRO, TPH-DRO, and TPH-ORO concentrations.
5. The concentration indicated for this analyte is an estimated value above the calibration range of the instrument.

ECMC = Energy & Carbon Management Commission

(<) = Analytical result is less than the indicated laboratory reporting limit.

TPH-GRO = Total petroleum hydrocarbons - gasoline range organics

TPH-DRO = Total petroleum hydrocarbons - diesel range organics

TPH-ORO = Total petroleum hydrocarbons - oil range organics

mg/kg = Milligrams per kilogram

TMB = Trimethylbenzene

Benz(a) = Benzantracene

NA = Constituent not analyzed

 = Source material characterization sample material, excavated and transported off-site for disposal

 = Material excavated and transported off-site for disposal

ft. = Feet

in. = Inches

bgs = Below ground surface

BOLD = Analytical result is in exceedance of applicable standard.

**TABLE 3
FORMER IKENOYE F 29-22, 23 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
ORGANIC COMPOUNDS - PAHS**

Sample ID	Date Sampled	Depth	Acenaphthene (mg/kg)	Anthracene (mg/kg)	Benz(a) (mg/kg)	Benzo(a) (mg/kg)	Benzo(b) (mg/kg)	Benzo(k) (mg/kg)	Chrysene (mg/kg)	A,H (mg/kg)	Fluoranthene (mg/kg)	Fluorene (mg/kg)	1,2,3-CD (mg/kg)	Pyrene (mg/kg)	1-M (mg/kg)	2-M (mg/kg)
Residential SSL ^(1,2)			360	1,800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180	18	24
Protection of Groundwater SSL ^(1,2,3)			0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3	0.006	0.019
AST01 @ 0-6"	10/30/2023	0-6 in. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
AST02 @ 0-6"	10/30/2023	0-6 in. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.00714	0.00852
AST03 @ 0-6"	10/30/2023	0-6 in. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SEP01-DL @ 4'	10/30/2023	4 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SEP01-FL @ 4'	10/30/2023	4 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	0.00553	<0.00500	<0.00500	<0.00500	0.00608	<0.00500	<0.00500	0.00649	<0.00500	<0.00500
SEP02-DL @ 4'	10/30/2023	4 ft. bgs	<0.00500	<0.00500	<0.00500	0.00525	0.00621	<0.00500	<0.00500	<0.00500	0.00708	<0.00500	<0.00500	0.00765	<0.00500	<0.00500
SEP02-FL @ 4'	10/30/2023	4 ft. bgs	<0.00500	<0.00500	0.00812	0.00805	0.00949	<0.00500	0.00719	<0.00500	0.0114	<0.00500	0.00520	0.0135	<0.00500	<0.00500
WC01 @ 4'	10/31/2023	4 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.119	0.270 ⁽⁴⁾	
SS31 @ 4'	1/17/2024	4 ft. bgs	<0.00500	<0.00500	0.0304	0.0325	0.0294	0.00930	0.0244	<0.00500	0.0331	<0.00500	0.0155	0.0474	<0.00500	<0.00500
SS32 @ 6'	1/17/2024	6 ft. bgs	<0.00500	<0.00500	0.00949	0.00948	0.00842	<0.00500	0.00643	<0.00500	0.0103	<0.00500	<0.00500	0.0121	<0.00500	<0.00500
SS33 @ 7'	1/17/2024	7 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS34 @ 4'	1/17/2024	4 ft. bgs	<0.00500	0.00676	0.0337	0.0339	0.0311	0.0104	0.0296	<0.00500	0.0471	<0.00500	0.0165	0.0695	<0.00500	<0.00500
SS35 @ 6'	1/17/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS36 @ 7'	1/17/2024	7 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS37 @ 4'	1/17/2024	4 ft. bgs	<0.00500	<0.00500	0.00822	0.0108	0.00976	<0.00500	0.00657	<0.00500	0.00964	<0.00500	0.00599	0.0134	<0.00500	<0.00500
SS38 @ 6'	1/17/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.00536	<0.00500	<0.00500	0.00793	<0.00500	<0.00500
SS39 @ 7'	1/17/2024	7 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS40 @ 7'	1/17/2024	7 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS41 @ 4'	1/17/2024	4 ft. bgs	<0.00500	<0.00500	0.0192	0.0208	0.0180	0.00590	0.0153	<0.00500	0.0229	<0.00500	0.00961	0.0310	<0.00500	<0.00500
SS42 @ 6'	1/17/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS43 @ 7'	1/17/2024	7 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS45 @ 4'	1/17/2024	4 ft. bgs	<0.00500	<0.00500	0.0285	0.0374	0.0312	0.0104	0.0216	<0.00500	0.0212	<0.00500	0.0157	0.0284	<0.00500	<0.00500
SS46 @ 6'	1/17/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS48 @ 4'	1/17/2024	4 ft. bgs	<0.00500	<0.00500	0.00901	0.00989	0.00815	<0.00500	0.00585	<0.00500	0.0102	<0.00500	<0.00500	0.0115	<0.00500	<0.00500
SS49 @ 6'	1/17/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS50 @ 7'	1/17/2024	7 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS51 @ 6"	1/17/2024	6 in. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS52 @ 6"	1/17/2024	6 in. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS53 @ 6"	1/17/2024	6 in. bgs	<0.00500	<0.00500	0.0389	0.0284	0.0386	0.0162	0.0346	<0.00500	0.0413	<0.00500	0.0185	0.0428	<0.00500	<0.00500
SS54 @ 6"	1/17/2024	6 in. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.00540	<0.00500	<0.00500
SS55 @ 1'	1/18/2024	1 ft. bgs	<0.00500	<0.00500	0.00651	0.00747	0.00603	<0.00500	<0.00500	<0.00500	0.00736	<0.00500	<0.00500	0.0100	<0.00500	<0.00500
SS56 @ 6"	1/18/2024	6 in. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS57 @ 4'	1/22/2024	4 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	0.00610	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.00575	<0.00500	<0.00500
SS58 @ 6'	1/22/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS59 @ 4'	1/22/2024	4 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS60 @ 6'	1/22/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS61 @ 4'	1/22/2024	4 ft. bgs	<0.00500	<0.00500	0.00562	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS62 @ 6'	1/22/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS63 @ 4'	1/22/2024	4 ft. bgs	<0.00500	<0.00500	0.0274	0.0319	0.0336	0.0129	0.0238	<0.00500	0.0304	<0.00500	0.0101	0.0430	<0.00500	<0.00500
SS64 @ 6'	1/22/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS65 @ 4'	2/9/2024	4 ft. bgs	<0.00500	<0.00500	0.00851	0.00760	0.00876	<0.00500	0.00821	<0.00500	0.00503	<0.00500	0.00505	0.0106	<0.00500	<0.00500
SS66 @ 6'	2/9/2024	6 ft. bgs	<0.00500	0.00823	0.0466	0.0455	0.0392	0.0159	0.0388	<0.00500	0.0519	<0.00500	0.0238	0.0728	<0.00500	<0.00500
SS67 @ 3'	2/16/2024	3 ft. bgs	<0.00500	<0.00500	0.0107	0.0100	0.0113	<0.00500	0.00831	<0.00500	0.0127	<0.00500	<0.00500	0.0165	<0.00500	<0.00500
SS68 @ 6'	2/16/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS69 @ 7'	2/16/2024	7 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS70 @ 3'	2/16/2024	3 ft. bgs	<0.00500	<0.00500	0.0147	0.00979	0.0145	<0.00500	0.0114	<0.00500	0.0197	<0.00500	<0.00500	0.0248	<0.00500	<0.00500

TABLE 3
FORMER IKENOYE F 29-22, 23 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
ORGANIC COMPOUNDS - PAHs

Sample ID	Date Sampled	Depth	Acenaphthene (mg/kg)	Anthracene (mg/kg)	Benz(a) (mg/kg)	Benzo(a) (mg/kg)	Benzo(b) (mg/kg)	Benzo(k) (mg/kg)	Chrysene (mg/kg)	A,H (mg/kg)	Fluoranthene (mg/kg)	Fluorene (mg/kg)	1,2,3-CD (mg/kg)	Pyrene (mg/kg)	1-M (mg/kg)	2-M (mg/kg)
Residential SSL ^(1,2)			360	1,800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180	18	24
Protection of Groundwater SSL ^(1,2,3)			0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3	0.006	0.019
SS71 @ 6'	2/16/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS72 @ 3'	2/16/2024	3 ft. bgs	<0.00500	<0.00500	0.0106	0.00978	0.0122	<0.00500	0.00832	<0.00500	0.0109	<0.00500	<0.00500	0.0158	<0.00500	<0.00500
SS73 @ 6'	2/16/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS74 @ 3'	2/28/2024	3 ft. bgs	<0.00500	<0.00500	0.0115	0.0265	0.0296	0.00951	0.0221	<0.00500	0.0284	<0.00500	0.0157	0.0452	<0.00500	<0.00500
SS75 @ 6'	2/28/2024	6 ft. bgs	<0.00500	<0.00500	0.00745	0.00936	0.00689	<0.00500	0.00563	<0.00500	0.00759	<0.00500	<0.00500	0.00949	<0.00500	<0.00500
SS76 @ 3'	3/11/2024	3 ft. bgs	<0.00500	<0.00500	0.00629	0.00577	0.00708	<0.00500	0.00521	<0.00500	0.00665	<0.00500	<0.00500	0.00782	<0.00500	<0.00500
SS77 @ 6'	3/11/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS78 @ 3'	3/11/2024	3 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS79 @ 6'	3/11/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.00678	<0.00500	<0.00500
SS80 @ 3'	3/11/2024	3 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS81 @ 6'	3/11/2024	6 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
BH12@11-12'	11/21/2024	11-12 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
BH12@12-12.5'	11/21/2024	12-12.5 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
BH13@11-12'	11/21/2024	11-12 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
BH14@11-12'	11/21/2024	11-12 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
BH14@13-14'	11/21/2024	13-14 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
BH14@17-18'	11/21/2024	17-18 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
BH15@11-12'	11/21/2024	11-12 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500

Notes:

- Compounds referenced from the ECMC 2 CCR 404-1, Table 915-1, effective January 15, 2021.
- Soil Screening Levels (SSL) referenced from EPA Regional Screening Levels (EPA RSLs) for Chemical Contaminants at Superfund Sites, effective November 2020.
- SSLs are applicable if a pathway for communication with groundwater is present.
- The concentration indicated for this analyte is an estimated value above the calibration range of the instrument.

ECMC = Colorado Energy & Carbon Management Commission
 (<) = Analytical result is less than the indicated laboratory reporting limit.
 PAHs = Polycyclic aromatic hydrocarbons

Benzo(a) = Benzoanthracene
 Benzo(a) = Benzopyrene
 Benzo(b) = Benzofluoranthene
 Benzo(k) = Benzofluoranthene
 A,H = Dibenzoanthracene
 1,2,3-CD = Indenopyrene
 M = Methylanthalene
 mg/kg = Milligrams per kilogram
 in. = Inches
 ft. = Feet
 bgs = Below ground surface

BOLD = Analytical result is in exceedance of applicable standard.

 = Source material characterization sample material, excavated and transported off-site for disposal
 = Material excavated and transported off-site for disposal

TABLE 4
FORMER IKENOUE F 29-22, 23 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
INORGANIC COMPOUNDS

Sample ID	Date Sampled	Depth	pH (units)	EC (mmhos/cm)	SAR (units)	Boron (mg/L)
Soil Suitability for Reclamation Standard ⁽¹⁾			6-8.3	<4	<6	2
SEP01-DL @ 4'	10/30/2023	4 ft. bgs	8.10	0.197	0.190	<2.00
SEP01-FL @ 4'	10/30/2023	4 ft. bgs	7.97	0.230	0.173	<2.00
SEP02-DL @ 4'	10/30/2023	4 ft. bgs	8.23	0.193	0.239	<2.00
SEP02-FL @ 4'	10/30/2023	4 ft. bgs	7.84	0.524	0.765	<2.00
WC01 @ 4'	10/31/2023	4 ft. bgs	6.34	0.241	0.405	<2.00
SS21 @ 2.5'	1/10/2024	2.5 ft. bgs	8.62	0.191	0.457	<2.00
SS24 @ 2.5'	1/11/2024	2.5 ft. bgs	8.27	3.52	2.27	<2.00
SS44 @ 2.5'	1/17/2024	2.5 ft. bgs	8.28	0.245	0.772	<2.00
SS47 @ 2.5'	1/17/2024	2.5 ft. bgs	8.00	0.267	0.774	<2.00
BH12 @ 11-12'	11/21/2024	11-12 ft. bgs	8.06	0.146	1.10	<2.00
BH12 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	7.57	0.426	1.61	<2.00
BH13 @ 11-12'	11/21/2024	11-12 ft. bgs	7.84	0.251	2.01	<2.00
BH14 @ 11-12'	11/21/2024	11-12 ft. bgs	7.68	0.261	1.65	<2.00
BH14 @ 13-14'	11/21/2024	13-14 ft. bgs	7.69	0.232	1.44	<2.00
BH14 @ 17-18'	11/21/2024	17-18 ft. bgs	7.72	0.288	1.15	<2.00
BH15 @ 11-12'	11/21/2024	11-12 ft. bgs	7.56	0.285	1.67	<2.00
BKG01 @ 2.5'	10/30/2023	2.5 ft. bgs	NA	NA	5.10	NA
BKG01 @ 4'	10/30/2023	4 ft. bgs	NA	NA	0.668	NA
BKG02 @ 2.5'	1/11/2024	2.5 ft. bgs	8.65	NA	NA	NA
BKG02 @ 4'	1/11/2024	4 ft. bgs	8.10	NA	NA	NA
BKG02 @ 6'	1/11/2024	6 ft. bgs	7.92	NA	NA	NA
BKG02 @ 7'	1/11/2024	7 ft. bgs	7.52	NA	NA	NA
BKG03 @ 2.5'	1/11/2024	2.5 ft. bgs	8.35	NA	NA	NA
BKG03 @ 4'	1/11/2024	4 ft. bgs	8.26	NA	NA	NA
BKG03 @ 6'	1/11/2024	6 ft. bgs	8.82	NA	NA	NA
BKG03 @ 7'	1/11/2024	7 ft. bgs	8.60	NA	NA	NA
BKG04 @ 11-12'	11/21/2024	11-12 ft. bgs	7.65	0.259	1.57	<2.00
BKG04 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	7.73	0.356	1.89	<2.00
BKG04 @ 12.5 - 13'	11/21/2024	12.5 - 13 ft. bgs	7.74	0.345	1.96	<2.00
BKG05 @ 11-12'	11/21/2024	11-12 ft. bgs	7.94	0.290	1.69	<2.00
BKG05 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	8.04	0.283	1.77	<2.00
BKG05 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	7.74	0.291	1.81	<2.00
BKG06 @ 10-11'	11/21/2024	10-11 ft. bgs	7.74	0.191	0.930	<2.00

TABLE 4
FORMER IKENOUYE F 29-22, 23 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
INORGANIC COMPOUNDS

BKG06 @ 11-11.5'	11/21/2024	11-11.5 ft. bgs	7.62	0.0931	1.24	<2.00
BKG07 @ 11-12'	11/21/2024	11-12 ft. bgs	7.99	0.259	1.62	<2.00
BKG07 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	7.77	0.307	1.70	<2.00
BKG07 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	7.90	0.293	1.68	<2.00
BKG08 @ 11-12'	11/21/2024	11-12 ft. bgs	7.84	0.212	1.35	<2.00
BKG08 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	7.84	0.334	1.37	<2.00
BKG08 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	7.89	0.238	1.77	<2.00
BKG09 @ 11-12'	11/21/2024	11-12 ft. bgs	7.79	0.212	1.41	<2.00
BKG09 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	7.95	0.291	1.73	<2.00
BKG09 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	7.77	0.319	1.61	<2.00

Notes:

1. Compounds referenced from the ECMC 2 CCR 404-1, Table 915-1, effective January 15, 2021.

ECMC = Colorado Energy & Carbon Management Commission

EC = Electrical conductivity

SAR = Sodium adsorption ratio

mmhos/cm = millimhos per centimeter

mg/L = milligram per liter

(<) = Analytical result is less than the indicated laboratory reporting limit.

ft. = Feet

bgs = Below ground surface

BOLD = Analytical result is in exceedance of applicable standard.

BOLD = Analytical result is in exceedance of applicable standard, but below background concentration.

NA = Constituent not analyzed

 = Source material characterization sample material, excavated and transported off-site for disposal

**TABLE 5
FORMER IKENOUE F 29-22, 23 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
METALS**

Sample ID	Date Sampled	Depth (ft. bgs)	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
Residential SSL^(1,2)			0.68	15,000	71	0.3	3,100	400	1,500	390	390	23,000
Protection of Groundwater SSL^(1,2,3)			0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
WC01 @ 4'	10/31/2023	4 ft. bgs	2.45	75.1	0.592	<0.30 ⁽⁴⁾	37.3	57.6	1.81	0.266	1.01	55.7
BH01 @ 6-7'	6/3/2024	6-7 ft. bgs	0.393	19.4	<0.200	<0.30 ⁽⁴⁾	3.40	2.35	3.04	<0.260	<0.0200	11.5
BH01 @ 11-12'	6/3/2024	11-12 ft. bgs	1.85	87.6	<0.200	<0.30 ⁽⁴⁾	7.65	7.22	7.34	<0.260	0.0435	29.4
BH02 @ 6-7'	6/3/2024	6-7 ft. bgs	0.403	10.7	<0.200	<0.30 ⁽⁴⁾	2.59	2.17	2.11	<0.260	<0.0200	10.9
BH02 @ 11-12'	6/3/2024	11-12 ft. bgs	0.409	18.3	<0.200	<0.30 ⁽⁴⁾	2.31	2.09	1.19	<0.260	<0.0200	8.73
BH03 @ 5-6'	6/3/2024	5-6 ft. bgs	0.422	15.1	<0.200	<0.30 ⁽⁴⁾	2.39	2.52	1.83	<0.260	<0.0200	9.73
BH03 @ 11-12'	6/3/2024	11-12 ft. bgs	1.15	11.1	<0.200	<0.30 ⁽⁴⁾	3.10	4.33	1.99	<0.260	0.0222	13.6
BH04 @ 8-9'	6/3/2024	8-9 ft. bgs	0.358	15.2	<0.200	<0.30 ⁽⁴⁾	2.80	2.03	2.43	<0.260	<0.0200	9.41
BH04 @ 11-12'	6/3/2024	11-12 ft. bgs	36.2	68.9	2.19	<0.30 ⁽⁴⁾	42.2	24.8	42.4	3.73	2.07	51.8
BH05 @ 5-6'	6/3/2024	5-6 ft. bgs	1.55	37.5	<0.200	<0.30 ⁽⁴⁾	15.5	14.4	1.05	<0.260	0.153	36.8
BH05 @ 11-12'	6/3/2024	11-12 ft. bgs	1.13	38.2	<0.200	<0.30 ⁽⁴⁾	2.64	2.13	2.09	<0.260	<0.0200	10.3
BH06 @ 7-8'	6/3/2024	7-8 ft. bgs	0.822	18.3	<0.179	<0.30 ⁽⁴⁾	1.67	2.47	2.04	<0.232	<0.0179	8.08
BH06 @ 11-12'	6/3/2024	11-12 ft. bgs	0.567	9.61	<0.180	<0.30 ⁽⁴⁾	2.41	1.66	1.96	<0.234	<0.0180	8.31
BH07 @ 6-7'	6/3/2024	6-7 ft. bgs	0.653	15.5	<0.200	<0.30 ⁽⁴⁾	1.38	1.38	1.07	<0.260	<0.0200	4.92
BH07 @ 11-12'	6/3/2024	11-12 ft. bgs	0.534	11.1	<0.200	<0.30 ⁽⁴⁾	2.78	1.84	2.29	<0.260	<0.0200	10.1
BH08 @ 6-7'	6/3/2024	6-7 ft. bgs	0.380	6.40	<0.200	<0.30 ⁽⁴⁾	0.855	1.15	0.728	<0.260	<0.0200	4.50
BH08 @ 11-12'	6/3/2024	11-12 ft. bgs	0.575	6.98	<0.200	<0.30 ⁽⁴⁾	2.09	1.90	1.41	<0.260	<0.0200	7.07
BH09 @ 7-8'	6/3/2024	7-8 ft. bgs	0.979	12.4	<0.200	<0.30 ⁽⁴⁾	2.01	2.09	2.19	<0.260	<0.0200	7.94
BH09 @ 11-12'	6/3/2024	11-12 ft. bgs	0.886	14.4	<0.200	<0.30 ⁽⁴⁾	2.31	2.35	3.02	<0.260	<0.0200	12.8
BH10 @ 7-8'	6/3/2024	7-8 ft. bgs	0.337	7.85	<0.200	<0.30 ⁽⁴⁾	0.805	1.00	0.760	<0.260	<0.0200	5.13
BH10 @ 11-12'	6/3/2024	11-12 ft. bgs	0.436	13.8	<0.200	<0.30 ⁽⁴⁾	2.52	1.79	1.92	<0.260	<0.0200	8.61
BH11 @ 7-8'	6/3/2024	7-8 ft. bgs	0.396	12.2	<0.200	<0.30 ⁽⁴⁾	2.39	3.56	1.08	<0.260	<0.0200	9.59
BH11 @ 11-12'	6/3/2024	11-12 ft. bgs	0.632	18.0	<0.200	<0.30 ⁽⁴⁾	3.07	2.29	2.41	<0.260	<0.0200	9.85
BH12 @ 11-12'	11/21/2024	11-12 ft. bgs	0.482	7.79	<0.200	<0.30 ⁽⁴⁾	1.09	1.78	0.737	<0.260	<0.0200	5.27
BH12 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	0.389	11.5	<0.200	<0.30 ⁽⁴⁾	2.42	1.94	2.08	<0.260	<0.0200	9.68
BH13 @ 11-12'	11/21/2024	11-12 ft. bgs	0.358	11.7	<0.200	<0.30 ⁽⁴⁾	2.12	1.88	1.60	<0.260	<0.0200	8.82
BH14 @ 11-12'	11/21/2024	11-12 ft. bgs	0.468	9.00	<0.200	<0.30 ⁽⁴⁾	1.98	2.04	1.71	<0.260	<0.0200	8.62
BH14 @ 13-14'	11/21/2024	13-14 ft. bgs	3.45	117	0.369	<0.30 ⁽⁴⁾	11.1	11.2	9.98	1.42	0.0766	34.8
BH14 @ 17-18'	11/21/2024	17-18 ft. bgs	0.779	10.4	<0.200	<0.30 ⁽⁴⁾	4.48	1.43	3.20	<0.260	<0.0200	4.66
BH15 @ 11-12'	11/21/2024	11-12 ft. bgs	0.529	18.5	<0.200	<0.30 ⁽⁴⁾	3.17	2.61	2.48	<0.260	<0.0200	11.2
BKG01 @ 2.5'	10/30/2023	2.5 ft. bgs	39.2	119	1.49	<0.30 ⁽⁴⁾	109	306	3.26	0.620	8.93	126
BKG01 @ 4'	10/30/2023	4 ft. bgs	0.995	12.9	<0.200	<0.30 ⁽⁴⁾	80.1	26.7	1.15	<0.260	0.0904	47.6
BKG04 @ 11-12'	11/21/2024	11-12 ft. bgs	0.409	5.51	<0.200	<0.30 ⁽⁴⁾	1.39	1.66	0.982	<0.260	<0.0200	5.90
BKG04 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	0.689	14.4	<0.200	<0.30 ⁽⁴⁾	3.07	2.42	2.70	<0.260	<0.0200	11.7
BKG04 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	0.572	10.4	<0.200	<0.30 ⁽⁴⁾	2.59	2.92	2.46	<0.260	<0.0200	9.60
BKG05 @ 11-12'	11/21/2024	11-12 ft. bgs	0.499	10.3	<0.200	<0.30 ⁽⁴⁾	1.80	1.96	1.51	<0.260	<0.0200	7.66
BKG05 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	0.495	9.97	<0.200	<0.30 ⁽⁴⁾	1.94	1.95	1.59	<0.260	<0.0200	7.42
BKG05 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	0.423	13.9	<0.200	<0.30 ⁽⁴⁾	2.12	2.39	1.85	<0.260	<0.0200	9.05
BKG06 @ 10-11'	11/21/2024	10-11 ft. bgs	0.719	6.39	<0.200	<0.30 ⁽⁴⁾	7.04	1.15	1.16	<0.260	<0.0200	5.05
BKG06 @ 11-11.5'	11/21/2024	11-11.5 ft. bgs	0.296	4.62	<0.200	<0.30 ⁽⁴⁾	0.627	0.773	0.628	<0.260	<0.0200	2.78
BKG07 @ 11-12'	11/21/2024	11-12 ft. bgs	0.399	4.43	<0.200	<0.30 ⁽⁴⁾	0.903	1.09	0.855	<0.260	<0.0200	5.64
BKG07 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	0.277	6.15	<0.200	<0.30 ⁽⁴⁾	1.59	1.95	1.23	<0.260	<0.0200	5.41
BKG07 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	0.321	10.2	<0.200	<0.30 ⁽⁴⁾	1.88	2.06	1.56	<0.260	<0.0200	7.19
BKG08 @ 11-12'	11/21/2024	11-12 ft. bgs	0.438	7.71	<0.200	<0.30 ⁽⁴⁾	1.01	1.45	0.787	<0.260	<0.0200	4.73
BKG08 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	0.538	26.3	<0.200	<0.30 ⁽⁴⁾	1.77	1.85	1.39	<0.260	<0.0200	7.99
BKG08 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	0.495	17.2	<0.200	<0.30 ⁽⁴⁾	2.26	2.13	1.64	<0.260	<0.0200	7.83
BKG09 @ 11-12'	11/21/2024	11-12 ft. bgs	0.505	15.7	<0.200	<0.30 ⁽⁴⁾	1.69	1.44	0.989	<0.260	<0.0200	6.37
BKG09 @ 12-12.5'	11/21/2024	12-12.5 ft. bgs	0.370	9.98	<0.200	<0.30 ⁽⁴⁾	0.825	0.961	0.631	<0.260	<0.0200	3.86
BKG09 @ 12.5-13'	11/21/2024	12.5-13 ft. bgs	0.425	16.2	<0.200	<0.30 ⁽⁴⁾	2.14	1.73	1.78	<0.260	<0.0200	7.53
Highest Background Concentration⁽⁵⁾			39.2	119	1.49	-	-	306	3.26	0.620	8.93	-
1.25x Highest Background Concentration			49.0	149	1.86	-	-	383	4.08	0.775	11.2	-

Notes:

- Compounds referenced from the ECMC 2 CCR 404-1, Table 915-1, effective January 15, 2021.
 - Soil Screening Levels (SSL) referenced from EPA Regional Screening Levels (EPA RSLs) for Chemical Contaminants at Superfund Sites, effective November 2020.
 - SSLs are applicable if a pathway for communication with groundwater is present.
 - Compound falls within ECMC Table 915-1 Footnote 9.
 - Non-detect background results accounted for in the mean background concentration by using the reporting limit.
- ECMC = Energy & Carbon Management Commission
 (<) = Analytical result is less than the indicated laboratory reporting limit.
 mg/kg = Milligrams per kilogram
 ft. = Feet
 bgs = Below ground surface
BOLD = Analytical result is in exceedance of applicable standard.
BOLD = Analytical result is in exceedance of applicable standard, but within 1.25x background concentration.
 = Source material characterization sample material, excavated and transported off-site for disposal

TABLE 6
FORMER IKENOUYE F 29-22, 23 TANK BATTERY
GROUNDWATER ANALYTICAL RESULTS SUMMARY TABLE
ORGANIC COMPOUNDS

Sample ID	Date Sampled	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4-TMB (µg/L)	1,3,5-TMB (µg/L)	Depth to Water ⁽²⁾ (ft.)	Groundwater Elevation (ft. AMSL)
ECMC Table 915-1 Groundwater Standard (µg/L) ⁽¹⁾		5	560	700	1,400	140	67	67	-	-
GW01 @ 6.5'	10/31/2023	670	11	6,300	54,000	38	6,500	3,700	6.5	NA

Notes:

1. Groundwater standards referenced from ECMC 2 CCR 404-1, Table 915-1, January 15, 2021.

2. Depth to water measurements were measured from ground surface for excavation samples. Monitoring well measurements were collected from top of casing and adjusted using survey data to reflect depth of water from ground surface.

TMB = Trimethylbenzene

ECMC = Energy & Carbon Management Commission

µg/L = Micrograms per liter

(<) = Analytical result is less than the indicated laboratory reporting limit.

ft. = Feet

AMSL = Above Mean Sea Level


BOLD = Analytical result is in exceedance of applicable standard.



CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery
 BORING ID: BH12
 LOCATION: Northeast of BH04
 LATITUDE (NAD 83): 40.368057
 LONGITUDE (NAD 83): -104.682203
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020



Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab




CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery

BORING ID: BH13

LOCATION: Northwest of BH04
 LATITUDE (NAD 83): 40.368071
 LONGITUDE (NAD 83): -104.682249
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020



Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab



CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery
 BORING ID: BH14
 LOCATION: Northeast of BH12
 LATITUDE (NAD 83): 40.368074
 LONGITUDE (NAD 83): -104.682178
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020

Depth (feet)	Drill Tooling	% Rec.			Lithologic Description	USCS	PID (ppm)		Lab	Depth (feet)
		25	50	75			100	1000		
0					Brown, sandy clay with organic matter, low plasticity, fine grain, moist, no staining, no odor	CL				0
					Brown, sand, poorly sorted, fine to coarse grain, small gravel, moist, no staining, no odor	SW				
					No recovery					
						NA				
5					Brown, sand, poorly sorted, fine to coarse grain, small gravel, saturated, no staining, no odor	SW				5
					No recovery					
						NA				
10					Brown, sand, poorly sorted, fine to coarse grain, saturated, no staining, no odor	SW				10
					Light brown, sandy clay, medium plasticity, fine grain, saturated, slight hydrocarbon staining, slight hydrocarbon odor at 13.5'	CL				
					No recovery					
						NA				
15					Gray, sandy clay, medium plasticity, fine grain, saturated, slight hydrocarbon staining, slight hydrocarbon odor	CL				15
					Brown-orange, sand, poorly sorted, fine to coarse grain, small gravel, saturated, no staining, no odor	SW				
					No recovery					
						NA				
20										20

Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab




CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery

BORING ID: BH15

LOCATION: Southeast of BH04
 LATITUDE (NAD 83): 40.368025
 LONGITUDE (NAD 83): -104.682187
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020



Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab




CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery

BORING ID: BKG04

LOCATION: Northeast background
 LATITUDE (NAD 83): 40.368199
 LONGITUDE (NAD 83): -104.682266
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020



Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab



CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery

BORING ID: BKG05

LOCATION: East background
 LATITUDE (NAD 83): 40.367879
 LONGITUDE (NAD 83): -104.681962
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020



Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab



CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery
 BORING ID: BKG06
 LOCATION: Southeast background
 LATITUDE (NAD 83): 40.367567
 LONGITUDE (NAD 83): -104.681845
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020



Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab



CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery

BORING ID: BKG07

LOCATION: Southwest background
 LATITUDE (NAD 83): 40.367510
 LONGITUDE (NAD 83): -104.682657
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020



Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab



CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery

BORING ID: BKG08

LOCATION: West background
 LATITUDE (NAD 83): 40.367631
 LONGITUDE (NAD 83): -104.682817
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020



Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab




CLIENT: PDC
 LOGGED BY: Elizabeth Brauer
 PROJECT MANAGER: Bryce Goldade
 DRILLING CONTRACTOR: Tasman
 DRILLING EQUIPMENT: Geoprobe
 DRILL BIT SIZE (INCHES): 3.25
 DATE STARTED - COMPLETED: 11/21/24-11/21/24
 TOTAL WELL DEPTH (FT. BGS): 15
 DEPTH TO WATER (FT. BGS): 5

Ikenouye F29-22,23 Tank Battery

BORING ID: BKG09

LOCATION: Northwest background
 LATITUDE (NAD 83): 40.367990
 LONGITUDE (NAD 83): -104.682609
 GROUND ELEVATION (FT. AMSL): Not Measured
 ABANDONMENT METHOD: Native Soil

6855 W. 119th Ave.
 Broomfield, CO 80020



Drilling / Sample Method:

- Macro-Core
- Hand Auger
- Expendable Well Tip
- HydroPunch Groundwater Sampler

Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab