

**QB Energy**

Sample Delivery Group: L1868691  
Samples Received: 06/11/2025  
Project Number:  
Description: Corral Creek 4508 Investigation  
Site: CORRAL CREEK 4508  
Report To: Jake J. / Brett M. / Blair R. / Andy V.  
143 Diamond Avenue  
Parachute, CO 81635

Entire Report Reviewed By:



Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [mydata.pacelabs.com](http://mydata.pacelabs.com)

# TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
20250610-M29-199-(T03-BASE04)@10 L1868691-01	5
Qc: Quality Control Summary	7
Wet Chemistry by Method 7199	7
Wet Chemistry by Method 9045D	8
Wet Chemistry by Method 9050AMod	9
Metals (ICP) by Method 6010B-NE493 Ch 2	10
Metals (ICPMS) by Method 6020B	11
Volatile Organic Compounds (GC) by Method 8015D	12
Volatile Organic Compounds (GC/MS) by Method 8260D	13
Semi-Volatile Organic Compounds (GC) by Method 8015M	14
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	15
Gl: Glossary of Terms	17
Al: Accreditations & Locations	18
Sc: Sample Chain of Custody	19

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

# SAMPLE SUMMARY

20250610-M29-199-(T03-BASE04)@10 L1868691-01

Collected by  
Trevor Lakin

Collected date/time  
06/10/25 12:13

Received date/time  
06/11/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2539730	1	06/18/25 14:00	06/18/25 14:00	JTM	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2543839	1	06/27/25 08:12	07/02/25 09:03	EKB	Mt. Juliet, TN
Wet Chemistry by Method 9045D	WG2541238	1	06/18/25 10:53	06/18/25 22:00	CJW	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod	WG2541235	1	06/18/25 10:50	06/19/25 12:03	BJM	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2539732	1	06/17/25 06:41	06/22/25 10:30	MAP	Mt. Juliet, TN
Metals (ICPMS) by Method 6020B	WG2541006	5	06/18/25 17:28	06/19/25 13:34	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D	WG2539851	1	06/12/25 13:27	06/16/25 20:45	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2538089	1	06/12/25 13:27	06/13/25 20:13	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG2542085	1	06/19/25 14:22	06/20/25 02:49	JAS	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2541911	1	06/19/25 10:17	06/19/25 16:43	KB	Mt. Juliet, TN

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc


<sup>7</sup>Gl

<sup>8</sup>Al


<sup>9</sup>Sc

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	2.18		1	06/18/2025 14:00	WG2539730

1  
Cp

2  
Tc

3  
Ss

4  
Cn

5  
Sr

6  
Qc

7  
Gl

8  
Al

9  
Sc

Wet Chemistry by Method 7199

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hexavalent Chromium	0.293		0.200	1	07/02/2025 09:03	<a href="#">WG2543839</a>

Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	8.37		1	06/18/2025 22:00	<a href="#">WG2541238</a>

Sample Narrative:  
L1868691-01 WG2541238: 8.37 at 22.8C

Wet Chemistry by Method 9050AMod

Analyte	Result	Units	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	0.415	mmhos/cm		0.0100	1	06/19/2025 12:03	<a href="#">WG2541235</a>

Sample Narrative:  
L1868691-01 WG2541235: at 25C

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	0.213		0.200	1	06/22/2025 10:30	<a href="#">WG2539732</a>

Metals (ICPMS) by Method 6020B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	4.64		0.100	5	06/19/2025 13:34	<a href="#">WG2541006</a>
Barium	230		10.0	5	06/19/2025 13:34	<a href="#">WG2541006</a>
Cadmium	ND		0.100	5	06/19/2025 13:34	<a href="#">WG2541006</a>
Copper	11.5		10.0	5	06/19/2025 13:34	<a href="#">WG2541006</a>
Lead	13.5		10.0	5	06/19/2025 13:34	<a href="#">WG2541006</a>
Nickel	17.9		10.0	5	06/19/2025 13:34	<a href="#">WG2541006</a>
Selenium	0.311		0.100	5	06/19/2025 13:34	<a href="#">WG2541006</a>
Silver	ND		0.500	5	06/19/2025 13:34	<a href="#">WG2541006</a>
Zinc	50.3		50.0	5	06/19/2025 13:34	<a href="#">WG2541006</a>

Volatile Organic Compounds (GC) by Method 8015D

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	ND		0.100	1	06/16/2025 20:45	<a href="#">WG2539851</a>
(S) a,a,a-Trifluorotoluene(FID)	95.7		77.0-120		06/16/2025 20:45	<a href="#">WG2539851</a>

## Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Benzene	ND		0.00100	1	06/13/2025 20:13	<a href="#">WG2538089</a>
Ethylbenzene	ND	<a href="#">C3</a>	0.0100	1	06/13/2025 20:13	<a href="#">WG2538089</a>
Toluene	ND		0.0100	1	06/13/2025 20:13	<a href="#">WG2538089</a>
1,2,4-Trimethylbenzene	ND		0.00500	1	06/13/2025 20:13	<a href="#">WG2538089</a>
1,3,5-Trimethylbenzene	ND		0.00500	1	06/13/2025 20:13	<a href="#">WG2538089</a>
Xylenes, Total	ND		0.100	1	06/13/2025 20:13	<a href="#">WG2538089</a>
(S) Toluene-d8	101		75.0-131		06/13/2025 20:13	<a href="#">WG2538089</a>
(S) 4-Bromofluorobenzene	88.0		67.0-138		06/13/2025 20:13	<a href="#">WG2538089</a>
(S) 1,2-Dichloroethane-d4	108		70.0-130		06/13/2025 20:13	<a href="#">WG2538089</a>

## Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	12.3		4.00	1	06/20/2025 02:49	<a href="#">WG2542085</a>
C28-C36 Motor Oil Range	16.3		4.00	1	06/20/2025 02:49	<a href="#">WG2542085</a>
(S) o-Terphenyl	47.1		18.0-148		06/20/2025 02:49	<a href="#">WG2542085</a>

## Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Anthracene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Acenaphthene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Acenaphthylene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Benzo(a)anthracene	ND		0.00600	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Benzo(a)pyrene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Benzo(b)fluoranthene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Benzo(g,h,i)perylene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Benzo(k)fluoranthene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Chrysene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Dibenz(a,h)anthracene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Fluoranthene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Fluorene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Indeno(1,2,3-cd)pyrene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Naphthalene	ND		0.00300	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Phenanthrene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
Pyrene	ND		0.0330	1	06/19/2025 16:43	<a href="#">WG2541911</a>
1-Methylnaphthalene	ND		0.00300	1	06/19/2025 16:43	<a href="#">WG2541911</a>
2-Methylnaphthalene	ND		0.0120	1	06/19/2025 16:43	<a href="#">WG2541911</a>
(S) p-Terphenyl-d14	50.9		23.0-120		06/19/2025 16:43	<a href="#">WG2541911</a>
(S) Nitrobenzene-d5	54.2		14.0-149		06/19/2025 16:43	<a href="#">WG2541911</a>
(S) 2-Fluorobiphenyl	51.3		34.0-125		06/19/2025 16:43	<a href="#">WG2541911</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R4239477-1 07/02/25 04:31

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Hexavalent Chromium	U		0.200	0.200

L1868449-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1868449-05 07/02/25 05:48 • (DUP) R4239477-7 07/02/25 05:58

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Hexavalent Chromium	0.269	0.236	1	13.3		20

L1868693-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1868693-01 07/02/25 09:13 • (DUP) R4239477-8 07/02/25 09:22

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Hexavalent Chromium	0.565	0.375	1	40.5	P1	20

Laboratory Control Sample (LCS)

(LCS) R4239477-2 07/02/25 04:40

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Hexavalent Chromium	10.0	9.98	99.8	80.0-120	

L1868375-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1868375-03 07/02/25 05:00 • (MS) R4239477-4 07/02/25 05:19 • (MSD) R4239477-5 07/02/25 05:29

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Hexavalent Chromium	20.0	ND	16.8	15.2	83.8	76.0	1	75.0-125			9.77	20

L1868375-03 Original Sample (OS) • Matrix Spike (MS)

(OS) L1868375-03 07/02/25 05:00 • (MS) R4239477-6 07/02/25 05:38

	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Analyte	mg/kg	mg/kg	mg/kg	%		%	
Hexavalent Chromium	643	ND	714	111	50	75.0-125	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

L1868512-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1868512-01 06/18/25 22:00 • (DUP) R4232560-2 06/18/25 22:00

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	su	su		%		%
pH	7.31	7.35	1	0.546		1

Sample Narrative:

OS: 7.31 at 23.6C

DUP: 7.35 at 23.7C



L1868714-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1868714-03 06/18/25 22:00 • (DUP) R4232560-3 06/18/25 22:00

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	su	su		%		%
pH	8.26	8.27	1	0.121		1

Sample Narrative:

OS: 8.26 at 22.8C

DUP: 8.27 at 23.3C

Laboratory Control Sample (LCS)

(LCS) R4232560-1 06/18/25 22:00

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	su	su	%	%	
pH	10.0	10.0	100	99.0-101	

Sample Narrative:

LCS: 10.01 at 23.7C



Method Blank (MB)

(MB) R4232804-1 06/19/25 12:03

Analyte	MB Result mmhos/cm	MB Qualifier	MB MDL mmhos/cm	MB RDL mmhos/cm
Specific Conductance	U		0.0100	0.0100

Sample Narrative:

BLANK: at 25C

L1868512-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1868512-02 06/19/25 12:03 • (DUP) R4232804-3 06/19/25 12:03

Analyte	Original Result mmhos/cm	DUP Result mmhos/cm	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Specific Conductance	0.253	0.253	1	0.277		20

Sample Narrative:

OS: at 25C

DUP: at 25C

L1868691-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1868691-01 06/19/25 12:03 • (DUP) R4232804-4 06/19/25 12:03

Analyte	Original Result mmhos/cm	DUP Result mmhos/cm	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Specific Conductance	ND	0.414	1	0.241		20

Sample Narrative:

OS: at 25C

DUP: at 25C

Laboratory Control Sample (LCS)

(LCS) R4232804-2 06/19/25 12:03

Analyte	Spike Amount mmhos/cm	LCS Result mmhos/cm	LCS Rec. %	Rec. Limits %	LCS Qualifier
Specific Conductance	0.581	0.579	99.7	90.0-110	

Sample Narrative:

LCS: at 25C

1

Cp

2

Tc

3

Ss

4

Cn

5

Sr

6

Qc

7

Gl

8

Al

9

Sc

Method Blank (MB)

(MB) R4234239-1 06/22/25 09:20

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Hot Water Sol. Boron	U		0.0167	0.200

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4234239-2 06/22/25 09:23 • (LCSD) R4234239-3 06/22/25 09:26

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Hot Water Sol. Boron	1.00	1.13	1.15	113	115	80.0-120			1.30	20

1

Cp

2

Tc

3

Ss

4

Cn

5

Sr

6

Qc

7

Gl

8

Al

9

Sc

Method Blank (MB)

(MB) R4232882-1 06/19/25 11:54

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Arsenic	U		0.100	0.100
Barium	U		10.0	10.0
Cadmium	U		0.100	0.100
Copper	U		10.0	10.0
Lead	U		10.0	10.0
Nickel	U		10.0	10.0
Selenium	U		0.100	0.100
Silver	U		0.500	0.500
Zinc	U		50.0	50.0

Laboratory Control Sample (LCS)

(LCS) R4232882-2 06/19/25 11:57

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	100	97.9	97.9	80.0-120	
Barium	100	97.7	97.7	80.0-120	
Cadmium	100	101	101	80.0-120	
Copper	100	100	100	80.0-120	
Lead	100	98.1	98.1	80.0-120	
Nickel	100	102	102	80.0-120	
Selenium	100	96.2	96.2	80.0-120	
Silver	20.0	20.1	100	80.0-120	
Zinc	100	97.3	97.3	80.0-120	

L1868489-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1868489-10 06/19/25 12:01 • (MS) R4232882-5 06/19/25 12:10 • (MSD) R4232882-6 06/19/25 12:13

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	100	1.64	98.0	96.2	96.3	94.5	5	75.0-125			1.83	20
Barium	100	46.3	143	146	96.9	100	5	75.0-125			2.26	20
Cadmium	100	ND	101	97.5	101	97.5	5	75.0-125			3.56	20
Copper	100	ND	108	104	108	104	5	75.0-125			4.50	20
Lead	100	ND	99.1	98.7	99.1	98.7	5	75.0-125			0.329	20
Nickel	100	ND	107	105	107	105	5	75.0-125			2.78	20
Selenium	100	0.311	96.0	94.2	95.7	93.9	5	75.0-125			1.95	20
Silver	20.0	ND	19.9	19.6	99.4	97.8	5	75.0-125			1.68	20
Zinc	100	ND	116	114	116	114	5	75.0-125			1.77	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4231682-2 06/16/25 16:25

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0800	0.100
(S) a,a,a-Trifluorotoluene(FID)	97.4			77.0-120

Laboratory Control Sample (LCS)

(LCS) R4231682-1 06/16/25 15:23

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.00	4.64	92.8	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			105	77.0-120	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4230883-1 06/13/25 11:07

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.00100	0.00100
Ethylbenzene	U		0.0100	0.0100
Toluene	U		0.0100	0.0100
1,2,4-Trimethylbenzene	U		0.00500	0.00500
1,3,5-Trimethylbenzene	U		0.00500	0.00500
Xylenes, Total	U		0.100	0.100
(S) Toluene-d8	97.1			75.0-131
(S) 4-Bromofluorobenzene	95.1			67.0-138
(S) 1,2-Dichloroethane-d4	106			70.0-130

Laboratory Control Sample (LCS)

(LCS) R4230883-2 06/13/25 12:16

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.112	89.6	70.0-123	
Ethylbenzene	0.125	0.0958	76.6	74.0-126	
Toluene	0.125	0.104	83.2	75.0-121	
1,2,4-Trimethylbenzene	0.125	0.0928	74.2	70.0-126	
1,3,5-Trimethylbenzene	0.125	0.0949	75.9	73.0-127	
Xylenes, Total	0.375	0.310	82.7	72.0-127	
(S) Toluene-d8			90.1	75.0-131	
(S) 4-Bromofluorobenzene			103	67.0-138	
(S) 1,2-Dichloroethane-d4			125	70.0-130	

L1868572-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1868572-06 06/13/25 18:37 • (MS) R4230883-3 06/13/25 21:10 • (MSD) R4230883-4 06/13/25 21:29

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	ND	0.103	0.0937	82.4	75.0	1	10.0-149			9.46	37
Ethylbenzene	0.125	ND	0.101	0.0841	80.8	67.3	1	10.0-160			18.3	38
Toluene	0.125	ND	0.109	0.0922	87.2	73.8	1	10.0-156			16.7	38
1,2,4-Trimethylbenzene	0.125	ND	0.125	0.104	100	83.2	1	10.0-160			18.3	36
1,3,5-Trimethylbenzene	0.125	ND	0.128	0.106	102	84.8	1	10.0-160			18.8	38
Xylenes, Total	0.375	ND	0.315	0.271	84.0	72.3	1	10.0-160			15.0	38
(S) Toluene-d8					97.1	95.6		75.0-131				
(S) 4-Bromofluorobenzene					91.4	95.1		67.0-138				
(S) 1,2-Dichloroethane-d4					113	112		70.0-130				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4233471-1 06/20/25 02:23

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C36 Motor Oil Range	U		0.274	4.00
(S) o-Terphenyl	50.9			18.0-148

Laboratory Control Sample (LCS)

(LCS) R4233471-2 06/20/25 02:36

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	36.5	73.0	50.0-150	
(S) o-Terphenyl			66.2	18.0-148	

L1868683-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1868683-01 06/20/25 03:40 • (MS) R4233471-3 06/20/25 03:53 • (MSD) R4233471-4 06/20/25 04:05

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	50.0	10.2	37.6	41.2	54.8	62.0	1	50.0-150			9.14	20
(S) o-Terphenyl					48.9	56.5		18.0-148				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4234516-2 06/19/25 15:15

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Anthracene	U		0.0330	0.0330
Acenaphthene	U		0.0330	0.0330
Acenaphthylene	U		0.0330	0.0330
Benzo(a)anthracene	U		0.00600	0.00600
Benzo(a)pyrene	U		0.0330	0.0330
Benzo(b)fluoranthene	U		0.0330	0.0330
Benzo(g,h,i)perylene	U		0.0330	0.0330
Benzo(k)fluoranthene	U		0.0330	0.0330
Chrysene	U		0.0330	0.0330
Dibenz(a,h)anthracene	U		0.0330	0.0330
Fluoranthene	U		0.0330	0.0330
Fluorene	U		0.0330	0.0330
Indeno(1,2,3-cd)pyrene	U		0.0330	0.0330
Naphthalene	0.00455		0.00300	0.00300
Phenanthrene	U		0.0330	0.0330
Pyrene	U		0.0330	0.0330
1-Methylnaphthalene	U		0.00300	0.00300
2-Methylnaphthalene	U		0.0120	0.0120
(S) p-Terphenyl-d14	66.3			23.0-120
(S) Nitrobenzene-d5	62.1			14.0-149
(S) 2-Fluorobiphenyl	64.3			34.0-125

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Laboratory Control Sample (LCS)

(LCS) R4234516-1 06/19/25 14:57

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Anthracene	0.0800	0.0716	89.5	50.0-126	
Acenaphthene	0.0800	0.0668	83.5	50.0-120	
Acenaphthylene	0.0800	0.0724	90.5	50.0-120	
Benzo(a)anthracene	0.0800	0.0692	86.5	45.0-120	
Benzo(a)pyrene	0.0800	0.0666	83.3	42.0-120	
Benzo(b)fluoranthene	0.0800	0.0636	79.5	42.0-121	
Benzo(g,h,i)perylene	0.0800	0.0649	81.1	45.0-125	
Benzo(k)fluoranthene	0.0800	0.0644	80.5	49.0-125	
Chrysene	0.0800	0.0705	88.1	49.0-122	
Dibenz(a,h)anthracene	0.0800	0.0648	81.0	47.0-125	
Fluoranthene	0.0800	0.0810	101	49.0-129	
Fluorene	0.0800	0.0762	95.3	49.0-120	

Laboratory Control Sample (LCS)

(LCS) R4234516-1 06/19/25 14:57

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Indeno(1,2,3-cd)pyrene	0.0800	0.0631	78.9	46.0-125	
Naphthalene	0.0800	0.0658	82.3	50.0-120	
Phenanthrene	0.0800	0.0715	89.4	47.0-120	
Pyrene	0.0800	0.0645	80.6	43.0-123	
1-Methylnaphthalene	0.0800	0.0725	90.6	51.0-121	
2-Methylnaphthalene	0.0800	0.0662	82.8	50.0-120	
(S) p-Terphenyl-d14			70.4	23.0-120	
(S) Nitrobenzene-d5			75.1	14.0-149	
(S) 2-Fluorobiphenyl			78.7	34.0-125	

L1868896-14 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1868896-14 06/19/25 15:32 • (MS) R4234516-3 06/19/25 15:50 • (MSD) R4234516-4 06/19/25 16:08

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Anthracene	0.0780	ND	0.0661	0.0631	84.7	80.9	1	10.0-145			4.64	30
Acenaphthene	0.0780	ND	0.0614	0.0578	78.7	74.1	1	14.0-127			6.04	27
Acenaphthylene	0.0780	ND	0.0669	0.0627	85.8	80.4	1	21.0-124			6.48	25
Benzo(a)anthracene	0.0780	ND	0.0654	0.0625	83.8	80.1	1	10.0-139			4.53	30
Benzo(a)pyrene	0.0780	ND	0.0670	0.0639	85.9	81.9	1	10.0-141			4.74	31
Benzo(b)fluoranthene	0.0780	ND	0.0608	0.0568	77.9	72.8	1	10.0-140			6.80	36
Benzo(g,h,i)perylene	0.0780	ND	0.0583	0.0557	74.7	71.4	1	10.0-140			4.56	33
Benzo(k)fluoranthene	0.0780	ND	0.0587	0.0550	75.3	70.5	1	10.0-137			6.51	31
Chrysene	0.0780	ND	0.0658	0.0630	84.4	80.8	1	10.0-145			4.35	30
Dibenz(a,h)anthracene	0.0780	ND	0.0667	0.0616	85.5	79.0	1	10.0-132			7.95	31
Fluoranthene	0.0780	ND	0.0746	0.0712	95.6	91.3	1	10.0-153			4.66	33
Fluorene	0.0780	ND	0.0705	0.0652	90.4	83.6	1	11.0-130			7.81	29
Indeno(1,2,3-cd)pyrene	0.0780	ND	0.0598	0.0572	76.7	73.3	1	10.0-137			4.44	32
Naphthalene	0.0780	ND	0.0624	0.0585	80.0	75.0	1	10.0-135			6.45	27
Phenanthrene	0.0780	ND	0.0675	0.0635	86.5	81.4	1	10.0-144			6.11	31
Pyrene	0.0780	ND	0.0610	0.0581	78.2	74.5	1	10.0-148			4.87	35
1-Methylnaphthalene	0.0780	ND	0.0665	0.0627	85.3	80.4	1	10.0-142			5.88	28
2-Methylnaphthalene	0.0780	ND	0.0628	0.0581	80.5	74.5	1	10.0-137			7.78	28
(S) p-Terphenyl-d14					67.9	60.9		23.0-120				
(S) Nitrobenzene-d5					67.9	65.7		14.0-149				
(S) 2-Fluorobiphenyl					71.3	65.8		34.0-125				

1

Cp

2

Tc

3

Ss

4

Cn

5

Sr

6

Qc

7

Gl

8

Al

9

Sc



# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

## Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
U (Radiochemistry)	Result + Error < MDA.
J (Radiochemistry)	Result < MDA; Result + Error > MDA.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
C3	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.



# ACCREDITATIONS & LOCATIONS


## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1 6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1 4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Condition:  
NCF / OK