

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
404275411
Receive Date:
07/14/2025
Report taken by:
Chris Sanchez

Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

Name of Operator: NOBLE ENERGY INC	Operator No: 100322	Phone Numbers Phone: (970) 313-5582 Mobile: ()
Address: 1099 18TH STREET SUITE 1500		
City: DENVER State: CO Zip: 80202		
Contact Person: Jason Davidson	Email: jason.davidson@chevron.com	

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 26849 Initial Form 27 Document #: 403291885

PURPOSE INFORMATION

- Rule 913.c.(1): Pit or Cuttings Trench closure.
- Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- Rule 913.g: Changes of Operator.
- Rule 915.b: Request to leave elevated inorganics in situ.
- Other: _____

SITE INFORMATION

Yes Multiple Facilities

Facility Type: WELL	Facility ID: _____	API #: 123-25433	County Name: WELD
Facility Name: SPIKE STATE CC 30-18	Latitude: 40.286904	Longitude: -104.480435	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: NENW	Sec: 30	Twp: 4N	Range: 63W Meridian: 6 Sensitive Area? Yes

Facility Type: SPILL OR RELEASE	Facility ID: 488222	API #: _____	County Name: WELD
Facility Name: Spike State CC30-18	Latitude: 40.288770	Longitude: -104.483165	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: NENW	Sec: 30	Twp: 4N	Range: 63W Meridian: 6 Sensitive Area? Yes

Facility Type: SPILL OR RELEASE Facility ID: 488223 API #: County Name: WELD
Facility Name: Spike State CC30-18 Latitude: 40.288366 Longitude: -104.486609
** correct Lat/Long if needed: Latitude: Longitude:
QtrQtr: NENW Sec: 30 Twp: 4N Range: 63W Meridian: 6 Sensitive Area? Yes

Facility Type: SPILL OR RELEASE Facility ID: 488224 API #: County Name: WELD
Facility Name: Spike State CC30-18 Latitude: 40.286563 Longitude: -104.486450
** correct Lat/Long if needed: Latitude: Longitude:
QtrQtr: NENW Sec: 30 Twp: 4N Range: 63W Meridian: 6 Sensitive Area? Yes

Facility Type: SPILL OR RELEASE Facility ID: 488225 API #: County Name: WELD
Facility Name: Spike State CC30-18 Latitude: 40.287984 Longitude: -104.487251
** correct Lat/Long if needed: Latitude: Longitude:
QtrQtr: NENW Sec: 30 Twp: 4N Range: 63W Meridian: 6 Sensitive Area? Yes

Facility Type: SPILL OR RELEASE Facility ID: 488226 API #: County Name: WELD
Facility Name: Spike State CC30-18 Latitude: 40.287350 Longitude: -104.487013
** correct Lat/Long if needed: Latitude: Longitude:
QtrQtr: NENW Sec: 30 Twp: 4N Range: 63W Meridian: 6 Sensitive Area? Yes

SITE CONDITIONS

General soil type - USCS Classifications SP Most Sensitive Adjacent Land Use Rangeland

Is domestic water well within 1/4 mile? No Is surface water within 1/4 mile? Yes

Is groundwater less than 20 feet below ground surface? No

Other Potential Receptors within 1/4 mile

Well Within Pronghorn Winter Concentration Area HPH
Riverine 0.13mi NE

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- | | | |
|--|--|--|
| <input checked="" type="checkbox"/> E&P Waste | <input type="checkbox"/> Other E&P Waste | <input type="checkbox"/> Non-E&P Waste |
| <input checked="" type="checkbox"/> Produced Water | <input type="checkbox"/> Workover Fluids | _____ |
| <input checked="" type="checkbox"/> Oil | <input type="checkbox"/> Tank Bottoms | |
| <input checked="" type="checkbox"/> Condensate | <input type="checkbox"/> Pigging Waste | |
| <input type="checkbox"/> Drilling Fluids | <input type="checkbox"/> Rig Wash | |
| <input type="checkbox"/> Drill Cuttings | <input type="checkbox"/> Spent Filters | |
| | <input type="checkbox"/> Pit Bottoms | |
| | <input type="checkbox"/> Other (as described by EPA) | _____ |

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	GROUNDWATER	NA	Laboratory analysis and field screening and field screening, if encountered
Yes	SOILS	Refer to Tables and Figures	Laboratory analysis and field screening

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

Pursuant to ECMC Rule 911 a site investigation was conducted pertaining to the SPIKE STATE CC30-18 wellhead cut and cap and flowline removal. On 07/02/2024, the wellhead was cut and capped per ECMC rules. Approximately 2,946' of flowline was removed 10/08/2024. The Spike State CC30-03 Flowline was partially abandoned in place on a previous date and was removed in conjunction with the Spike State CC30-18 flowline during decommissioning activities on 10/08/2025.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

A soil sample was collected at the base of the excavation or the area showing the highest degree of impact during field screening activities at the wellhead excavation (WH01@6). Additionally, soil samples were field screened at the N-E-S sides of the wellhead and a Flowline riser sample was collected to the W of the wellhead (FLR01@4). Soil samples were collected along the flowline at directional changes, the flowline wellhead riser (FL01R-W@3'), the flowline at the separator risers (FL01R-S@3' & FL02R-S@3') and were field screened along the flowline location to confirm the presence or absence of impacts. Soil samples were analyzed by a certified laboratory for the full extent of Table 915-1, including but not limited to: TPH (total volatile [C6-C10] and extractable [C10-C36] hydrocarbons) organic compounds in soil per ECMC Table 915-1, and EC, SAR, pH, metals, and boron. All samples collected will be analyzed by a certified laboratory using approved ECMC laboratory analysis methods.

Proposed Groundwater Sampling

Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

If groundwater is encountered during the site investigation a grab groundwater will be collected and analyzed for all organic compounds per ECMC Table 915-1 and inorganic parameters (TDS, chloride, sulfate, sodium, potassium, bicarbonate, and carbonate (as CaCO3)).

Proposed Surface Water Sampling

Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

Additional alternative investigative actions described in attached Site Investigation Plan (summary):

Visual inspection of the wellhead and flowline areas occurred during the decommissioning/abandonment activities. Field personnel field screened all disturbed areas using visual and olfactory senses and via PID to determine if laboratory confirmation sampling was required. A detailed summary of decommissioning activities, including field notes, site photos, figures, and laboratory analytical results, is attached to ECMC document #403291885.

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

Number of soil samples collected 36
Number of soil samples exceeding 915-1 11
Was the areal and vertical extent of soil contamination delineated? No
Approximate areal extent (square feet) 1100

NA / ND

-- Highest concentration of TPH (mg/kg) 100
-- Highest concentration of SAR 0.275
BTEX > 915-1 No
Vertical Extent > 915-1 (in feet) 6

Groundwater

Number of groundwater samples collected 0
Was extent of groundwater contaminated delineated? Yes
Depth to groundwater (below ground surface, in feet) _____
Number of groundwater monitoring wells installed _____
Number of groundwater samples exceeding 915-1 _____

Highest concentration of Benzene (µg/l) _____
Highest concentration of Toluene (µg/l) _____
Highest concentration of Ethylbenzene (µg/l) _____
Highest concentration of Xylene (µg/l) _____
Highest concentration of Methane (mg/l) _____

Surface Water

0 Number of surface water samples collected
_____ Number of surface water samples exceeding 915-1
If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

Were impacts to adjacent property or offsite impacts identified?

Were background samples collected as part of this site investigation?

On 10/08/2024, three background soil samples were collected from one discrete location (BKG01) during decommissioning of the flowline. During remedial excavation activities on 04/29/2025 and 04/30/2025, nine additional background soil samples were collected from three discrete locations (BKG02-BKG04) adjacent to the flowline. Background samples were collected from depths ranging between 1 to 6 feet below ground surface (ft bgs) and analyzed for metals in soil per ECMC Table 915-1, pH, SAR, EC, and boron. The maximum background concentrations for pH was observed to be 7.77. The maximum background concentrations with a 1.25x multiplier applied for arsenic and lead were calculated to be 1.75 mg/kg and 4.48 mg/kg, respectively. All arsenic concentrations observed during decommissioning and source mass removal activities were below 1.25x the maximum background level.

Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) _____ Volume of liquid waste (barrels) _____

Is further site investigation required?

Based on the analytical results collected during April 2025 remedial excavation and October 2024 decommissioning activities, additional site investigation activities will be completed resample locations FS06@6', SS09@4' and SS16@3' to confirm the elevated pH at those locations. Additionally, lead concentrations observed at FL01R-W@3' and FLR01@4 will be vertically and horizontally delineated in accordance with COA on ECMC Document #403894664. Proposed site investigation maps are attached to this Form 27. During the SSI, soil samples will be collected and analyzed for full ECMC Table 915-1 constituents. Concurrently with the SSI, additional background samples will be collected to determine if elevated pH and lead concentrations observed at this site are attributed to native soil conditions. The supplemental site investigation (SSI) will be completed in accordance with the proposed implementation schedule, and the results of the SSI will be submitted on a subsequent Form 27.

REMEDIAL ACTION PLAN

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? No

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

Between April 25 and April 30, 2025, The soil impacted with organic compounds above ECMC Table 915-1 standards observed at sample locations FL01-03@3', FL02-01@3', FL01-08@4', FL02-06@4', FL02-07@3', FL02-08@4', FL01-11@3', and FL02-09@3 were removed through remedial excavations.

The FL02-09@3' excavation measured 10 feet (ft) long by 11 ft wide and reached a terminal depth of 5 ft below ground surface (bgs).

The FL01-11@3' excavation measured 10 ft by 12.5 ft wide and 6 ft bgs.

The FL02-08@4' excavation measured 11 ft long by 10 ft wide and 6 ft bgs.

The FL02-07@3' excavation measured 10 ft long by 10 ft wide and 5 ft bgs.

The joint FL01-08@4' and FL02-06@4' excavation measured 10 ft long by 15 ft wide and 6 ft bgs.

The joint FL01-03@3' and FL02-01@3' excavation measured 10 ft long by 15 ft wide and 5 ft bgs.

A total of 178 cubic yards (CY) of impacted soil was excavated and transported off-site for disposal at the Waste Management - Buffalo Ridge Landfill.

The source was completely removed at the FL02-07@3' excavation. The organic compound exceedances recorded at each remaining source point were removed. However, organic compound exceedances were observed at the following sample locations: FS01@5', SS02@3', SS03@3', SS05@3', SS12@4', SS17@4', SS23@3', and SS27@3'. Additional remedial excavations will be completed to remove the remaining organic compound exceedances. Remedial excavation confirmation samples will be analyzed for the full ECMC Table 915-1 suite. The results of the remedial excavation will be submitted on a subsequent Supplemental Form 27.

REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Based on the analytical results collected during April 2025 remedial excavation and October 2024 decommissioning activities, additional site investigation activities will be completed to vertically delineate pH at sample location FS06@4' and to vertically and horizontally delineate pH at soil sample locations SS09@4' and SS16@3'. Additionally, lead concentrations observed at FL01R-W@3' and FLR01@4 will be vertically and horizontally delineated in accordance with COA on ECMC Document #403894664. Proposed site investigation maps are attached to this Form 27. During the SSI, soil samples will be collected and analyzed for full ECMC Table 915-1 constituents. Concurrently with the SSI, additional background samples will be collected to determine if elevated pH and lead concentrations observed at this site are attributed to native soil conditions. The supplemental site investigation (SSI) will be completed in accordance with the proposed implementation schedule, and the results of the SSI will be submitted on a subsequent Form 27.

Soil Remediation Summary

In Situ

Ex Situ

_____ Bioremediation (or enhanced bioremediation)

Yes Excavate and offsite disposal

_____ Chemical oxidation

If Yes: Estimated Volume (Cubic Yards) _____ 178

_____ Air sparge / Soil vapor extraction

Name of Licensed Disposal Facility or ECMC Facility ID # _____

_____ Natural Attenuation

_____ Excavate and onsite remediation

_____ Other _____

_____ Land Treatment

_____ Bioremediation (or enhanced bioremediation)

_____ Chemical oxidation

_____ Other _____

Groundwater Remediation Summary

_____ Bioremediation (or enhanced bioremediation)

_____ Chemical oxidation

_____ Air sparge / Soil vapor extraction

_____ Natural Attenuation

_____ Other _____

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

Groundwater was not encountered during decommissioning or remedial excavation activities.

REMEDIATION PROGRESS UPDATE

PERIODIC REPORTING

Approved Reporting Schedule:

Quarterly Semi-Annually Annually Other

Request Alternative Reporting Schedule:

Semi-Annually Annually Other

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

Report Type: Groundwater Monitoring Land Treatment Progress Report O&M Report

Other Supplemental Source Mass Removal Sample Summary and Supplemental Site Investigation Proposal

Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

Noble intends to directly address the costs of remediation at the locations as part of our asset retirement obligation process and operations. Noble has general liability insurance (policies MWZZ316714 and MWZX316724) and financial assurance in compliance with ECMC rules. Records are available on the ECMC's website. The cost for remediation is an estimate only, costs may change upwards or downward based on site-specific information. Noble makes no representation or guarantees as to the accuracy of the estimate.

Operator anticipates the remaining cost for this project to be: \$ 50000

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? Yes

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

NA

Volume of E&P Waste (solid) in cubic yards 178

E&P waste (solid) description soil

ECMC Disposal Facility ID #, if applicable: _____

Non-ECMC Disposal Facility: Buffalo Ridge Waste Management Landfill

Volume of E&P Waste (liquid) in barrels 0

E&P waste (liquid) description _____

ECMC Disposal Facility ID #, if applicable: _____

Non-ECMC Disposal Facility: _____

REMEDIATION COMPLETION REPORT

REMEDIATION COMPLETION SUMMARY

Is this a Final Closure Request for this Remediation Project? No

If YES:

Compliant with Rule 913.h.(1).

Compliant with Rule 913.h.(2).

Compliant with Rule 913.h.(3).

Do all soils meet Table 915-1 standards? _____

Does the previous reply indicate consideration of background concentrations? _____

Does Groundwater meet Table 915-1 standards? _____

Is additional groundwater monitoring to be conducted? _____

Operator shall comply with the ECMC 1000-Series Reclamation Requirements for all impacted and disturbed areas.

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

Reclamation will be in accordance with ECMC 1000 Series Rules.

Is the described reclamation complete? Yes

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

Interim Final

Did the Surface Owner provide the seed mix? _____

If YES, does the seed mix comply with local soil conservation district recommendations? _____

Did the local soil conservation district provide the seed mix? _____

SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. 07/02/2024

Proposed date of completion of Reclamation. 01/14/2026

IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

PRIOR DATES

Date of Surface Owner notification/consultation, if required. 12/29/2022

Actual Spill or Release date, or date of discovery. 10/14/2024

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 07/02/2024

Proposed site investigation commencement. 04/25/2025

Proposed completion of site investigation. 01/14/2026

REMEDIAL ACTION DATES

Proposed start date of Remediation. 04/25/2025

Proposed date of completion of Remediation. 01/14/2026

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

The implementation schedule has been changed due to the completion of the April 2025 remedial excavations at the Spike State CC30-18 flowline and necessity for additional remedial excavation and supplemental site investigation activities adjacent to the wellhead and flowline.

OPERATOR COMMENT

This Form 27 is being submitted to include the April 2025 remedial excavation results and propose additional site investigation activities for the Spike State CC30-18 Flowline (Remediation #26849) location.

Between April 25 and April 30, 2025, The soil impacted with organic compounds above ECMC Table 915-1 standards observed at sample locations FL01-03@3', FL02-01@3', FL01-08@4', FL02-06@4', FL02-07@3', FL02-08@4', FL01-11@3', and FL02-09@3 were removed through remedial excavations.

The FL02-09@3' excavation measured 10 feet (ft) long by 11 ft wide and reached a terminal depth of 5 ft below ground surface (bgs).

The FL01-11@3' excavation measured 10 ft by 12.5 ft wide and 6 ft bgs.

The FL02-08@4' excavation measured 11 ft long by 10 ft wide and 6 ft bgs.

The FL02-07@3' excavation measured 10 ft long by 10 ft wide and 5 ft bgs.

The joint FL01-08@4' and FL02-06@4' excavation measured 10 ft long by 15 ft wide and 6 ft bgs.

The joint FL01-03@3' and FL02-01@3' excavation measured 10 ft long by 15 ft wide and 5 ft bgs.

A total of 178 cubic yards (CY) of impacted soil was excavated and transported off-site for disposal at the Waste Management - Buffalo Ridge Landfill. The source was completely removed at the FL02-07@3' excavation. The organic compound exceedances recorded at each remaining source point were removed. However, organic compound exceedances were observed at the following sample locations: FS01@5', SS02@3', SS03@3', SS05@3', SS12@4', SS17@4', SS23@3', and SS27@3'.

On 10/08/2024, three background soil samples were collected from one discrete location (BKG01) during decommissioning of the flowline. During remedial excavation activities on 04/29/2025 and 04/30/2025, nine additional background soil samples were collected from three discrete locations (BKG02-BKG04) adjacent to the flowline. Background samples were collected from depths ranging between 1 to 6 feet below ground surface (ft bgs) and analyzed for metals in soil per ECMC Table 915-1, pH, SAR, EC, and boron. The maximum background concentrations for pH was observed to be 7.77. The maximum background concentrations with a 1.25x multiplier applied for arsenic and lead were calculated to be 1.75 mg/kg and 4.48 mg/kg, respectively. All arsenic concentrations observed during decommissioning and source mass removal activities were below 1.25x the maximum background level.

Additional remedial excavations will be completed to remove the remaining organic compound exceedances observed at FS01@5', SS02@3', SS03@3', SS05@3', SS12@4', SS17@4', SS23@3', and SS27@3'. Remedial excavation confirmation samples will be analyzed for the full ECMC Table 915-1 suite. Based on the analytical results collected during April 2025 remedial excavation and October 2024 decommissioning activities, additional site investigation activities will be completed to resample locations FS06@6', SS09@4', and SS16@3' to confirm the elevated pH at those locations. Additionally, lead concentrations observed at FL01R-W@3' and FLR01@4 will be vertically and horizontally delineated in accordance with COA on ECMC Document #403894664. Proposed site investigation maps are attached to this Form 27. During the SSI, soil samples will be collected and analyzed for full ECMC Table 915-1 constituents. Concurrently with the SSI, additional background samples will be collected to determine if elevated pH and lead concentrations observed at this site are attributed to native soil conditions.

Pursuant to Rule 913.e, quarterly reporting will be conducted until closure criteria are achieved for the remediation project. The results of the remedial excavations and SSI will be submitted on a subsequent Form 27.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Allan Engelhardt

Title: Environmental Consultant

Submit Date: 07/14/2025

Email: aengelhardt@tasman-geo.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Chris Sanchez

Date: 07/28/2025

Remediation Project Number: 26849

COA Type

Description

	Operator shall continue quarterly reporting until the site investigation is complete and Full Table 915-1 standards are met within the remediation area
	Operator shall adhere to Protection of Groundwater Soil Screening Levels
	Operator shall define the vertical and lateral extent of impacts to soil. Additional sampling is required to fully delineate the vertical and lateral impacts to soil
	Operator shall collect confirmation soil samples for Full Table 915-1 Contaminants of Concern
3 COAs	

ATTACHMENT LIST

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num

Name

404275411	FORM 27-SUPPLEMENTAL-SUBMITTED
404275676	LABORATORY ANALYTICAL REPORT

404275677	LABORATORY ANALYTICAL REPORT
404275678	LABORATORY ANALYTICAL REPORT
404275679	LABORATORY ANALYTICAL REPORT
404275680	LABORATORY ANALYTICAL REPORT
404278757	SITE INVESTIGATION PLAN
404278942	REMEDATION PROGRESS REPORT
404279092	LABORATORY ANALYTICAL REPORT

Total Attach: 9 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)