

<<< Fold Here >>>

	Comments
--	----------

NO CORRELATION LOG AVAILABLE

THANK YOU FOR CHOOSING RANGER WIRELINE


Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Cable_Head-1_7/16 Titan 1 7/16" Cable Head	1.02	1.44	3.31


			PROBE-1.688_bow Bowspring centralizer for 1 11/16" Probe CBL	3.17	1.69	10.00
CCL	0.00					
GR	0.97					
			DSS_HSR_ELE-DSS_HSR_10_ELE (HSR10 0000) DSS 1 11/16" HSR Bond tool - Electronics Module	5.99	1.69	27.50
ROTV	5.24					
TCF	5.24					
THV	5.24					
INTEMP	5.24		CENT-DSS-RAC11-MID (RAC11MID-0000) DSS 1 11/16" MID Roller Arm Centralizer	2.61	1.69	16.00
PNEG	5.24					
PPOS	5.24					
GRHV	5.24					
WVFS6	9.77					
WVFS5	9.77					
WVFS4	9.77					
WVFS3	9.77					
WVFS2	9.77					
WVFS1	9.77		DSS_HSR_SND-DSS_HSR_10_SND (HSR10 0000) DSS 1 11/16" HSR Bond tool - Sonde Module	8.26	1.69	41.50
WVFCAL	10.27					
WVF3FT	10.27					
WVF5FT	11.27					
TEMP	15.77					
WVFSYNC	16.11					
			PROBE-1.688_bow Bowspring centralizer for 1 11/16" Probe CBL	3.17	1.69	10.00
Dataset: rbl-ledford 22y-401.db: WATTENBERG-90750/LEDFORD_22Y-401/DSS_HSR10-004/RBL_WPSI.2 Total length: 24.21 ft Total weight: 108.31 lb O.D.: 1.69 in						





NON-PRESSURE PASS


CCL	TT (3 ft.)	3' AMPLITUDE	0	AMPMIN	100	VDL (5 ft.)	1	RADIAL MAP	6
-120015000	375 (usec) 250	0 (mV) 100	0	AMPAVG	100	200 (usec) 1200			
	0 GR (GAPI) 150	3' Amplitude x5	0	AMPMAX	100				
		0 (mV) 25							





































PRESSURE PASS - 1000psi


Database File	rbl-ledford 22y-401.db
Dataset Pathname	WATTENBERG-90750/LEDFOED_22Y-401/DSS_HSR10-004/RBL_WPSI.2
Presentation Format	ranger_dss_radial
Dataset Creation	Mon Jul 28 18:01:43 2025
Charted by	Depth in Feet scaled 1:240





























2350

2400

2450

2500

