

Arapahoe County, Colorado

RtE—Renohill-Little-Thedalund complex, 9 to 30 percent slopes

Map Unit Setting

National map unit symbol: 34z4
Elevation: 3,600 to 6,200 feet
Mean annual precipitation: 11 to 16 inches
Mean annual air temperature: 46 to 52 degrees F
Frost-free period: 100 to 170 days
Farmland classification: Not prime farmland

Map Unit Composition

Renohill and similar soils: 40 percent
Little and similar soils: 32 percent
Thedalund and similar soils: 20 percent
Minor components: 8 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Renohill

Setting

Landform: Drainageways
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Loam clayey

Typical profile

H1 - 0 to 3 inches: loam
H2 - 3 to 15 inches: clay
H3 - 15 to 24 inches: clay loam
H4 - 24 to 28 inches: unweathered bedrock

Properties and qualities

Slope: 9 to 30 percent
Depth to restrictive feature: 20 to 40 inches to paralithic bedrock
Drainage class: Well drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Available water supply, 0 to 60 inches: Low (about 4.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: D
Ecological site: R049XB208CO - Clayey Foothill
Hydric soil rating: No

Description of Little

Setting

Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Eolian deposits

Typical profile

H1 - 0 to 3 inches: silty clay loam
H2 - 3 to 30 inches: silty clay
H3 - 30 to 34 inches: weathered bedrock

Properties and qualities

Slope: 5 to 9 percent
Depth to restrictive feature: 20 to 40 inches to paralithic bedrock
Drainage class: Well drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 15 percent
Gypsum, maximum content: 2 percent
Maximum salinity: Very slightly saline to moderately saline (2.0 to 8.0 mmhos/cm)
Sodium adsorption ratio, maximum: 5.0
Available water supply, 0 to 60 inches: Low (about 4.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4e
Hydrologic Soil Group: D
Ecological site: R049XB208CO - Clayey Foothill
Hydric soil rating: No

Description of Thedalund

Setting

Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Interbedded residuum weathered from sandstone and shale

Typical profile

H1 - 0 to 5 inches: clay loam
H2 - 5 to 23 inches: loam
H3 - 23 to 27 inches: weathered bedrock

Properties and qualities

Slope: 9 to 30 percent

Depth to restrictive feature: 20 to 40 inches to paralithic bedrock

Drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water

(Ksat): Moderately low to moderately high (0.06 to 0.60 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Available water supply, 0 to 60 inches: Low (about 4.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 6e

Hydrologic Soil Group: C

Ecological site: R049XB208CO - Clayey Foothill

Hydric soil rating: No

Minor Components

Buick

Percent of map unit: 5 percent

Hydric soil rating: No

Tassel

Percent of map unit: 3 percent

Hydric soil rating: No

Data Source Information

Soil Survey Area: Arapahoe County, Colorado

Survey Area Data: Version 20, Aug 29, 2024

Arapahoe County, Colorado

BxD—Buick loam, 5 to 9 percent slopes

Map Unit Setting

National map unit symbol: 34y9

Elevation: 4,700 to 6,200 feet

Mean annual precipitation: 14 to 16 inches

Mean annual air temperature: 45 to 46 degrees F

Frost-free period: 150 to 170 days

Farmland classification: Not prime farmland

Map Unit Composition

Buick and similar soils: 80 percent

Minor components: 20 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Buick

Setting

Landform: Hills, drainageways

Landform position (two-dimensional): Summit

Landform position (three-dimensional): Head slope

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Alluvium and/or eolian deposits

Typical profile

H1 - 0 to 5 inches: loam

H2 - 5 to 19 inches: clay loam

H3 - 19 to 60 inches: sandy clay loam

Properties and qualities

Slope: 5 to 9 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high (0.20 to 0.60 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Available water supply, 0 to 60 inches: High (about 10.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4c

Hydrologic Soil Group: C

Ecological site: R049XB202CO - Loamy Foothill

Hydric soil rating: No

Minor Components

Colby

Percent of map unit: 10 percent

Hydric soil rating: No

Renohill

Percent of map unit: 10 percent

Hydric soil rating: No

Data Source Information

Soil Survey Area: Arapahoe County, Colorado

Survey Area Data: Version 20, Aug 29, 2024