

State of Colorado
Energy & Carbon Management Commission



Document Number:
404302538

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Date Received:
08/01/2025

FIR RESOLUTION FORM

Overall Status:

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: 10112
Name of Operator: FOUNDATION ENERGY MANAGEMENT LLC
Address: 5057 KELLER SPRINGS RD STE 650
City: ADDISON State: TX Zip: 75001

Contact Name and Telephone:
Name:
Phone: () Fax: ()
Email:

Additional Operator Contact:

Contact Name	Phone	Email
<u>Neidel, Kris</u>		<u>kris.neidel@state.co.us</u>
<u>Fischer, Alex</u>		<u>alex.fischer@state.co.us</u>
<u>liams, Afton</u>		<u>aliiams@foundationenergy.com</u>
<u>Smith, James</u>	<u>972-707-2595</u>	<u>jsmith@foundationenergy.com</u>

ECMC INSPECTION SUMMARY:

FIR Document Number: 717100295
Inspection Date: 06/05/2025 FIR Submit Date: 07/31/2025 FIR Status:

Inspected Operator Information:

Company Name: FOUNDATION ENERGY MANAGEMENT LLC Company Number: 10112
Address: 5057 KELLER SPRINGS RD STE 650
City: ADDISON State: TX Zip: 75001

LOCATION - Location ID: 324639

Location Name: ALLARD-610N79W Number: 30SENE County: JACKSON
Qtrqr: SENE Sec: 30 Twp: 10N Range: 79W Meridian: 6
Latitude: 40.812241 Longitude: -106.301789

FACILITY - API Number: 05-057-00 Facility ID: 212231

Facility Name: ALLARD Number: 30-8-5
Qtrqr: SENE Sec: 30 Twp: 10N Range: 79W Meridian: 6
Latitude: 40.812241 Longitude: -106.301789

CORRECTIVE ACTIONS:

1 CA# 206677

Corrective Action: Secure access to excavation in accordance with Rule 913.b.(5).B.i and ECMC Guidance 913.b.(5)B i-v. Date: 08/14/2025

Response: CA COMPLETED Date of Completion: 07/10/2025

Please see attached reports and photo logs for BMP inspections completed at this location on 7/10/25 & 7/23/25.

Operator Comment: _____

ECMC Decision: _____

ECMC Representative: _____

2 CA# 206678

Corrective Action: Install or repair required BMPs per Rule 1002.f.(2)C.

Date: 08/15/2025

Response: CA COMPLETED

Date of Completion: 07/10/2025

Operator Comment: Please see attached reports and photo logs for BMP inspections completed at this location on 7/10/25 & 7/23/25.

ECMC Decision: _____

ECMC Representative: _____

3 CA# 206679

Corrective Action: Operator shall comply with Rule 913.b.(5).B.iv. and properly store, handle, and manage all E&P Waste to prevent contamination of stormwater, surface water, Groundwater, and soil.

Date: 08/14/2025

Response: CA COMPLETED

Date of Completion: 07/10/2025

Operator Comment: Please see attached reports and photo logs for BMP inspections completed at this location on 7/10/25 & 7/23/25.

ECMC Decision: _____

ECMC Representative: _____

OPERATOR COMMENT AND SUBMITTAL

Comment: _____

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Afton Iiams Signed: _____

Title: HSE/Regulatory Specialist Date: 8/1/2025 7:06:50 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
404302546	BMP INSPECTION REPORT AND PHOTO LOG
404302547	BMP INSPECTION REPORT AND PHOTO LOG

Total Attach: 2 Files