


Current Wellbore Schematic

Well Name: John 1
 Location: 610' FNL, 610' FWL, NWNW Sec 25, T7N, R60W
 County: Weld
 API #: 05-123-12912
 Co-ordinates: 40.551706 / -104.048780
 Elevations: GROUND: 4885'
 KB: 4895'
 Depths (KB): PBTD: --
 TD: 6928'

Date Prepared: 6/30/2025
 Last Updated: 6/30/2025
 Spud Date: 12/21/1985
 Completion Date: 12/29/1985
 Last Workover Date: 12/30/1985
 Prepared by: Jake Van Bramer
 Updated by: --



Surface Casing:
 Drilled 12-1/4" surface hole to 247'
 Set 8-5/8", 24# casing at 247'
 Cemented with 200 sks
 TOC at surface

Production Casing:
 None

Open Hole:
 7-7/8" Open Hole from 247'-6,928', expected to be washed out

Tubing:
 None

Rods:
 None

Perforations:
 None

P&A Plugs:
 1. 10 sks from 32' to surface
 2. 20 sks from 230'-260'

Additional Notes:

Initial Potential Test:
 None

Formation Tops:

Base of the Fox Hills	385'
Pierre	1500'
Niobrara	6016'
D Sand	6374'
J Sand	6816'

Proposed Wellbore Schematic

Well Name: John 1
 Location: 610' FNL, 610' FWL, NWNW Sec 25, T7N, R60W
 County: Weld
 API #: 05-123-12912
 Co-ordinates: 40.551706 / -104.048780
 Elevations: GROUND: 4885'
 KB: 4895'
 Depths (KB): PBTD: --
 TD: 6928'

Date Prepared: 6/30/2025
 Last Updated: 6/30/2025
 Spud Date: 12/21/1985
 Completion Start Date: 12/29/1985
 Last Workover Date: 12/30/1985
 Prepared by: Jake Van Bramer
 Updated by: --

