

Summit Scientific

4653 Table Mountain Drive, Golden, Colorado 80403

303.277.9310

December 18, 2024

Jacob Whritenour
Tasman Geosciences
6855 W. 119th Ave.
Broomfield, CO 80020

RE: Noble - Torres USX AB 35-09

Work Order #2411316

Enclosed are the results of analyses for samples received by Summit Scientific on 11/18/24 17:35. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Natalie Tessier For Paul Shrewsbury
President



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN

Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
FL01-07@4'	2411316-01	Soil	11/18/24 12:49	11/18/24 17:35

Case Narrative

The sample ID has been corrected to match COC on 12/18/24.

This is a revision of the report originally sent on 12/17/24 at 11:33 MT.



4653 Table Mountain Drive
Golden, CO 80403
303-277-9310

Lab ID	Page 1 of 1
2411316	

Send Data To:		Send Invoice To:	
Client: Tasman, Inc.	Project Manager: Daniel Simpson ^{MR} Mike Medina	Company: Noble Energy, Inc.	
Address: 6855 W. 119th Ave.	E-Mail: Tas-chevron-5@tasman-geo.com ^{MR} Tas-chevron-2@tasman-geo.com	Project Name/Location: TORRES-USX AB 35-9	
City/State/Zip: Broomfield / CO / 80020	rbweuf22@chevron.com, jason.davidson@chevron.com	AFE#: WPCWE-AM149-ABN	
Phone: 303-487-1228	Project Name: TORRES-USX AB 35-9	PO/Billing Codes:	
Sampler Name: McKenzie Reynolds	Project Number:	Contact: Mike Montoya ^{MR} Wade Firestein	

ID	Sample Description	Date Sampled	Time Sampled	# of containers	Preservative				Matrix			Analysis Requested							Special Instructions		
					HCl	HNO3	None	Other	Water	Soil	Air-Canister #	Other	Metals - 915	VOC - 915	TPH - 915	PAH - 915	SAR, EC, pH	Boron - HWS		HOLD	
1	FL01-0704'	11/18/24	1249	2			X			X			X	X	X	X	X	X		SAR, EC, pH by saturated paste	
2																					
3																					
4																					
5																					
6																					
7																					
8																					
9																					
10																					
11																					
12																					
13																					
14																					
15																					

Relinquished by:	Date/Time: 11/18/2024 1700	Received by: Tasman Lockbox	Date/Time: 11/18/2024 1700	TAT Business Days	Field DO	Notes:
Relinquished by: Tasman Lockbox	Date/Time: 11/18/24 1735	Received by:	Date/Time: 11/18/24 1735	Same Day	Field EC	
Relinquished by:	Date/Time:	Received by:	Date/Time:	1 Day	Field ORP	
				2 Days	Field pH	
				3 Days	Field Temp.	
Temperature Upon Receipt: 11.2	Corrected Temperature: 8	IR gun #: 1	HNO3 lot #:	Standard	X Field Turb.	

S₂

Sample Receipt Checklist

S2 Work Order # 2411314

Client: Towman Client Project ID: Towres-USX AB 35-9

Shipped Via: H.D./P.U./FedEx/UPS/USPS/Other Airbill #: _____

Matrix (Check all that apply) Air Soil/Solid Water Other

Temp (°C) 11.2

Thermometer # 1

	Yes	No	N/A	Comments (if any)
If samples require cooling, is the temperature < 6°C? ⁽¹⁾ NOTE: If samples are delivered the same day of sampling, this requirement is met if there is evidence that cooling has begun.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
If custody seals are present, are they intact? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>on 2 CE</u>
Are samples due within 48 hours present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are water samples with short hold times present? Note the short hold analysis in the comments column - pH, Nitrate/Nitrite, Ferrous Iron (Fe ²⁺), Hexavalent Chromium (Cr ⁶⁺ , Cr VI), COD/BOD, Total Coliform, E. Coli, Total Residual Chlorine (TRC), Dissolved Oxygen	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Is a chain-of-custody (COC) form present and filled out Completely? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client w/ date and time recorded? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water - is there headspace present? If yes, contact client and note in narrative.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Are samples preserved that require preservation (excluding cooling)? ⁽¹⁾ Note the type of preservative in the comments column - HCl, H ₂ SO ₄ , NaOH, HNO ₃ , etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If samples are acid preserved for metals, is the pH ≤ 2? ⁽¹⁾ Record the pH in Comments.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If dissolved metals are requested, were samples field filtered?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Additional Comments (if any):

⁽¹⁾ If NO, then contact the client before proceeding with analysis and note in case narrative.

AS
Custodian Printed Name

11/18/24
Date/Time



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

FL01-07@4'
2411316-01 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Benzene	ND	0.0020		mg/kg	1	BHK1089	11/21/24	11/22/24	EPA 8260B	
Toluene	ND	0.0050		"	"	"	"	"	"	
Ethylbenzene	ND	0.0050		"	"	"	"	"	"	
Xylenes (total)	ND	0.010		"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050		"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050		"	"	"	"	"	"	
Naphthalene	ND	0.0038		"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50		"	"	"	"	"	"	

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Surrogate: 1,2-Dichloroethane-d4	0.0380	95.0 %		50-150		"	"	"	"	
Surrogate: Toluene-d8	0.0387	96.7 %		50-150		"	"	"	"	
Surrogate: 4-Bromofluorobenzene	0.0388	97.1 %		50-150		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
C10-C28 (DRO)	ND	50		mg/kg	1	BHK1092	11/21/24	11/26/24	EPA 8015M	
C28-C36 (ORO)	ND	50		"	"	"	"	"	"	

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Surrogate: o-Terphenyl	7.10	56.8 %		30-150		"	"	"	"	

PAH by EPA Method 8270D SIM

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

FL01-07@4'
2411316-01 (Soil)

Summit Scientific

PAH by EPA Method 8270D SIM

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Acenaphthene	ND	0.00500	mg/kg	1	BHK1110	11/21/24	11/23/24	EPA 8270D SIM	
Anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) pyrene	ND	0.00500	"	"	"	"	"	"	
Benzo (b) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Benzo (k) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Chrysene	ND	0.00500	"	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	0.00500	"	"	"	"	"	"	
Fluoranthene	ND	0.00500	"	"	"	"	"	"	
Fluorene	ND	0.00500	"	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	0.00500	"	"	"	"	"	"	
Pyrene	ND	0.00500	"	"	"	"	"	"	
1-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	
2-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 2-Methylnaphthalene-d10	0.0213	63.9 %	40-140		"	"	"	"	
Surrogate: Fluoranthene-d10	0.0210	62.9 %	40-140		"	"	"	"	

Total Metals by EPA 6020B Hot Water Soluble Extraction

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Boron	ND	2.00	mg/L	1	BHL0172	12/04/24	12/10/24	EPA 6020B	

Total Metals by EPA 6020B

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

FL01-07@4'
2411316-01 (Soil)

Summit Scientific

Total Metals by EPA 6020B

Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method
Arsenic	2.14	0.200	mg/kg dry	1	BHL0462	12/11/24	12/13/24	EPA 6020B
Barium	43.0	0.400	"	"	"	"	"	"
Cadmium	0.412	0.200	"	"	"	"	"	"
Copper	6.34	0.400	"	"	"	"	"	"
Lead	9.91	0.200	"	"	"	"	"	"
Nickel	5.01	0.400	"	"	"	"	"	"
Silver	0.0332	0.0200	"	"	"	"	"	"
Zinc	29.8	0.400	"	"	"	"	"	"
Selenium	ND	0.260	"	"	"	"	"	"

Hexavalent Chromium by EPA Method 7196

Date Sampled: 11/18/24 12:49

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Chromium, Hexavalent	ND	0.30	mg/kg dry	1	BHL0153	12/04/24	12/04/24	EPA 7196A	

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction

Date Sampled: 11/18/24 12:49

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Calcium	29.7	0.0500	mg/L dry	1	BHL0634	12/13/24	12/16/24	EPA 6020B	
Magnesium	19.2	0.0500	"	"	"	"	"	"	
Sodium	62.1	0.0500	"	"	"	"	"	"	

Calculated Analysis

Date Sampled: 11/18/24 12:49

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sodium Adsorption Ratio	2.18	0.00100	units	1	BHL0750	12/17/24	12/17/24	Calculation	

Physical Parameters by APHA/ASTM/EPA Methods

Date Sampled: 11/18/24 12:49

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

FL01-07@4'
2411316-01 (Soil)

Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods

% Solids	78.4	%	1	BHL0027	12/02/24	12/03/24	Calculation
----------	------	---	---	---------	----------	----------	-------------

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Specific Conductance (EC)	0.616	0.0100	mmhos/cm	1	BHL0635	12/13/24	12/16/24	EPA 120.1	

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **11/18/24 12:49**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
pH	8.79		pH Units	1	BHL0636	12/13/24	12/16/24	EPA 9045D	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BHK1089 - EPA 5030 Soil MS

Blank (BHK1089-BLK1)

Prepared & Analyzed: 11/21/24

Benzene	ND	0.0020	mg/kg							
Toluene	ND	0.0050	"							
Ethylbenzene	ND	0.0050	"							
Xylenes (total)	ND	0.010	"							
1,2,4-Trimethylbenzene	ND	0.0050	"							
1,3,5-Trimethylbenzene	ND	0.0050	"							
Naphthalene	ND	0.0038	"							
Gasoline Range Hydrocarbons	ND	0.50	"							
Surrogate: 1,2-Dichloroethane-d4	0.0411		"	0.0400		103	50-150			
Surrogate: Toluene-d8	0.0394		"	0.0400		98.6	50-150			
Surrogate: 4-Bromofluorobenzene	0.0380		"	0.0400		95.0	50-150			

LCS (BHK1089-BS1)

Prepared & Analyzed: 11/21/24

Benzene	0.117	0.0020	mg/kg	0.100		117	70-130			
Toluene	0.116	0.0050	"	0.100		116	70-130			
Ethylbenzene	0.123	0.0050	"	0.100		123	70-130			
m,p-Xylene	0.242	0.010	"	0.200		121	70-130			
o-Xylene	0.115	0.0050	"	0.100		115	70-130			
1,2,4-Trimethylbenzene	0.119	0.0050	"	0.100		119	70-130			
1,3,5-Trimethylbenzene	0.119	0.0050	"	0.100		119	70-130			
Naphthalene	0.114	0.0038	"	0.100		114	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.0416		"	0.0400		104	50-150			
Surrogate: Toluene-d8	0.0400		"	0.0400		100	50-150			
Surrogate: 4-Bromofluorobenzene	0.0389		"	0.0400		97.2	50-150			

Matrix Spike (BHK1089-MS1)

Source: 2411272-23

Prepared & Analyzed: 11/21/24

QM-01

Benzene	0.0986	0.0020	mg/kg	0.100	ND	98.6	70-130			
Toluene	0.119	0.0050	"	0.100	0.0699	49.2	70-130			
Ethylbenzene	0.112	0.0050	"	0.100	0.0735	38.5	70-130			
m,p-Xylene	0.781	0.010	"	0.200	1.72	NR	70-130			QM-4X
o-Xylene	0.354	0.0050	"	0.100	0.811	NR	70-130			QM-4X
1,2,4-Trimethylbenzene	0.658	0.0050	"	0.100	3.07	NR	70-130			QM-4X
1,3,5-Trimethylbenzene	0.524	0.0050	"	0.100	2.01	NR	70-130			QM-4X
Naphthalene	0.326	0.0038	"	0.100	0.686	NR	70-130			
Surrogate: 1,2-Dichloroethane-d4	0.0438		"	0.0400		110	50-150			
Surrogate: Toluene-d8	0.0401		"	0.0400		100	50-150			
Surrogate: 4-Bromofluorobenzene	0.0496		"	0.0400		124	50-150			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Summit Scientific

Analyte	Reporting			Spike	Source	%REC			RPD	Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BHK1089 - EPA 5030 Soil MS

Matrix Spike Dup (BHK1089-MSD1)	Source: 2411272-23			Prepared & Analyzed: 11/21/24						QM-01
Benzene	0.0981	0.0020	mg/kg	0.100	ND	98.1	70-130	0.549	30	
Toluene	0.112	0.0050	"	0.100	0.0699	41.6	70-130	6.58	30	
Ethylbenzene	0.105	0.0050	"	0.100	0.0735	31.2	70-130	6.70	30	
m,p-Xylene	0.616	0.010	"	0.200	1.72	NR	70-130	23.6	30	QM-4X
o-Xylene	0.299	0.0050	"	0.100	0.811	NR	70-130	16.7	30	
1,2,4-Trimethylbenzene	0.595	0.0050	"	0.100	3.07	NR	70-130	10.1	30	QM-4X
1,3,5-Trimethylbenzene	0.469	0.0050	"	0.100	2.01	NR	70-130	11.1	30	QM-4X
Naphthalene	0.303	0.0038	"	0.100	0.686	NR	70-130	7.39	30	
Surrogate: 1,2-Dichloroethane-d4	0.0436		"	0.0400		109	50-150			
Surrogate: Toluene-d8	0.0406		"	0.0400		102	50-150			
Surrogate: 4-Bromofluorobenzene	0.0494		"	0.0400		124	50-150			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09
Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Extractable Petroleum Hydrocarbons by 8015 - Quality Control
Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BHK1092 - EPA 3550A

Blank (BHK1092-BLK1)

Prepared: 11/21/24 Analyzed: 11/25/24

C10-C28 (DRO)	ND	50	mg/kg								
C28-C36 (ORO)	ND	50	"								
Surrogate: <i>o</i> -Terphenyl	4.22		"	12.5		33.7	30-150				

LCS (BHK1092-BS1)

Prepared: 11/21/24 Analyzed: 11/25/24

C10-C28 (DRO)	548	50	mg/kg	500		110	70-130				
Surrogate: <i>o</i> -Terphenyl	10.5		"	12.5		84.0	30-150				

Matrix Spike (BHK1092-MS1)

Source: 2411272-23

Prepared: 11/21/24 Analyzed: 11/25/24

C10-C28 (DRO)	924	50	mg/kg	500	434	98.0	70-130				
Surrogate: <i>o</i> -Terphenyl	13.3		"	12.5		106	30-150				

Matrix Spike Dup (BHK1092-MSD1)

Source: 2411272-23

Prepared: 11/21/24 Analyzed: 11/25/24

C10-C28 (DRO)	822	50	mg/kg	500	434	77.6	70-130	11.7	20		
Surrogate: <i>o</i> -Terphenyl	10.6		"	12.5		84.9	30-150				

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

PAH by EPA Method 8270D SIM - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BHK1110 - EPA 5030 Soil MS

Blank (BHK1110-BLK1)

Prepared: 11/21/24 Analyzed: 11/23/24

Acenaphthene	ND	0.00500	mg/kg							
Anthracene	ND	0.00500	"							
Benzo (a) anthracene	ND	0.00500	"							
Benzo (a) pyrene	ND	0.00500	"							
Benzo (b) fluoranthene	ND	0.00500	"							
Benzo (k) fluoranthene	ND	0.00500	"							
Chrysene	ND	0.00500	"							
Dibenz (a,h) anthracene	ND	0.00500	"							
Fluoranthene	ND	0.00500	"							
Fluorene	ND	0.00500	"							
Indeno (1,2,3-cd) pyrene	ND	0.00500	"							
Pyrene	ND	0.00500	"							
1-Methylnaphthalene	ND	0.00500	"							
2-Methylnaphthalene	ND	0.00500	"							
Surrogate: 2-Methylnaphthalene-d10	0.0242		"	0.0333		72.6	40-140			
Surrogate: Fluoranthene-d10	0.0231		"	0.0333		69.4	40-140			

LCS (BHK1110-BS1)

Prepared: 11/21/24 Analyzed: 11/23/24

Acenaphthene	0.0243	0.00500	mg/kg	0.0333		72.9	40-140			
Anthracene	0.0262	0.00500	"	0.0333		78.5	40-140			
Benzo (a) anthracene	0.0280	0.00500	"	0.0333		83.9	40-140			
Benzo (a) pyrene	0.0236	0.00500	"	0.0333		70.8	40-140			
Benzo (b) fluoranthene	0.0254	0.00500	"	0.0333		76.2	40-140			
Benzo (k) fluoranthene	0.0239	0.00500	"	0.0333		71.6	40-140			
Chrysene	0.0246	0.00500	"	0.0333		73.7	40-140			
Dibenz (a,h) anthracene	0.0227	0.00500	"	0.0333		68.2	40-140			
Fluoranthene	0.0260	0.00500	"	0.0333		78.0	40-140			
Fluorene	0.0255	0.00500	"	0.0333		76.4	40-140			
Indeno (1,2,3-cd) pyrene	0.0284	0.00500	"	0.0333		85.1	40-140			
Pyrene	0.0256	0.00500	"	0.0333		76.8	40-140			
1-Methylnaphthalene	0.0251	0.00500	"	0.0333		75.2	40-140			
2-Methylnaphthalene	0.0262	0.00500	"	0.0333		78.5	40-140			
Surrogate: 2-Methylnaphthalene-d10	0.0273		"	0.0333		81.8	40-140			
Surrogate: Fluoranthene-d10	0.0256		"	0.0333		76.9	40-140			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

PAH by EPA Method 8270D SIM - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BHK1110 - EPA 5030 Soil MS

Matrix Spike (BHK1110-MS1)	Source: 2411299-01			Prepared: 11/21/24 Analyzed: 11/23/24						
Acenaphthene	0.0173	0.00500	mg/kg	0.0333	ND	52.0	40-140			
Anthracene	0.0168	0.00500	"	0.0333	ND	50.3	40-140			
Benzo (a) anthracene	0.0173	0.00500	"	0.0333	ND	51.9	40-140			
Benzo (a) pyrene	0.0140	0.00500	"	0.0333	ND	42.0	40-140			
Benzo (b) fluoranthene	0.0141	0.00500	"	0.0333	ND	42.4	40-140			
Benzo (k) fluoranthene	0.0140	0.00500	"	0.0333	ND	41.9	40-140			
Chrysene	0.0156	0.00500	"	0.0333	ND	46.9	40-140			
Dibenz (a,h) anthracene	0.0160	0.00500	"	0.0333	ND	48.0	40-140			
Fluoranthene	0.0165	0.00500	"	0.0333	ND	49.5	40-140			
Fluorene	0.0180	0.00500	"	0.0333	ND	54.0	40-140			
Indeno (1,2,3-cd) pyrene	0.0149	0.00500	"	0.0333	ND	44.8	40-140			
Pyrene	0.0172	0.00500	"	0.0333	ND	51.7	40-140			
1-Methylnaphthalene	0.0179	0.00500	"	0.0333	ND	53.8	40-140			
2-Methylnaphthalene	0.0196	0.00500	"	0.0333	ND	58.7	40-140			
<i>Surrogate: 2-Methylnaphthalene-d10</i>	<i>0.0199</i>		<i>"</i>	<i>0.0333</i>		<i>59.7</i>	<i>40-140</i>			
<i>Surrogate: Fluoranthene-d10</i>	<i>0.0155</i>		<i>"</i>	<i>0.0333</i>		<i>46.6</i>	<i>40-140</i>			

Matrix Spike Dup (BHK1110-MSD1)	Source: 2411299-01			Prepared: 11/21/24 Analyzed: 11/23/24						
Acenaphthene	0.0175	0.00500	mg/kg	0.0333	ND	52.4	40-140	0.877	30	
Anthracene	0.0167	0.00500	"	0.0333	ND	50.1	40-140	0.305	30	
Benzo (a) anthracene	0.0174	0.00500	"	0.0333	ND	52.1	40-140	0.458	30	
Benzo (a) pyrene	0.0140	0.00500	"	0.0333	ND	42.0	40-140	0.131	30	
Benzo (b) fluoranthene	0.0141	0.00500	"	0.0333	ND	42.3	40-140	0.349	30	
Benzo (k) fluoranthene	0.0138	0.00500	"	0.0333	ND	41.4	40-140	1.03	30	
Chrysene	0.0156	0.00500	"	0.0333	ND	46.7	40-140	0.348	30	
Dibenz (a,h) anthracene	0.0156	0.00500	"	0.0333	ND	46.7	40-140	2.80	30	
Fluoranthene	0.0163	0.00500	"	0.0333	ND	49.0	40-140	1.09	30	
Fluorene	0.0177	0.00500	"	0.0333	ND	53.0	40-140	1.92	30	
Indeno (1,2,3-cd) pyrene	0.0161	0.00500	"	0.0333	ND	48.4	40-140	7.64	30	
Pyrene	0.0166	0.00500	"	0.0333	ND	49.7	40-140	3.95	30	
1-Methylnaphthalene	0.0179	0.00500	"	0.0333	ND	53.6	40-140	0.257	30	
2-Methylnaphthalene	0.0188	0.00500	"	0.0333	ND	56.3	40-140	4.13	30	
<i>Surrogate: 2-Methylnaphthalene-d10</i>	<i>0.0192</i>		<i>"</i>	<i>0.0333</i>		<i>57.5</i>	<i>40-140</i>			
<i>Surrogate: Fluoranthene-d10</i>	<i>0.0150</i>		<i>"</i>	<i>0.0333</i>		<i>44.9</i>	<i>40-140</i>			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Total Metals by EPA 6020B Hot Water Soluble Extraction - Quality Control
Summit Scientific

Analyte	Result	Reporting		Spike Level	Source Result	%REC		RPD	Limit	Notes
		Limit	Units			%REC	Limits			

Batch BHL0172 - EPA 3050B

Blank (BHL0172-BLK1)				Prepared: 12/04/24 Analyzed: 12/10/24							
Boron	ND	2.00	mg/L								
LCS (BHL0172-BS1)				Prepared: 12/04/24 Analyzed: 12/10/24							
Boron	5.50	2.00	mg/L	5.00		110	80-120				
Duplicate (BHL0172-DUP1)				Source: 2411313-01 Prepared: 12/04/24 Analyzed: 12/10/24							
Boron	0.292	2.00	mg/L		0.351			18.2	20		
Matrix Spike (BHL0172-MS1)				Source: 2411313-01 Prepared: 12/04/24 Analyzed: 12/10/24							
Boron	5.40	2.00	mg/L	4.95	0.351	102	75-125				
Matrix Spike Dup (BHL0172-MSD1)				Source: 2411313-01 Prepared: 12/04/24 Analyzed: 12/10/24							
Boron	5.40	2.00	mg/L	4.95	0.351	102	75-125	0.0304	25		

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Total Metals by EPA 6020B - Quality Control
Summit Scientific

Analyte	Reporting			Spike	Source	%REC			RPD	Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD		

Batch BHL0462 - EPA 3050B

Blank (BHL0462-BLK1)

Prepared: 12/11/24 Analyzed: 12/13/24

Arsenic	ND	0.200	mg/kg wet						
Barium	ND	0.400	"						
Cadmium	ND	0.200	"						
Copper	ND	0.400	"						
Lead	ND	0.200	"						
Nickel	ND	0.400	"						
Silver	ND	0.0200	"						
Zinc	ND	0.400	"						
Selenium	ND	0.260	"						

LCS (BHL0462-BS1)

Prepared: 12/11/24 Analyzed: 12/13/24

Arsenic	41.9	0.200	mg/kg wet	39.7	106	80-120
Barium	42.4	0.400	"	39.7	107	80-120
Cadmium	2.15	0.200	"	1.98	109	80-120
Copper	46.3	0.400	"	39.7	117	80-120
Lead	21.3	0.200	"	19.8	108	80-120
Nickel	42.6	0.400	"	39.7	107	80-120
Silver	2.07	0.0200	"	1.98	104	80-120
Zinc	44.0	0.400	"	39.7	111	80-120
Selenium	4.48	0.260	"	3.97	113	80-120

Duplicate (BHL0462-DUP1)

Source: 2411315-01

Prepared: 12/11/24 Analyzed: 12/13/24

Arsenic	2.29	0.200	mg/kg dry	2.45	6.84	20	
Barium	46.0	0.400	"	33.1	32.6	20	QR-04
Cadmium	0.433	0.200	"	0.267	47.5	20	QR-01
Copper	6.35	0.400	"	6.68	5.15	20	
Lead	9.28	0.200	"	8.82	5.12	20	
Nickel	4.89	0.400	"	3.95	21.2	20	QR-04
Silver	0.0326	0.0200	"	0.0298	8.88	20	
Zinc	29.8	0.400	"	28.8	3.15	20	
Selenium	0.190	0.260	"	0.200	5.37	20	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Total Metals by EPA 6020B - Quality Control
Summit Scientific

Analyte	Reporting			Spike	Source		%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit		

Batch BHL0462 - EPA 3050B

Matrix Spike (BHL0462-MS1)	Source: 2411315-01			Prepared: 12/11/24 Analyzed: 12/13/24						
Arsenic	52.4	0.200	mg/kg dry	50.1	2.45	99.7	75-125			
Barium	95.0	0.400	"	50.1	33.1	124	75-125			
Cadmium	3.01	0.200	"	2.50	0.267	109	75-125			
Copper	37.7	0.400	"	50.1	6.68	62.0	75-125			QM-05
Lead	35.1	0.200	"	25.0	8.82	105	75-125			
Nickel	33.8	0.400	"	50.1	3.95	59.6	75-125			QM-05
Silver	2.60	0.0200	"	2.50	0.0298	103	75-125			
Zinc	60.4	0.400	"	50.1	28.8	62.9	75-125			QM-05
Selenium	5.79	0.260	"	5.01	0.200	112	75-125			

Matrix Spike Dup (BHL0462-MSD1)	Source: 2411315-01			Prepared: 12/11/24 Analyzed: 12/13/24						
Arsenic	49.5	0.200	mg/kg dry	47.7	2.45	98.6	75-125	5.60	25	
Barium	99.2	0.400	"	47.7	33.1	138	75-125	4.31	25	QM-05
Cadmium	2.85	0.200	"	2.39	0.267	108	75-125	5.22	25	
Copper	35.2	0.400	"	47.7	6.68	59.7	75-125	7.01	25	QM-05
Lead	32.6	0.200	"	23.9	8.82	99.9	75-125	7.34	25	
Nickel	31.3	0.400	"	47.7	3.95	57.4	75-125	7.49	25	QM-05
Silver	2.46	0.0200	"	2.39	0.0298	102	75-125	5.49	25	
Zinc	56.8	0.400	"	47.7	28.8	58.5	75-125	6.16	25	QM-05
Selenium	5.18	0.260	"	4.77	0.200	104	75-125	11.1	25	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Hexavalent Chromium by EPA Method 7196 - Quality Control
Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BHL0153 - 3060A Mod

Blank (BHL0153-BLK1)

Prepared & Analyzed: 12/04/24

Chromium, Hexavalent ND 0.30 mg/kg wet

LCS (BHL0153-BS1)

Prepared & Analyzed: 12/04/24

Chromium, Hexavalent 25.4 0.30 mg/kg wet 25.0 102 80-120

Duplicate (BHL0153-DUP1)

Source: 2411273-01

Prepared & Analyzed: 12/04/24

Chromium, Hexavalent ND 0.30 mg/kg dry ND 20

Matrix Spike (BHL0153-MS1)

Source: 2411273-01

Prepared & Analyzed: 12/04/24

Chromium, Hexavalent 28.1 0.30 mg/kg dry 28.1 ND 100 75-125

Matrix Spike Dup (BHL0153-MSD1)

Source: 2411273-01

Prepared & Analyzed: 12/04/24

Chromium, Hexavalent 28.2 0.30 mg/kg dry 28.1 ND 100 75-125 0.399 20

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source Result	%REC		RPD		Notes
		Limit	Units			%REC	Limits	RPD	Limit	

Batch BHL0634 - General Preparation

Blank (BHL0634-BLK1)

Prepared: 12/13/24 Analyzed: 12/16/24

Calcium	ND	0.0500	mg/L wet							
Magnesium	ND	0.0500	"							
Sodium	ND	0.0500	"							

LCS (BHL0634-BS1)

Prepared: 12/13/24 Analyzed: 12/16/24

Calcium	5.35	0.0500	mg/L wet	5.00	107	70-130				
Magnesium	4.68	0.0500	"	5.00	93.7	70-130				
Sodium	4.80	0.0500	"	5.00	96.0	70-130				

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09
Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike	Source	%REC			RPD	Notes
		Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BHL0027 - General Preparation

Duplicate (BHL0027-DUP1)	Source: 2411292-20		Prepared: 12/02/24 Analyzed: 12/03/24	
% Solids	97.0	%	97.2	0.148 20

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction - Quality Control
Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BHL0635 - General Preparation

Blank (BHL0635-BLK1)

Prepared: 12/13/24 Analyzed: 12/16/24

Specific Conductance (EC) ND 0.0100 mmhos/cm

LCS (BHL0635-BS1)

Prepared: 12/13/24 Analyzed: 12/16/24

Specific Conductance (EC) 0.152 0.0100 mmhos/cm 0.150 102 95-105

Duplicate (BHL0635-DUP1)

Source: 2411314-01

Prepared: 12/13/24 Analyzed: 12/16/24

Specific Conductance (EC) 0.715 0.0100 mmhos/cm 0.733 2.49 20

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike	Source	%REC		RPD		Notes
		Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BHL0636 - General Preparation

LCS (BHL0636-BS1)

Prepared: 12/13/24 Analyzed: 12/16/24

pH	9.10	pH Units	9.18	99.1	95-105
----	------	----------	------	------	--------

Duplicate (BHL0636-DUP1)

Source: 2411314-01

Prepared: 12/13/24 Analyzed: 12/16/24

pH	8.62	pH Units	8.59	0.349	20
----	------	----------	------	-------	----

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Tasman Geosciences
6855 W. 119th Ave.
Broomfield CO, 80020

Project: Noble - Torres USX AB 35-09

Project Number: UWRWE-A4149-ABN
Project Manager: Jacob Whritenour

Reported:
12/18/24 08:36

Notes and Definitions

- QR-04 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits. Sample results were accepted based on LCS and/or LCSD recoveries and/or RPD values.
- QR-01 Analyses are not controlled on RPD values from sample concentrations below the reporting limit. Sample results were accepted based on LCS and/or LCSD recoveries and/or RPD values.
- QM-4X The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. Sample results were accepted based on LCS and/or LCSD recoveries and/or RPD values.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. Sample results were accepted based on LCS and/or LCSD recoveries and/or RPD values.
- QM-01 The spike recovery for this QC sample is outside of established control limits due to sample matrix interference. Sample results were accepted based on LCS and/or LCSD recoveries and/or RPD values.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference