



MONTROSE ENVIRONMENTAL

Montrose Environmental Group
Date: 05-29-2025

Reviewed By: R. Bumgardner
Author: H. Judy

Soil Sampling Locations (06/10/2025)
Aloysius 34-03 WH & FL

Noble-100322
NENW/S34/T4N/R64W
Weld County, Colorado

Facility Number: 245328
REM Number: 23372
API Number: 05-123-13123

Figure 2

0 40 79 160 240
Feet

Coord. Sys.: GCS North American 1983

TABLE 1
FIELD DATA SUMMARY TABLE
NOBLE 100322
ALOYSIUS 34-03 WH/FL, WELD COUNTY, COLORADO
REM # 23372

| Sample ID | Sample Date | Depth (ft) | GPS Data | | PDOP Value | VOC Concentration (ppm) |
|--------------|-------------|------------|--------------------|-------------|------------|-------------------------|
| | | | Latitude/Longitude | | | |
| FL01@2.5' | 6/10/2025 | 2.5 | 40.274364 | -104.540366 | 1.4 | 0.4 |
| FLR01@4' | 6/10/2025 | 4 | 40.539420 | -104.539420 | 1.7 | 0.8 |
| WH01-SB01@6' | 6/10/2025 | 6 | 40.274400 | -104.539414 | 1.8 | 0.7 |
| WH01-SB02@6' | 6/10/2025 | 6 | 40.274388 | -104.539396 | 1.7 | 1.1 |
| WH01-SB03@6' | 6/10/2025 | 6 | 40.274372 | -104.539413 | 1.7 | 1.0 |
| WH01-SB04@6' | 6/10/2025 | 6 | 40.274387 | -104.539432 | 1.7 | 0.8 |
| WH01-SB@5' | 6/10/2025 | 5 | 40.274388 | -104.539414 | 1.6 | 1.1 |
| WH01-SB@7' | 6/10/2025 | 7 | 40.274388 | -104.539414 | 1.6 | 1.1 |
| BKG01@5' | 6/10/2025 | 5 | 40.274862 | -104.539934 | 1.1 | 0.4 |
| BKG02@5' | 6/10/2025 | 5 | 40.219912 | -104.528697 | 1.0 | 0.0 |
| BKG02@6' | 6/10/2025 | 6 | 40.219912 | -104.528697 | 1.0 | 0.0 |
| BKG02@7' | 6/10/2025 | 7 | 40.219912 | -104.528697 | 1.0 | 0.0 |
| BKG03@2.5' | 6/10/2025 | 2.5 | 40.274872 | -104.540629 | 1.1 | 0.0 |
| BKG03@4' | 6/10/2025 | 4 | 40.274872 | -104.540629 | 1.1 | 0.3 |
| BKG04@2.5' | 6/10/2025 | 2.5 | 40.274801 | -104.540957 | 1.6 | 0.7 |
| BKG04@4' | 6/10/2025 | 4 | 40.274801 | -104.540957 | 1.6 | 0.4 |

1. Global Positioning System (GPS) data is provided in decimal degrees using North American Datum (NAD) 83 UTMZone 13 North.

2. Volatile organic compound (VOC) concentrations are measured in the field using a photoionization detector (PID).

PDOP = Position Dilution of Precision

ppm = Parts per million

in. = Inches

ft. = Feet

bgs = Below ground surface

TABLE 2
SUMMARY OF VOLATILE ORGANIC SOIL CHEMISTRY DATA
NOBLE 100322
ALOYSIUS 34-03 WH/FL, WELD COUNTY, COLORADO
REM # 23372

| Sample ID | Sample Date | Depth (ft) | Benzene (mg/kg) | Toluene (mg/kg) | Ethyl-Benzene (mg/kg) | Xylenes (mg/kg) | 1,2,4-Trimethyl-Benzene (mg/kg) | 1,3,5-Trimethyl-Benzene (mg/kg) | Naphthalene (mg/kg) | TPH (mg/kg) | TPH GRO (mg/kg) | TPH DRO (mg/kg) | TPH ORO (mg/kg) |
|---|-------------|------------|-----------------|-----------------|-----------------------|-----------------|---------------------------------|---------------------------------|---------------------|-------------|-----------------|-----------------|-----------------|
| ECMC Table 915-1 Limits (Residential SSL) | | | 1.2 | 490 | 5.8 | 58 | 30 | 27 | 2 | 500 | 500** | | |
| ECMC Table 915-1 Limits (Protection of Groundwater SSL) | | | 0.0026 | 0.69 | 0.78 | 9.9 | 0.0081 | 0.0087 | 0.0038 | 500 | 500** | | |
| FL01@2.5' | 6/10/2025 | 2.5 | <0.001 | <0.01 | <0.01 | <0.1 | <0.005 | <0.005 | <0.003 | <8.10 | <0.1 | <4.00 | <4.00 |
| FLR01@4' | 6/10/2025 | 4 | <0.001 | <0.01 | <0.01 | <0.1 | <0.005 | <0.005 | <0.003 | 13.50 | <0.1 | <4.00 | 13.50 |
| WH01-SB01@6' | 6/10/2025 | 6 | <0.001 | <0.01 | <0.01 | <0.1 | <0.005 | <0.005 | <0.003 | 5.97 | <0.1 | <4.00 | 5.97 |
| WH01-SB02@6' | 6/10/2025 | 6 | <0.001 | <0.01 | <0.01 | <0.1 | <0.005 | <0.005 | <0.003 | <8.10 | <0.1 | <4.00 | <4.00 |
| WH01-SB03@6' | 6/10/2025 | 6 | <0.001 | <0.01 | <0.01 | <0.1 | <0.005 | <0.005 | <0.003 | <8.10 | <0.1 | <4.00 | <4.00 |
| WH01-SB04@6' | 6/10/2025 | 6 | <0.001 | <0.01 | <0.01 | <0.1 | <0.005 | <0.005 | <0.003 | 7.74 | <0.1 | 7.74 | <4.00 |
| WH01-SB@5' | 6/10/2025 | 5 | <0.001 | <0.01 | <0.01 | <0.1 | <0.005 | <0.005 | <0.003 | <8.10 | <0.1 | <4.00 | <4.00 |
| WH01-SB@7' | 6/10/2025 | 7 | <0.001 | <0.01 | <0.01 | <0.1 | <0.005 | <0.005 | <0.003 | <8.10 | <0.1 | <4.00 | <4.00 |

1. Bold values exceed the ECMC Table 915-1 limit(s)
 2. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL)
 3. * Indicates laboratory minimum detection limit in excess of SSL
 4. ** Summation of GRO+DRO+ORO must be less than 500 mg/kg
- (<) = Analytical result is less than the indicated laboratory reporting limit.
 TPH-GRO = Total petroleum hydrocarbons - gasoline range organics
 TPH-DRO = Total petroleum hydrocarbons - diesel range organics
 TPH-ORO = Total petroleum hydrocarbons - oil range organics
 mg/kg = Milligrams per kilogram
 ft. = Feet
 bgs = Below ground surface
 NA - Not analyzed

TABLE 3
SUMMARY OF POLYCYCLIC AROMATIC HYDROCARBON SOIL CHEMISTRY DATA
NOBLE 100322
ALOYSIUS 34-03 WH/FL, WELD COUNTY, COLORADO
REM # 23372

| Sample ID | Sample Date | Depth (ft) | Acenaphthene (mg/kg) | Anthracene (mg/kg) | Benzo (a) Anthracene (mg/kg) | Benzo (a) Pyrene (mg/kg) | Benzo (b) Fluoranthene (mg/kg) | Benzo (k) Fluoranthene (mg/kg) | Chrysene (mg/kg) | Dibenzo (a,h) Anthracene (mg/kg) | Fluoranthene (mg/kg) | Fluorene (mg/kg) | Indeno (1,2,3- cd) Pyrene (mg/kg) | Pyrene (mg/kg) | 1-Methyl - Naphthalene (mg/kg) | 2-Methyl- Naphthalene (mg/kg) |
|---|-------------|------------|-------------------------|-----------------------|------------------------------------|--------------------------------|--------------------------------------|--------------------------------------|---------------------|--|-------------------------|---------------------|---|-------------------|--------------------------------------|-------------------------------------|
| ECMC Table 915-1 Limits (Residential SSL) | | | 360 | 1800 | 1.1 | 0.11 | 1.1 | 11 | 110 | 0.11 | 240 | 240 | 1.1 | 180 | 18 | 24 |
| ECMC Table 915-1 Limits (Protection of Groundwater SSL) | | | 0.55 | 5.8 | 0.011 | 0.24 | 0.3 | 2.9 | 9 | 0.096 | 8.9 | 0.54 | 0.98 | 1.3 | 0.006 | 0.019 |
| FL01@2.5' | 6/10/2025 | 2.5 | <0.0330 | <0.0330 | <0.00600 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.00300 | <0.0120 |
| FLR01@4' | 6/10/2025 | 4 | <0.0330 | <0.0330 | <0.00600 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.00300 | <0.0120 |
| WH01-SB01@6' | 6/10/2025 | 6 | <0.0330 | <0.0330 | <0.00600 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.00300 | <0.0120 |
| WH01-SB02@6' | 6/10/2025 | 6 | <0.0330 | <0.0330 | <0.00600 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.00300 | <0.0120 |
| WH01-SB03@6' | 6/10/2025 | 6 | <0.0330 | <0.0330 | <0.00600 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.00300 | <0.0120 |
| WH01-SB04@6' | 6/10/2025 | 6 | <0.0330 | <0.0330 | <0.00600 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.00300 | <0.0120 |
| WH01-SB@5' | 6/10/2025 | 5 | <0.0330 | <0.0330 | <0.00600 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.00300 | <0.0120 |
| WH01-SB@7' | 6/10/2025 | 7 | <0.0330 | <0.0330 | <0.00600 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.0330 | <0.00300 | <0.0120 |

1. Bold values exceed the ECMC Table 915-1 limit(s)
 2. Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL)
 3. * Indicates laboratory minimum detection limit in excess of SSL
 4. ** Summation of GRO+DRO+ORO must be less than 500 mg/kg
- (<) = Analytical result is less than the indicated laboratory reporting limit.
TPH-GRO = Total petroleum hydrocarbons - gasoline range organics
TPH-DRO = Total petroleum hydrocarbons - diesel range organics
TPH-ORO = Total petroleum hydrocarbons - oil range organics
mg/kg = Milligrams per kilogram
ft. = Feet
bgs = Below ground surface
NA = Not analyzed

TABLE 4
SUMMARY OF SOIL SUITABILITY FOR RECLAMATION
NOBLE 100322
ALOYSIUS 34-03 WH/FL, WELD COUNTY, COLORADO
REM # 23372

| Sample ID | Sample Date | Depth (ft) | pH (Standard Units) | EC (mmhos/cm) | SAR (Standard Units) | Boron (mg/L) |
|--|-------------|------------|---------------------------|------------------|----------------------------|-----------------|
| ECMC Table 915-1 Soil Suitability Limits | | | 6 - 8.3 | <4 | <6 | 2 |
| FL01@2.5' | 6/10/2025 | 2.5 | 8.20 | 0.270 | 0.195 | <0.200 |
| FLR01@4' | 6/10/2025 | 4 | 8.07 | 1.180 | 0.496 | 0.228 |
| WH01-SB01@6' | 6/10/2025 | 6 | 8.21 | 0.867 | 0.534 | 0.232 |
| WH01-SB02@6' | 6/10/2025 | 6 | 8.70 | 0.454 | 4.450 | 1.070 |
| WH01-SB03@6' | 6/10/2025 | 6 | 8.42 | 0.282 | 0.394 | 0.273 |
| WH01-SB04@6' | 6/10/2025 | 6 | 8.40 | 0.295 | 0.228 | <0.200 |
| WH01-SB@5' | 6/10/2025 | 5 | 8.25 | 0.388 | 0.176 | <0.200 |
| WH01-SB@7' | 6/10/2025 | 7 | 8.44 | 0.278 | 0.294 | 0.272 |
| BKG01@5' | 6/10/2025 | 5 | 8.58 | 0.416 | 2.940 | <0.200 |
| BKG02@5' | 6/10/2025 | 5 | 8.43 | 0.387 | 1.960 | 0.322 |
| BKG02@6' | 6/10/2025 | 6 | 8.28 | 0.641 | 2.710 | 0.330 |
| BKG02@7' | 6/10/2025 | 7 | 8.17 | 1.270 | 3.750 | 0.523 |
| BKG03@2.5' | 6/10/2025 | 2.5 | 8.17 | 0.239 | 0.203 | <0.200 |
| BKG03@4' | 6/10/2025 | 4 | 8.17 | 0.279 | 0.314 | <0.200 |
| BKG04@2.5' | 6/10/2025 | 2.5 | 8.04 | 0.185 | 0.124 | <0.200 |
| BKG04@4' | 6/10/2025 | 4 | 8.35 | 1.150 | 5.490 | 0.251 |
| Maximum Background Concentration | | | 8.83* | 1.180 | 5.490 | 0.523 |

1. **Bold** faced values exceed the ECMC Table 915-1 limit(s), but are within background concentrations.

2. **Bold** faced values exceed the ECMC Table 915-1 limit(s) and native background concentrations.

* Background collected on 06/11/2024

3. Brown highlighted soil analytical values indicate a regulatory exceedance.

NA - Not analyzed

TABLE 5
SUMMARY OF METALS IN SOIL CHEMISTRY DATA
NOBLE 100322
ALOYSIUS 34-03 WH/FL, WELD COUNTY, COLORADO
REM # 23372

| Sample ID | Sample Date | Depth (ft) | Arsenic (mg/kg) | Barium (mg/kg) | Cadmium (mg/kg) | Chromium (VI) (mg/kg) | Copper (mg/kg) | Lead (mg/kg) | Nickel (mg/kg) | Selenium (mg/kg) | Silver (mg/kg) | Zinc (mg/kg) |
|---|-------------|------------|-----------------|----------------|-----------------|-----------------------|----------------|--------------|----------------|------------------|----------------|--------------|
| ECMC Table 915-1 Limits (Residential SSL) | | | 0.68 | 15000 | 71 | 0.3 | 3100 | 400 | 1500 | 390 | 390 | 23000 |
| ECMC Table 915-1 Limits (Protection of Groundwater SSL) | | | 0.29 | 82 | 0.38 | 0.00067 | 46 | 14 | 26 | 0.26 | 0.8 | 370 |
| FL01@2.5' | 6/10/2025 | 2.5 | 4.75 | 451.0 | 0.202 | <0.200 | <10.0 | <10.0 | <10.0 | 0.498 | <0.500 | <50.0 |
| FLR01@4' | 6/10/2025 | 4 | 2.09 | 83.9 | <0.100 | <0.200 | <10.0 | 35.7 | <10.0 | 0.382 | <0.500 | <50.0 |
| WH01-SB01@6' | 6/10/2025 | 6 | 4.71 | 79.3 | 0.204 | <0.200 | <10.0 | 10.9 | <10.0 | 0.493 | <0.500 | <50.0 |
| WH01-SB02@6' | 6/10/2025 | 6 | 6.67 | 85.2 | 0.328 | <0.200 | 10.2 | 11.5 | 14.8 | 0.698 | <0.500 | <50.0 |
| WH01-SB03@6' | 6/10/2025 | 6 | 8.41 | 597.0 | 0.239 | <0.200 | 10.3 | <10.0 | 11.3 | 0.659 | <0.500 | <50.0 |
| WH01-SB04@6' | 6/10/2025 | 6 | 27.70 | 178.0 | 0.352 | <0.200 | 21.1 | 13.4 | 19.1 | 1.070 | <0.500 | 95.8 |
| WH01-SB@5' | 6/10/2025 | 5 | 3.83 | 105.0 | 0.128 | <0.200 | <10.0 | <10.0 | <10.0 | 0.430 | <0.500 | <50.0 |
| WH01-SB@7' | 6/10/2025 | 7 | 4.99 | 219.0 | 0.179 | <0.200 | <10.0 | 10.3 | 12.6 | 0.276 | <0.500 | <50.0 |
| BKG01@5' | 6/10/2025 | 5 | 5.64 | 241.0 | 0.276 | <0.200 | <10.0 | 11.0 | 15.0 | 0.853 | <0.500 | <50.0 |
| BKG02@5' | 6/10/2025 | 5 | 6.34 | 123.0 | 0.247 | <0.200 | <10.0 | 12.2 | 14.5 | 0.659 | <0.500 | 51.7 |
| BKG02@6' | 6/10/2025 | 6 | 6.94 | 52.0 | 0.218 | <0.200 | 10.1 | 11.8 | 12.8 | 0.580 | <0.500 | <50.0 |
| BKG02@7' | 6/10/2025 | 7 | 7.54 | 176.0 | 0.165 | <0.200 | 10.9 | 13.1 | 13.4 | 0.792 | <0.500 | 52.5 |
| BKG03@2.5' | 6/10/2025 | 2.5 | 62.90 | 83.2 | 1.440 | <0.200 | 28.6 | <10.0 | 41.3 | 2.550 | <0.500 | 91.6 |
| BKG03@4' | 6/10/2025 | 4 | 4.55 | 140.0 | 0.194 | <0.200 | <10.0 | <10.0 | <10.0 | 0.490 | <0.500 | <50.0 |
| BKG04@2.5' | 6/10/2025 | 2.5 | 2.84 | 69.0 | <0.100 | <0.200 | <10.0 | <10.0 | <10.0 | 0.491 | <0.500 | <50.0 |
| BKG04@4' | 6/10/2025 | 4 | 16.10 | 120.0 | 0.259 | <0.200 | 11.7 | <10.0 | 10.9 | 0.716 | <0.500 | <50.0 |
| 1.25x Maximum Background Concentration | | | 78.63 | 301.3 | 1.800 | - | 35.8 | 16.4 | 51.6 | 3.188 | - | 114.5 |

- Bold** faced values exceed the ECMC Table 915-1 limit(s), but are within 1.25x background concentrations.
- Red** faced values exceed the ECMC Table 915-1 limit(s) and native background concentrations.
- Red & blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL).
- Non-detect background results accounted for in the highest background concentration by using the reporting limit.

ECMC = Energy & Carbon Management Commission

(<) = Analytical result is less than the indicated laboratory reporting limit.

mg/kg = Milligrams per kilogram

ft. = Feet

bgs = Below ground surface

* Indicates laboratory minimum detection limit in excess of SSL

NA - Not analyzed

Client Name:
Chevron

Project Name:
Aloysius C34-3

Project Location:
40.274400,- 104.539410

REM Number:
23372

Photo:
1

Date:
6/10/2025

Description:
WH01-SB@5', WH01-SB@7'



Photo:
2

Date:
6/10/2025

Description:
WH01-SB01



Client Name:
Chevron

Project Name:
Aloysius C34-3

Project Location:
40.274400,- 104.539410

REM Number:
23372

Photo:
3

Date:
6/10/2025

Description:
WH01-SB02



Photo:
4

Date:
6/10/2025

Description:
WH01-SB03



Client Name:
Chevron

Project Name:
Aloysius C34-3

Project Location:
40.274400,- 104.539410

REM Number:
23372

Photo:
5

Date:
6/10/2025

Description:
WH01-SB04



Photo:
6

Date:
6/10/2025

Description:
FLR01@6'



Client Name:
Chevron

Project Name:
Aloysius C34-3

Project Location:
40.274400,- 104.539410

REM Number:
23372

Photo:
7

Date:
6/10/2025

Description:
FL01@2.5'



Photo:
8

Date:
6/10/2025

Description:
BKG01



Client Name:
Chevron

Project Name:
Aloysius C34-3

Project Location:
40.274400,- 104.539410

REM Number:
23372

Photo:
9

Date:
6/10/2025

Description:
BKG02



Photo:
10

Date:
6/10/2025

Description:
BKG03



Client Name:
Chevron

Project Name:
Aloysius C34-3

Project Location:
40.274400,- 104.539410

REM Number:
23372

Photo:
11

Date:

Description:
BKG04



2 Date: 6/10/25

Client: Montroix / CUX

- 1000 Arrived in site
JSA safety meeting
Begin unloading & putting on sunscreen
Personnel on site: KS, GS, KTW, AB
Weather: 72°F upon arrival, sunny, low wind, hot, high of 90°F
- 1010 Start locating sample points w/ geode
- 1034 Moved BKG02 10' E due to 811 utility conflict
Broke ground surface at BKG02
- 1032 Broke ground surface at BKG01
Geode 02 SN 378281
Tablet 4
- 1040 Encountered collapsing / leaving soil at BKG01 starting at 2'
- KA
1054 Abandoned BKG01 due to soil

- 3
- 1055 collected BKG02@5'
2 sample jars
- 1100 PID bag collection for BKG02@5'
- 1104 collected BKG02@6'
2 sample jars
- 1109 Collected PID bag for BKG02@6'
- 1104 Broke ground surface at BKG03
- 1111 collected BKG02@7'
2 sample jars
- 1115 PID bag for BKG02@7'
- 1110 PID reading for BKG02@5'
0.0 ppm
- 1119 PID reading for BKG02@6'
0.0 ppm
- 1125 PID reading for BKG02@7'
0.0 ppm
- 1134 Broke ground surface at BKG04
- 1138 Broke ground surface at FL01
- 1139 collected BKG04@2.5', 2 sample jars
- 1143 PID bag collected for BKG04@2.5' KA *Photo in case file*

- 11:37 PID Reading BKG03@25' → 0.0 ppm
 11:39 PID Reading BKG03@4' → 0.3 ppm
 1147 Collected BKG04@4', 2 sample jars
 1150 PID bag collection for BKG04@4'
 1216 Broke ground surface at updated BKG01 moved 25' E of BKG02 due to collapsing/caving soils
 1223 Encountered collapsing/caving soils starting at 3'
 1155 PID reading for BKG04@25': 0.7 ppm
 1200 PID reading for BKG04@4': 0.4 ppm
 1104 Broke ground surface at BKG03
 1117 Collected BKG03@2.5', 2 sample jars, 1 PID bag
 1127 Collected BKG03@4', 2 sample jars, 1 PID bag
 1150 Collected FL01@2.5', 2 sample jars, 1 PID bag
 1203 PID reading for FL01@2.5': 0.4 ppm

kg

- 1306 Collected BKG0@5', 2 sample jars
 1313 PID bag collection for BKG01@5'
 1334 Abandoned BKG01@6' & 7' due to collapsing/caving soils
 1323 PID reading of BKG01@5': 0.4 ppm
 14:40 Sampling FL01@4' PID: 0.3 ppm
 14:55 Broke the surface for WH01-SB@5'-7'
 1515 Collected WH01-SB@5', 3 sample jars
 1522 PID bag collection of WH01-SB@5'
 1534 Collected WH01-SB@7', 3 sample jars
 1546 PID bag collection WH01-SB@7'
 1240 Broke ground surface at WH01-SB01
~~1300~~ 1300 Collected WH01-SB01
 PID reading: 0.7
 1348 Broke ground surface at WH01-SB04
 1410 Collected WH01-SB04

1248 PID reading: 0.8 ppm
Broke ground surface at
Wt01-SB02

1315 Collected Wt01-SB02
PID reading: 1.1 ppm

1352 Broke ground surface at
Wt01-SB03

1450 Collected Wt01-SB03

PID reading: 1.0 ppm

1429 Broke ground surface at
FLR01

PID readings for Wt01:

Wt01-SB @ 5': 1.1 ppm

Wt01-SB @ 7': 1.1 ppm

1700

~~1600~~

K2

Leave site after QA/QC
of lab samples & CO₂,
packing up, grabbing
photos & PID R, & filling
holes w/ bentonite

K2