

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 404328484			
Date Received: 08/25/2025			

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>96850</u>	Contact Name <u>Colin Feik</u>
Name of Operator: <u>TEP ROCKY MOUNTAIN LLC</u>	Phone: <u>(817) 578-6074</u>
Address: <u>1058 COUNTY ROAD 215</u>	Fax: ()
City: <u>PARACHUTE</u> State: <u>CO</u> Zip: <u>81635</u>	Email: <u>colin.feik@flywheelenergy.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: WELL

API Number : 05- 045 07096 00 ID Number: 211336

Name: MAHAFFEY Number: PA 24-32

Location QtrQtr: SESW Section: 32 Township: 6S Range: 95W Meridian: 6

County: GARFIELD Field Name: PARACHUTE

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
323949	PA 24-32

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

- Change of Location for Well *
 As-Built GPS Location Report
 As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude _____ Longitude _____

GPS Quality Value: _____ Type of GPS Quality Value: _____ Measurement Date: _____

Well Ground Elevation: _____ feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: _____ (Vertical, Directional, Horizontal)

				FNL/FSL		FEL/FWL				
Change of Surface Footage From:				400	FSL	2200	FWL			
Change of Surface Footage To:										
Current Surface Location From	QtrQtr	<u>SESW</u>	Sec	<u>32</u>	Twp	<u>6S</u>	Range	<u>95W</u>	Meridian	<u>6</u>
New Surface Location To	QtrQtr		Sec		Twp		Range		Meridian	
Change of Top of Productive Zone Footage From:										
Change of Top of Productive Zone Footage To:										**
Current Top of Productive Zone Location			Sec		Twp		Range			
New Top of Productive Zone Location			Sec		Twp		Range			

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

**

Current **Bottomhole** Location

Sec

Twp

Range

** attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

- Building: _____ Feet
- Building Unit: _____ Feet
- Public Road: _____ Feet
- Above Ground Utility: _____ Feet
- Railroad: _____ Feet
- Property Line: _____ Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? _____

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: _____ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

LOCATION CHANGE COMMENTS

CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
WILLIAMS FORK	WMFK	440-16	320	W2			X	

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned _____

Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required. Date of last MIT _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT/REQUEST FOR APPROVAL Approximate Start Date _____

SUBSEQUENT REPORT Date of Activity 08/25/2025

- | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|
| <input checked="" type="checkbox"/> Bradenhead Plan | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement |
| <input type="checkbox"/> Change Drilling Plan | <input type="checkbox"/> Repair Well | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change | | |
| <input type="checkbox"/> Underground Injection Control | | |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.) | | |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) | | |
| <input type="checkbox"/> Other | | |

Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID _____ Pit Name _____

(No Sample Provided)

Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

TEP Rocky Mountain LLC (TEP) is reporting the results of recent diagnostic testing and requesting ECMC approval to connect the Mahaffey PA 24-32 bradenhead to the combustor on site. The diagnostic testing resulted from the bradenhead exceeding the ECMC calculated threshold pressure of 98 psi on July 2, 2025. The Form 17 reporting the results of the recent bradenhead test is included in the "Related Forms" section.

Per ECMC Operator Guidance, TEP has completed a diagnostic evaluation of the well and the following data demonstrates that the well has both casing integrity and wellbore isolation:

- The recent bradenhead test began with a pressure difference of 56 psi between production casing (161 psi) and bradenhead (105 psi), and the production casing increased 3 psi during the test while the bradenhead blew down to 0 psi within five minutes.
- High frequency (five-minute) bradenhead pressure data from a data logger indicates no trending/correlation with the production casing pressure drops during the plunger cycles.
- The attached historical monthly pressure data indicates an average pressure differential of 100 psi between production casing and the bradenhead.
- Analytical results of the production gas indicate a concentration of 3.02% carbon dioxide versus 0.0% in the bradenhead gas sample. Additionally, the production gas sample had an ethane concentration of 5.56% versus 0.13% in the bradenhead gas. The analytical results of the recent bradenhead and production gas samples have been submitted to the ECMC via a Form 43 (404328122).
- A review of the cement bond log confirms a top of cement located at 3,310 feet with good bonding to 3,618 feet and excellent bonding to total depth. The cement bond log review indicates proper wellbore isolation of the production interval which has a top perforation located at 3,830 feet.

TEP is requesting ECMC approval to connect the Mahaffey PA 24-32 bradenhead to a combustor and satisfy the ECMC required bradenhead Pressure Management Plan for this well. The bradenhead connection to the combustor will effectively manage the bradenhead pressure and maintain a consistent bradenhead pressure below the ECMC calculated threshold pressure of 98 psi.

GAS CAPTURE

VENTING AND FLARING:

Operation type: _____ Operational phase requiring venting/flaring: _____

Reason for venting/flaring: _____

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf estimated measured

Total duration of emission event: _____ hours consecutive cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

H2S REPORTING

Intentional release of H2S gas due to Upset Condition or malfunction.

Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million)

Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID _____ OGDP Name _____

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____	Vapor Recovery Towers _____		

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

[Empty text box for other location changes and updates]

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- Add Oil and Gas Location(s)
- Add Drilling and Spacing Unit(s)
- Amend Oil and Gas Location(s)
- Amend Drilling and Spacing Unit(s)
- Remove Oil and Gas Location(s)
- Remove Drilling and Spacing Unit(s)
- Oil and Gas Location attachment or plan updates
- Amend the lands subject to the OGDG
- Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

[Empty text box for detailed description of changes]

Operator Best Management Practices

No BMP/COA Type

Description

--	--

Operator Comments:

[Empty text box for operator comments]

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Scott Ghan
 Title: Sr. Regulatory Specialist Email: scott.ghan@flywheelenergy.com Date: 8/25/2025

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type

Description

0 COA	
-------	--

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)

ATTACHMENT LIST

Att Doc Num	Name
404328500	PRESSURE DATA
404328501	PRESSURE DATA

Total Attach: 2 Files