

# Oxy Operations Summary

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM
Project:	COLORADO - WELD			Site:	T03N-R62W-S06
Event:	ABANDONMENT			Rig Name:	ENSIGN 122
Start Date:	7/29/25			End Date:	8/12/25
Datum:	RKB @ 4724			Well UWI:	0512310359
Report Date	Time From	Time To	Duration (hr)	Operation	
5/14/25	13:00	16:00	3	LOCATION PREP	
5/15/25	7:00	15:00	8	LOCATION PREP	
5/20/25	7:00	17:00	10	LOCATION PREP	
7/11/25	7:00	18:00	11	LOCATION PREP	
7/22/25	7:00	19:00	12	LOCATION PREP	
7/23/25	7:00	19:00	12	LOCATION PREP	
7/24/25	7:00	10:00	3	LOCATION PREP	
7/25/25	7:00	17:00	10	LOCATION PREP	
7/28/25	7:00	10:00	3	LOCATION PREP	
7/29/25	6:00	12:00	6	MOB RIG AND EQUIPMENT FROM UPRR 65 AMOCO #1. TO CHRISTENSEN 6-9 SPOT IN EQUIP.	
7/29/25	12:00	12:30	0.50	SAFETY MEETING WITH NIGHT CREW.	
7/29/25	12:30	17:30	5	RIG UP, FACE RIG NORTH, FILL TANKS WITH 700 BBL, INPS DERRICK, TIGHT LOCATION.	
7/29/25	17:30	17:45	0.25	CREW CHANGE/ JSA	
7/29/25	17:45	18:00	0.25	RIG UP ENSIGN 122. HOOK UP LINES.	
7/29/25	18:00	0:00	6	NIPPLE UP BOP, TORQUE UP FLANGE BOLTS, RU GAS BUSTER AND FLAIR LINES. ( NEW HANDS ON CREW, VERY SLOW MOVING, ALSO RAINING OUT SIDE	
7/29/25				FORM 42 APROPED 07/25/2025 TO START OPS 07/27/2025. MIRU 07/29/2025	
7/29/25				INFORMATION SIGNS POSTED IN REQUESTED AREAS THROUGHOUT P&A OPERATIONS 07/29/2025	
7/30/25	0:00	1:00	1	PRESSURE TEST BOP	
7/30/25	1:00	2:48	1.80	MU 7-7/8" BIT, BIT SUB AND 4.5" HWDP. DRILL OUT SURFACE CEMENT PLUG 10'-17.5. WASH DOWN TO 260'. NO CEMENT.	
7/30/25	2:48	3:00	0.20	TOH WITH 6 JOINTS. LD 7-7/8" BIT.	

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM		
Project:	COLORADO - WELD			Site:	T03N-R62W-S06		
Event:	ABANDONMENT			Rig Name:	ENSIGN 122		
Start Date:	7/29/25			End Date:	8/12/25		
Datum:	RKB @ 4724			Well UWI:	0512310359		
Report Date	Time From	Time To	Duration (hr)	Operation			
7/30/25	3:00	4:30	1.50	MU TIH W/ BHA #1.			
				DETAIL:	OD	ID	LENGTH
				(1) 7-7/8" ROCK BIT	7-7/8		.70
				(1) STIFF MOTOR	6-3/4		31.82
				(1) NMPC	6-3/4	3-1/4	20.01
				(1) UBHO	6-5/16	2-7/8	2.89
				(1) NMDC CARRIER	6-9/16	3-5/16	29.44
				(1) NMDC	6-3/4	2-7/8	29.05
				(1) X-OVER	6-7/16	3.00	2.08
				(3) HWDP	5.00	2-7/8	91.83
				TOTAL LENGTH=(207.82 )			
7/30/25	4:30	5:30	1	WASH DOWN 260'			
7/30/25	5:30	5:45	0.25	CREW CHANGE / JSA.			
7/30/25	5:45	7:00	1.25	F/ DRILL FROM 260'-607'.			
				W/T 9.2 VIS 35. ROP 464FT/HR . PUMP RATE 524 GPM TORQUE 0.80FT/LB WOB 0.00 PSI 714PSI			
				DEPTH	INC	AZM	TVD
				13.00	0.00	0.00	13.00
				324.00	0.75	163.57	323.99
				369.00	0.70	185.02	368.99
				414.00	0.53	185.63	413.98
				458.00	0.53	185.98	457.98
				502.00	0.57	166.56	501.98
				547.00	0.48	167.00	546.98
7/30/25	7:00	7:30	0.50	POOH LD BHA			
7/30/25	7:30	18:00	10.50	INFORM ENGINER & FORMAN OF HOLE IN CASING, TEAM WAS GOING TO COME UP WITH A PLAN.			
7/30/25	18:00	0:00	6	WAIT ON CASING TO COME FROM TEXAS. CREW PERFORMED INSPECTIONS AND MAINTANANCE ON RIG AND EQUIPMENT			
7/31/25	0:00	5:30	5.50	WAIT ON CASING DELIVERY.			
7/31/25	5:30	5:45	0.25	CREW CHANGE / JSA.			
7/31/25	5:45	12:30	6.75	WAIT ON CASING DELIVERY.			

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM
Project:	COLORADO - WELD			Site:	T03N-R62W-S06
Event:	ABANDONMENT			Rig Name:	ENSIGN 122
Start Date:	7/29/25			End Date:	8/12/25
Datum:	RKB @ 4724			Well UWI:	0512310359
Report Date	Time From	Time To	Duration (hr)	Operation	
7/31/25	12:30	13:00	0.50	STRP 7" CASING 42.42 42.39 42.40 41.40 TOTAL 168' 13' KB ON RIG / CASING BOTTOM AT 155' : NOTE THE CASING THAT CAME FROM TEXAS WAS LBC, LITTLE MIS COMMUNICATION WITH YARD IN TEXAS.  RIH	
7/31/25	13:00	13:15	0.25	MIRU CEMENTERS. HOLD JSA MEETING. CMT COMPANY: (SLB).	
7/31/25	13:15	13:30	0.25	PUMP 53 SX, 15.8 PPG 1.18 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (YES), TOC 0 FT, BOC 155 FT SQUEEZE: (NO), EQUIPMENT: (NONE) DEPTH: 0 FT, BOTTOM (OH): 155 FT, TOP (NA): 0 FT, TOC IN CSG: 0FT	
7/31/25	13:30	17:45	4.25	WOC CEMENT	
7/31/25	17:45	18:00	0.25	CREW CHANGE	
7/31/25	18:00	0:00	6	WOC.	
8/1/25	0:00	1:00	1	CUT OFF 7" CASING AT WELLHEAD. DRESS UP CUT.	
8/1/25	1:00	2:00	1	NU 9" 3K BOP. TORQUE TO SPEC. CHANGE PIPE RAM BLOCKS TO 4".	
8/1/25	2:00	5:30	3.50	MU 6-1/4" SEAL BEARING ROCK BIT. RUN IN TAG TOP OF 7" CASING STUB. UNABLE TO GET IN CASING. PULL UP BREAK OFF ROTATING HEAD OFF. RUN IN WORK INSIDE CASING SUB. TAG CEMENT AT 12'. CIRCULATE INTO CELLAR TO 2ND JOINT. STRIP ON ROTATING HEAD.	
8/1/25	5:30	5:45	0.25	CREW CHANGE / JSA	
8/1/25	5:45	6:00	0.25	DRILL CEMENT DOWN TO 130'	
8/1/25	6:00	6:30	0.50	POOH LD BIT SUB & X/O SUB	
8/1/25	6:30	7:30	1	PU MAKE UP BHA & BIT, TORQUE UP BIT ROCK BIT 6 1/4 BIT SUB 3.5 REG ( 2' ) NMPC 3.5 REG ( 18.41 ) UBHO 3.5 REG ( 3.04 ) NMDC 3.5 REG ( 31.07 ) NMDC 3.5 REG ( 30.83 ) X/O SUB 3.5 REG TO XT-39 ( 2.68 ) TOTAL LENGHT 88.73	

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM
Project:	COLORADO - WELD			Site:	T03N-R62W-S06
Event:	ABANDONMENT			Rig Name:	ENSIGN 122
Start Date:	7/29/25			End Date:	8/12/25
Datum:	RKB @ 4724			Well UWI:	0512310359
Report Date	Time From	Time To	Duration (hr)	Operation	
8/1/25	7:30	7:45	0.25	<b>DRILL WASH DOWN TO FROM 130' TO 155'</b> ONE PUMP 1 180 GPM 0 WOB 300 PSI ONE HOLE AT 155'  BOTTOM CEMENT	

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM																																																																																																																																		
Project:	COLORADO - WELD			Site:	T03N-R62W-S06																																																																																																																																		
Event:	ABANDONMENT			Rig Name:	ENSIGN 122																																																																																																																																		
Start Date:	7/29/25			End Date:	8/12/25																																																																																																																																		
Datum:	RKB @ 4724			Well UWI:	0512310359																																																																																																																																		
Report Date	Time From	Time To	Duration (hr)	Operation																																																																																																																																			
8/1/25	7:45	17:30	9.75	<p>F/ DRILL FROM 155'-3200'.</p> <p>W/T 9.2 VIS 35.  ROP 500FT/HR .  PUMP RATE 350 GPM  TORQUE 0.89FT/LB  WOB 0.00 PSI 622 PSI  CUTTINGS. SMALL SHALE AND FORMATION.  (TAKING SURVEY'S EVERY 100')  PU-62K S-OFF 55K ROT 60K</p> <table border="0"> <thead> <tr> <th>DEPTH</th> <th>INC</th> <th>AZM</th> <th>TVD</th> </tr> </thead> <tbody> <tr><td>547.00</td><td>0.48</td><td>167.00</td><td>546.98</td></tr> <tr><td>630.00</td><td>0.75</td><td>152.23</td><td>629.97</td></tr> <tr><td>725.00</td><td>0.66</td><td>170.25</td><td>724.97</td></tr> <tr><td>819.00</td><td>0.48</td><td>153.82</td><td>818.96</td></tr> <tr><td>914.00</td><td>0.44</td><td>158.91</td><td>913.96</td></tr> <tr><td>1007.00</td><td>0.35</td><td>143.44</td><td>1006.96</td></tr> <tr><td>1102.00</td><td>0.09</td><td>130.96</td><td>1101.96</td></tr> <tr><td>1196.00</td><td>0.40</td><td>213.84</td><td>1195.96</td></tr> <tr><td>1291.00</td><td>0.40</td><td>195.21</td><td>1290.95</td></tr> <tr><td>1385.00</td><td>0.13</td><td>292.59</td><td>1384.95</td></tr> <tr><td>1480.00</td><td>0.18</td><td>325.29</td><td>1479.95</td></tr> <tr><td>1574.00</td><td>0.84</td><td>339.70</td><td>1573.95</td></tr> <tr><td>1669.00</td><td>0.92</td><td>352.54</td><td>1668.94</td></tr> <tr><td>1773.00</td><td>0.44</td><td>330.48</td><td>1772.94</td></tr> <tr><td>1857.00</td><td>0.79</td><td></td><td></td></tr> <tr><td>1763.00</td><td>0.44</td><td>330.48</td><td>1762.93</td></tr> <tr><td>1857.00</td><td>0.79</td><td>7.21</td><td>1856.93</td></tr> <tr><td>1952.00</td><td>0.35</td><td>4.93</td><td>1951.92</td></tr> <tr><td>2046.00</td><td>0.26</td><td>119.54</td><td>2045.92</td></tr> <tr><td>2141.00</td><td>0.18</td><td>116.81</td><td>2140.92</td></tr> <tr><td>2235.00</td><td>0.75</td><td>112.51</td><td>2234.92</td></tr> <tr><td>2330.00</td><td>0.84</td><td>109.78</td><td>2329.91</td></tr> <tr><td>2424.00</td><td>0.31</td><td>122.53</td><td>2423.90</td></tr> <tr><td>2519.00</td><td>0.35</td><td>137.82</td><td>2518.90</td></tr> <tr><td>2613.00</td><td>0.92</td><td>61.97</td><td>2612.89</td></tr> <tr><td>2708.00</td><td>0.92</td><td>30.86</td><td>2707.88</td></tr> <tr><td>2802.00</td><td>1.14</td><td>40.00</td><td>2801.87</td></tr> <tr><td>2897.00</td><td>0.70</td><td>40.44</td><td>2896.86</td></tr> <tr><td>2992.00</td><td>0.53</td><td>26.55</td><td>2991.85</td></tr> <tr><td>3087.00</td><td>0.35</td><td>14.86</td><td>3086.85</td></tr> <tr><td>3182.00</td><td>0.75</td><td>345.59</td><td>3181.84</td></tr> </tbody> </table>				DEPTH	INC	AZM	TVD	547.00	0.48	167.00	546.98	630.00	0.75	152.23	629.97	725.00	0.66	170.25	724.97	819.00	0.48	153.82	818.96	914.00	0.44	158.91	913.96	1007.00	0.35	143.44	1006.96	1102.00	0.09	130.96	1101.96	1196.00	0.40	213.84	1195.96	1291.00	0.40	195.21	1290.95	1385.00	0.13	292.59	1384.95	1480.00	0.18	325.29	1479.95	1574.00	0.84	339.70	1573.95	1669.00	0.92	352.54	1668.94	1773.00	0.44	330.48	1772.94	1857.00	0.79			1763.00	0.44	330.48	1762.93	1857.00	0.79	7.21	1856.93	1952.00	0.35	4.93	1951.92	2046.00	0.26	119.54	2045.92	2141.00	0.18	116.81	2140.92	2235.00	0.75	112.51	2234.92	2330.00	0.84	109.78	2329.91	2424.00	0.31	122.53	2423.90	2519.00	0.35	137.82	2518.90	2613.00	0.92	61.97	2612.89	2708.00	0.92	30.86	2707.88	2802.00	1.14	40.00	2801.87	2897.00	0.70	40.44	2896.86	2992.00	0.53	26.55	2991.85	3087.00	0.35	14.86	3086.85	3182.00	0.75	345.59	3181.84
DEPTH	INC	AZM	TVD																																																																																																																																				
547.00	0.48	167.00	546.98																																																																																																																																				
630.00	0.75	152.23	629.97																																																																																																																																				
725.00	0.66	170.25	724.97																																																																																																																																				
819.00	0.48	153.82	818.96																																																																																																																																				
914.00	0.44	158.91	913.96																																																																																																																																				
1007.00	0.35	143.44	1006.96																																																																																																																																				
1102.00	0.09	130.96	1101.96																																																																																																																																				
1196.00	0.40	213.84	1195.96																																																																																																																																				
1291.00	0.40	195.21	1290.95																																																																																																																																				
1385.00	0.13	292.59	1384.95																																																																																																																																				
1480.00	0.18	325.29	1479.95																																																																																																																																				
1574.00	0.84	339.70	1573.95																																																																																																																																				
1669.00	0.92	352.54	1668.94																																																																																																																																				
1773.00	0.44	330.48	1772.94																																																																																																																																				
1857.00	0.79																																																																																																																																						
1763.00	0.44	330.48	1762.93																																																																																																																																				
1857.00	0.79	7.21	1856.93																																																																																																																																				
1952.00	0.35	4.93	1951.92																																																																																																																																				
2046.00	0.26	119.54	2045.92																																																																																																																																				
2141.00	0.18	116.81	2140.92																																																																																																																																				
2235.00	0.75	112.51	2234.92																																																																																																																																				
2330.00	0.84	109.78	2329.91																																																																																																																																				
2424.00	0.31	122.53	2423.90																																																																																																																																				
2519.00	0.35	137.82	2518.90																																																																																																																																				
2613.00	0.92	61.97	2612.89																																																																																																																																				
2708.00	0.92	30.86	2707.88																																																																																																																																				
2802.00	1.14	40.00	2801.87																																																																																																																																				
2897.00	0.70	40.44	2896.86																																																																																																																																				
2992.00	0.53	26.55	2991.85																																																																																																																																				
3087.00	0.35	14.86	3086.85																																																																																																																																				
3182.00	0.75	345.59	3181.84																																																																																																																																				
8/1/25	17:30	17:45	0.25	CREW CHANGE																																																																																																																																			

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM																																																																								
Project:	COLORADO - WELD			Site:	T03N-R62W-S06																																																																								
Event:	ABANDONMENT			Rig Name:	ENSIGN 122																																																																								
Start Date:	7/29/25			End Date:	8/12/25																																																																								
Datum:	RKB @ 4724			Well UWI:	0512310359																																																																								
Report Date	Time From	Time To	Duration (hr)	Operation																																																																									
8/1/25	17:45	0:00	6.25	<p>F/ DRILL FROM 3200'-4823'.</p> <p>W/T 9.3 VIS 43.  ROP 550FT/HR .  PUMP RATE 340 GPM  TORQUE 1040FT/LB  WOB 0.00 PSI 816 PSI  CUTTINGS. SMALL SHALE AND FORMATION.  (TAKING SURVEY'S EVERY 100')  PU-91.4K S-OFF 85K ROT 60K  CIR BTM UP EVERY 1000'.  HIT GAS 3930'</p> <table border="1"> <thead> <tr> <th>DEPTH</th> <th>INC</th> <th>AZM</th> <th>TVD</th> </tr> </thead> <tbody> <tr><td>3277.00</td><td>0.70</td><td>312.72</td><td>3276.84</td></tr> <tr><td>3372.00</td><td>0.53</td><td>295.41</td><td>3371.83</td></tr> <tr><td>3467.00</td><td>0.18</td><td>210.86</td><td>3466.83</td></tr> <tr><td>3562.00</td><td>0.53</td><td>267.28</td><td>3561.83</td></tr> <tr><td>3657.00</td><td>0.57</td><td>271.50</td><td>3656.82</td></tr> <tr><td>3752.00</td><td>0.22</td><td>309.38</td><td>3751.82</td></tr> <tr><td>3847.00</td><td>0.40</td><td>283.37</td><td>3846.82</td></tr> <tr><td>3942.00</td><td>0.40</td><td>276.25</td><td>3941.82</td></tr> <tr><td>4037.00</td><td>0.18</td><td>249.62</td><td>4036.81</td></tr> <tr><td>4132.00</td><td>0.09</td><td>219.91</td><td>4131.81</td></tr> <tr><td>4227.00</td><td>0.09</td><td>256.30</td><td>4226.81</td></tr> <tr><td>4322.00</td><td>0.18</td><td>222.55</td><td>4321.81</td></tr> <tr><td>4417.00</td><td>0.62</td><td>255.51</td><td>4416.81</td></tr> <tr><td>4512.00</td><td>0.57</td><td>264.38</td><td>4511.81</td></tr> <tr><td>4607.00</td><td>0.66</td><td>237.58</td><td>4606.80</td></tr> <tr><td>4702.00</td><td>0.62</td><td>278.71</td><td>4701.80</td></tr> <tr><td>4796.00</td><td>0.44</td><td>247.68</td><td>4795.79</td></tr> </tbody> </table>		DEPTH	INC	AZM	TVD	3277.00	0.70	312.72	3276.84	3372.00	0.53	295.41	3371.83	3467.00	0.18	210.86	3466.83	3562.00	0.53	267.28	3561.83	3657.00	0.57	271.50	3656.82	3752.00	0.22	309.38	3751.82	3847.00	0.40	283.37	3846.82	3942.00	0.40	276.25	3941.82	4037.00	0.18	249.62	4036.81	4132.00	0.09	219.91	4131.81	4227.00	0.09	256.30	4226.81	4322.00	0.18	222.55	4321.81	4417.00	0.62	255.51	4416.81	4512.00	0.57	264.38	4511.81	4607.00	0.66	237.58	4606.80	4702.00	0.62	278.71	4701.80	4796.00	0.44	247.68	4795.79
DEPTH	INC	AZM	TVD																																																																										
3277.00	0.70	312.72	3276.84																																																																										
3372.00	0.53	295.41	3371.83																																																																										
3467.00	0.18	210.86	3466.83																																																																										
3562.00	0.53	267.28	3561.83																																																																										
3657.00	0.57	271.50	3656.82																																																																										
3752.00	0.22	309.38	3751.82																																																																										
3847.00	0.40	283.37	3846.82																																																																										
3942.00	0.40	276.25	3941.82																																																																										
4037.00	0.18	249.62	4036.81																																																																										
4132.00	0.09	219.91	4131.81																																																																										
4227.00	0.09	256.30	4226.81																																																																										
4322.00	0.18	222.55	4321.81																																																																										
4417.00	0.62	255.51	4416.81																																																																										
4512.00	0.57	264.38	4511.81																																																																										
4607.00	0.66	237.58	4606.80																																																																										
4702.00	0.62	278.71	4701.80																																																																										
4796.00	0.44	247.68	4795.79																																																																										

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM																																																																																				
Project:	COLORADO - WELD			Site:	T03N-R62W-S06																																																																																				
Event:	ABANDONMENT			Rig Name:	ENSIGN 122																																																																																				
Start Date:	7/29/25			End Date:	8/12/25																																																																																				
Datum:	RKB @ 4724			Well UWI:	0512310359																																																																																				
Report Date	Time From	Time To	Duration (hr)	Operation																																																																																					
8/2/25	0:00	5:30	5.50	<p>F/ DRILL FROM 3200'-6212'.</p> <p>W/T 9.3 VIS 42.  ROP 550FT/HR .  PUMP RATE 340 GPM  TORQUE 1040FT/LB  WOB 0.00 PSI 816 PSI  CUTTINGS. SMALL SHALE AND FORMATION.  (TAKING SURVEY'S EVERY 100')  PU-91.4K S-OFF 85K ROT 60K  CIR BTM UP EVERY 1000'.  HIT GAS 4968'</p> <table border="0"> <thead> <tr> <th>DEPTH</th> <th>INC</th> <th>AZM</th> <th>TVD</th> </tr> </thead> <tbody> <tr><td>4322.00</td><td>0.18</td><td>222.55</td><td>4321.81</td></tr> <tr><td>4417.00</td><td>0.62</td><td>255.51</td><td>4416.81</td></tr> <tr><td>4512.00</td><td>0.57</td><td>264.38</td><td>4511.81</td></tr> <tr><td>4607.00</td><td>0.66</td><td>237.58</td><td>4606.80</td></tr> <tr><td>4702.00</td><td>0.62</td><td>278.71</td><td>4701.80</td></tr> <tr><td>4796.00</td><td>0.44</td><td>247.68</td><td>4795.79</td></tr> <tr><td>4890.00</td><td>0.57</td><td>282.58</td><td>4889.79</td></tr> <tr><td>4985.00</td><td>0.84</td><td>277.48</td><td>4984.78</td></tr> <tr><td>5080.00</td><td>1.19</td><td>302.61</td><td>5079.77</td></tr> <tr><td>5175.00</td><td>1.14</td><td>299.10</td><td>5174.75</td></tr> <tr><td>5270.00</td><td>0.66</td><td>338.30</td><td>5269.74</td></tr> <tr><td>5364.00</td><td>0.62</td><td>330.56</td><td>5363.73</td></tr> <tr><td>5459.00</td><td>1.36</td><td>343.22</td><td>5458.72</td></tr> <tr><td>5553.00</td><td>1.58</td><td>352.45</td><td>5552.68</td></tr> <tr><td>5648.00</td><td>1.58</td><td>342.78</td><td>5647.65</td></tr> <tr><td>5743.00</td><td>1.98</td><td>357.02</td><td>5742.60</td></tr> <tr><td>5838.00</td><td>1.58</td><td>356.58</td><td>5837.56</td></tr> <tr><td>5933.00</td><td>1.41</td><td>6.07</td><td>5932.52</td></tr> <tr><td>6028.00</td><td>1.19</td><td>19.69</td><td>6027.50</td></tr> <tr><td>6123.00</td><td>0.79</td><td>349.02</td><td>6122.49</td></tr> </tbody> </table>		DEPTH	INC	AZM	TVD	4322.00	0.18	222.55	4321.81	4417.00	0.62	255.51	4416.81	4512.00	0.57	264.38	4511.81	4607.00	0.66	237.58	4606.80	4702.00	0.62	278.71	4701.80	4796.00	0.44	247.68	4795.79	4890.00	0.57	282.58	4889.79	4985.00	0.84	277.48	4984.78	5080.00	1.19	302.61	5079.77	5175.00	1.14	299.10	5174.75	5270.00	0.66	338.30	5269.74	5364.00	0.62	330.56	5363.73	5459.00	1.36	343.22	5458.72	5553.00	1.58	352.45	5552.68	5648.00	1.58	342.78	5647.65	5743.00	1.98	357.02	5742.60	5838.00	1.58	356.58	5837.56	5933.00	1.41	6.07	5932.52	6028.00	1.19	19.69	6027.50	6123.00	0.79	349.02	6122.49
DEPTH	INC	AZM	TVD																																																																																						
4322.00	0.18	222.55	4321.81																																																																																						
4417.00	0.62	255.51	4416.81																																																																																						
4512.00	0.57	264.38	4511.81																																																																																						
4607.00	0.66	237.58	4606.80																																																																																						
4702.00	0.62	278.71	4701.80																																																																																						
4796.00	0.44	247.68	4795.79																																																																																						
4890.00	0.57	282.58	4889.79																																																																																						
4985.00	0.84	277.48	4984.78																																																																																						
5080.00	1.19	302.61	5079.77																																																																																						
5175.00	1.14	299.10	5174.75																																																																																						
5270.00	0.66	338.30	5269.74																																																																																						
5364.00	0.62	330.56	5363.73																																																																																						
5459.00	1.36	343.22	5458.72																																																																																						
5553.00	1.58	352.45	5552.68																																																																																						
5648.00	1.58	342.78	5647.65																																																																																						
5743.00	1.98	357.02	5742.60																																																																																						
5838.00	1.58	356.58	5837.56																																																																																						
5933.00	1.41	6.07	5932.52																																																																																						
6028.00	1.19	19.69	6027.50																																																																																						
6123.00	0.79	349.02	6122.49																																																																																						
8/2/25	5:30	5:45	0.25	CREW CHANGE / JSA																																																																																					

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM																																				
Project:	COLORADO - WELD			Site:	T03N-R62W-S06																																				
Event:	ABANDONMENT			Rig Name:	ENSIGN 122																																				
Start Date:	7/29/25			End Date:	8/12/25																																				
Datum:	RKB @ 4724			Well UWI:	0512310359																																				
Report Date	Time From	Time To	Duration (hr)	Operation																																					
8/2/25	5:45	9:30	3.75	<p>F/ DRILL FROM 6212'-6900'.</p> <p>W/T 8.9 VIS 42.  ROP 350FT/HR .  PUMP RATE 500 GPM  TORQUE 1040FT/LB  WOB 0.00 PSI 816 PSI  CUTTINGS. SMALL SHALE AND FORMATION.  (TAKING SURVEY'S EVERY 100')  PU-91.4K S-OFF 85K ROT 60K  CIR BTM UP EVERY 1000'.  ( CHANGE OUT SAVER SUB )</p> <table border="0"> <thead> <tr> <th>DEPTH</th> <th>INC</th> <th>AZM</th> <th>TVD</th> </tr> </thead> <tbody> <tr> <td>6218.00</td> <td>0.84</td> <td>340.50</td> <td>6217.48</td> </tr> <tr> <td>6312.00</td> <td>0.53</td> <td>329.33</td> <td>6311.47</td> </tr> <tr> <td>6407.00</td> <td>0.35</td> <td>347.00</td> <td>6406.47</td> </tr> <tr> <td>6502.00</td> <td>0.09</td> <td>287.50</td> <td>6501.47</td> </tr> <tr> <td>6598.00</td> <td>0.44</td> <td>84.82</td> <td>6597.47</td> </tr> <tr> <td>6693.00</td> <td>0.26</td> <td>88.69</td> <td>6692.46</td> </tr> <tr> <td>6788.00</td> <td>0.48</td> <td>89.22</td> <td>6787.46</td> </tr> <tr> <td>6871.00</td> <td>0.70</td> <td>63.29</td> <td>6870.46</td> </tr> </tbody> </table>		DEPTH	INC	AZM	TVD	6218.00	0.84	340.50	6217.48	6312.00	0.53	329.33	6311.47	6407.00	0.35	347.00	6406.47	6502.00	0.09	287.50	6501.47	6598.00	0.44	84.82	6597.47	6693.00	0.26	88.69	6692.46	6788.00	0.48	89.22	6787.46	6871.00	0.70	63.29	6870.46
DEPTH	INC	AZM	TVD																																						
6218.00	0.84	340.50	6217.48																																						
6312.00	0.53	329.33	6311.47																																						
6407.00	0.35	347.00	6406.47																																						
6502.00	0.09	287.50	6501.47																																						
6598.00	0.44	84.82	6597.47																																						
6693.00	0.26	88.69	6692.46																																						
6788.00	0.48	89.22	6787.46																																						
6871.00	0.70	63.29	6870.46																																						
8/2/25	9:30	9:45	0.25	CIRC BOTTOMS UP																																					
8/2/25	9:45	12:00	2.25	WIPER TRIP TO 5900' / BACK TO BOTTOM																																					
8/2/25	12:00	12:30	0.50	CIRC BOTTOMS UP TWO PUMPS AT 500 GPM THERE WAS NO SIGN OF ANY GAS DURING CIRC.																																					
8/2/25	12:30	17:45	5.25	POOH SIDEWAYS, W/4" DP.																																					
8/2/25	17:45	18:00	0.25	CREW CHANGE																																					
8/2/25	18:00	19:30	1.50	CONTINUE LD DP AND BHA.																																					
8/2/25	19:30	23:00	3.50	TIH OPEN ENDED WITH 218 JOINTS 4" DP TO 6886'																																					
8/2/25	23:00	0:00	1	CIRCULATE BOTTOMS UP.																																					
8/3/25	0:00	2:00	2	CONTINUE PU 65 JOINTS TO 6886'.																																					
8/3/25	2:00	2:45	0.75	CIRCULATE BOTTOMS UP.																																					
8/3/25	2:45	3:00	0.25	<p>MIRU CEMENTERS. HOLD JSA MEETING.  CMT COMPANY: (SLB).</p>																																					

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM
Project:	COLORADO - WELD			Site:	T03N-R62W-S06
Event:	ABANDONMENT			Rig Name:	ENSIGN 122
Start Date:	7/29/25			End Date:	8/12/25
Datum:	RKB @ 4724			Well UWI:	0512310359
Report Date	Time From	Time To	Duration (hr)	Operation	
8/3/25	3:00	3:30	0.50	PUMP 150 SX, 1.53 PPG 15.8 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (YES), TOC 6546 FT, BOC 6886 FT SQUEEZE: (NO), EQUIPMENT: (NONE) DEPTH: 0 FT, BOTTOM (PERF): 0 FT, TOP (PERF): 0 FT, TOC IN CSG: 0FT	
8/3/25	3:30	4:00	0.50	TOH LD 20 JOINTS 6253'.	
8/3/25	4:00	5:00	1	CIRCULATE 2X 444BBLs.	
8/3/25	5:00	7:00	2	WOC. CAL TOC 6546'.	
8/3/25	7:00	7:15	0.25	TIH TAG TOC 6402'.	
8/3/25	7:15	7:30	0.25	LD X JOINTS TO JOINT 202 6379'.	
8/3/25	7:30	7:45	0.25	CIRC BOTTOMS UP	
8/3/25	7:45	8:00	0.25	MIRU CEMENTERS. HOLD JSA MEETING. CMT COMPANY: (SLB).	
8/3/25	8:00	8:30	0.50	PUMP 199 SX, 15.8 PPG 1.53 CF/SX CLASS G CEMENT, (NIO BLEND) BALANCE PLUG: (YES), TOC 5639 FT, BOC 6379 FT SQUEEZE: (NO), EQUIPMENT: (NONE) DEPTH: 0 FT, BOTTOM (OH): 6379 FT, TOP (NA): 0 FT, TOC IN CSG: 0FT	
8/3/25	8:30	9:45	1.25	POOH LD 37 JTS TO 5200'	
8/3/25	9:45	12:30	2.75	WAIT ON CEMENT	
8/3/25	12:30	13:00	0.50	TIH TAG TOC 5639'	
8/3/25	13:00	13:30	0.50	POOH LD TO 4294' 136 JTS	
8/3/25	13:30	13:45	0.25	MIRU CEMENTERS. HOLD JSA MEETING. CMT COMPANY: (SLB).	
8/3/25	13:45	14:00	0.25	PUMP 281 SX, 15.8 PPG 1.18 CF/SX CLASS G CEMENT, (SUSX BLEND) BALANCE PLUG: (YES), TOC 3800 FT, BOC 4294 FT SQUEEZE: (NO), EQUIPMENT: (NONE) DEPTH: 0 FT, BOTTOM (OH): 4294 FT, TOP (NA): 0 FT, TOC IN CSG: 0FT	
8/3/25	14:00	15:30	1.50	POOH LD 3217'	
8/3/25	15:30	18:00	2.50	WOC. CAL TOC 3795'	
8/3/25	18:00	18:30	0.50	TIH TAG TOC AT 3795. LD 21 JOINTS. 82 IN HOLE AT 2585'.	

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM
Project:	COLORADO - WELD			Site:	T03N-R62W-S06
Event:	ABANDONMENT			Rig Name:	ENSIGN 122
Start Date:	7/29/25			End Date:	8/12/25
Datum:	RKB @ 4724			Well UWI:	0512310359
Report Date	Time From	Time To	Duration (hr)	Operation	
8/3/25	18:30	19:50	1.33	MIRU CEMENTERS. HOLD JSA MEETING. CMT COMPANY: (SLB).	
8/3/25	19:50	20:05	0.25	PUMP 200 SX, 1.17 PPG 15.8 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (YES), TOC 1760 FT, BOC 2585 FT SQUEEZE: (NO), EQUIPMENT: (NONE) DEPTH: 0 FT, BOTTOM (PERF): 0 FT, TOP (PERF): 0 FT, TOC IN CSG: 0FT	
8/3/25	20:05	21:30	1.42	TOH LD 34 JOINTS TO 1515'.	
8/3/25	21:30	22:00	0.50	TURN HOLE OVER 2X	
8/3/25	22:00	0:00	2	WOC.	
8/4/25	0:00	0:45	0.75	TIH TAG TOC 2019'.	
8/4/25	0:45	1:25	0.67	TOH LD 16 JOINTS. EOT 1515'.	
8/4/25	1:25	1:45	0.33	COA. NO MIGRATION.	
8/4/25	1:40	1:45	0.08	MIRU CEMENTERS. HOLD JSA MEETING. CMT COMPANY: (SLB).	
8/4/25	1:45	2:15	0.50	PUMP 342 SX, 1.17 PPG 15.8 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (YES), TOC 890 FT, BOC 1515 FT SQUEEZE: (NO), EQUIPMENT: (NONE) DEPTH: 0 FT, BOTTOM (PERF): 0 FT, TOP (PERF): 0 FT, TOC IN CSG: 0FT	
8/4/25	2:15	2:45	0.50	TOH TO JOINT 19 AT 602'.	
8/4/25	2:45	3:00	0.25	TURN HOLE OVER 2X.	
8/4/25	3:00	5:45	2.75	WOC.	
8/4/25	5:45	6:00	0.25	CREW CHANGE / JSA	
8/4/25	6:00	7:00	1	TIH TAG 706". LD TO JOINT 16 AT 507'.	
8/4/25	7:00	7:30	0.50	CIRC BOTTOMS UP	
8/4/25	7:30	8:00	0.50	MIRU CEMENTERS. HOLD JSA MEETING. CMT COMPANY: (SLB).	
8/4/25	8:00	9:00	1	PUMP 340 SX, 1.18 PPG 15.8 CF/SX CLASS G CEMENT, (AGM BLEND) BALANCE PLUG: (YES), TOC 0 FT, BOC 500 FT SQUEEZE: (NO), EQUIPMENT: (NONE) DEPTH: 0 FT, BOTTOM (PERF): 0 FT, TOP (PERF): 0 FT, TOC IN CSG: 0FT	

Well:	CHRISTENSEN 6-9			Spud Date:	9/9/1981 12:00:00 AM
Project:	COLORADO - WELD			Site:	T03N-R62W-S06
Event:	ABANDONMENT			Rig Name:	ENSIGN 122
Start Date:	7/29/25			End Date:	8/12/25
Datum:	RKB @ 4724			Well UWI:	0512310359
Report Date	Time From	Time To	Duration (hr)	Operation	
8/4/25	9:00	9:30	0.50	POOH LD ALL DP TOP WELL WITH CEMENT, CMEN IS ALL THE WAY TO SURFACE.	
8/4/25	9:30	11:00	1.50	NIPPLE DOWN BOP, CHANGE OUT PIPE RAMS	
8/4/25	11:00	18:00	7	RIG DOWN RIG, CLEAN TANKS, DRAIN FLUIDS IN TANKS, CLEAN UP LOCATION, PREPARE RIG FOR MOVING. AM	
8/4/25				FOUR HOUR BUILDUB CONDUCTED AT TOC 1515' ALL VALVES SHOWED 0 PSI & WITH NO LELS OR SIGNS OF ANY GAS MIGRATION. 08/04/2025	
8/4/25				SC SHOE PUMP AT 8:00 AM 08/04/2025 CEMENT CIRCULATED TO SURFACE SO NO TAG REQUIRED.	
8/4/25				EATCH PLUG PUMPED WAS AT LEAST 100' 08/04/2025	
8/5/25	0:00	12:00	12	RIG DOWN RIG / CLEAN TANKS	
8/12/25	8:00	9:00	1	DUG UP SURFACE CASING	
8/12/25	8:00	9:00	1	(VISUAL) CHECK FOR 15 MINUTES. ISOLATION CONFIRMED (YES)OTHER METHOD:	
8/12/25	9:00	10:00	1	CUT CASING 6' BELOW GL, 8 5/8 CEMENT AT 13 FEET, FILLED CASING STUB WITH 2 BAGS OF 5000 PSI CEMENT. CEMENT TO SURFACE.	
8/12/25	10:00	11:00	1	CAPPED CASING WITH A METAL PLATE CONTAINING WELL INFO	
8/12/25	11:00	12:00	1	BACKFILLED	