

State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



ECMC RECEPTION

Receive Date: 03/27/2025

Document Number: 404057475

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

ECMC Operator Number: 10633 Contact Person: Fred Kayser
Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (970) 396-4900
Address: 555 17TH STREET SUITE 3700 Email: fkayser@civiresources.com
City: DENVER State: CO Zip: 80202
Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No []

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 439067 Location Type: Production Facilities
Name: Ruhl Facility Number: 32H-B264
County: WELD
Qtr Qtr: NENE Section: 32 Township: 2N Range: 64W Meridian: 6
Latitude: 40.100188 Longitude: -104.567410

Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473709 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439042 Location Type: Well Site
Name: Ruhl Number: 32H-B264 East
County: WELD No Location ID
Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6
Latitude: 40.101448 Longitude: -104.570837

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: _____ Date Construction Completed: 06/17/2015
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473706 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439041 Location Type: Well Site
Name: Ruhl Number: 32H-B264 West
County: WELD No Location ID
Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6
Latitude: 40.101439 Longitude: -104.573669

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: _____ Date Construction Completed: 06/17/2015
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473712 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439042 Location Type: Well Site

Name: Ruhl Number: 32H-B264 East

County: WELD No Location ID

Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6

Latitude: 40.101448 Longitude: -104.570837

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: _____ Date Construction Completed: 06/17/2015

Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473713 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439041 Location Type: Well Site

Name: Ruhl Number: 32H-B264 West

County: WELD No Location ID

Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6

Latitude: 40.101439 Longitude: -104.573669

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: _____ Date Construction Completed: 06/17/2015
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473705 Flowline Type: Wellhead Line Action Type: Abandonment Verification

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439041 Location Type: Well Site
Name: Ruhl Number: 32H-B264 West
County: WELD No Location ID
Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6
Latitude: 40.101439 Longitude: -104.573669

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 06/17/2015
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Abandonment Verification

Date: 01/03/2025

Abandonment Verification

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).

Jurisdiction	County	Municipality
County	WELD	N/A

Description of Abandonment Verification:

The flowline serving the Ruhl 1F-32H-B264 (05-123-40283) was abandoned in place as per Rule 1105.d and verified by a third party. See attached.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473710 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439041 Location Type: Well Site
Name: Ruhl Number: 32H-B264 West
County: WELD No Location ID
Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6
Latitude: 40.101439 Longitude: -104.573669

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Date Construction Completed: 06/17/2015
Maximum Anticipated Operating Pressure (PSI): Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473711 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439041 Location Type: Well Site
Name: Ruhl Number: 32H-B264 West
County: WELD No Location ID
Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6
Latitude: 40.101439 Longitude: -104.573669

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Date Construction Completed: 06/17/2015
Maximum Anticipated Operating Pressure (PSI): Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473714 Flowline Type: Wellhead Line Action Type: Abandonment Verification

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439042 Location Type: Well Site
Name: Ruhl Number: 32H-B264 East
County: WELD No Location ID
Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6
Latitude: 40.101448 Longitude: -104.570837

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 06/17/2015
Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Abandonment Verification

Date: 01/03/2025

Abandonment Verification

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).

Jurisdiction	County	Municipality
County	WELD	N/A

Description of Abandonment Verification:

The flowline serving the Ruhl 1G-32H-B264 (05-123-40286) was abandoned in place as per Rule 1105.d and verified by a third party. See attached.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473715 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439041 Location Type: Well Site
Name: Ruhl Number: 32H-B264 West

County: WELD

No Location ID

Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6

Latitude: 40.101439 Longitude: -104.573669

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: _____ Date Construction Completed: 06/17/2015

Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473708 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439042 Location Type: Well Site

Name: Ruhl Number: 32H-B264 East

County: WELD No Location ID

Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6

Latitude: 40.101448 Longitude: -104.570837

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000

Bedding Material: _____ Date Construction Completed: 06/17/2015

Maximum Anticipated Operating Pressure (PSI): _____ Testing PSI: _____

Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 473707 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439042 Location Type: Well Site
Name: Ruhl Number: 32H-B264 East
County: WELD No Location ID
Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6
Latitude: 40.101448 Longitude: -104.570837

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Date Construction Completed: 06/17/2015
Maximum Anticipated Operating Pressure (PSI): Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date:

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: Flowline Type: Wellhead Line Action Type: Registration

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 439042 Location Type: Well Site
Name: Ruhl Number: 32H-B264 East
County: WELD No Location ID
Qtr Qtr: NWNE Section: 32 Township: 2N Range: 64W Meridian: 6
Latitude: 40.101448 Longitude: -104.570837

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 06/17/2015
Maximum Anticipated Operating Pressure (PSI): 350 Testing PSI: 160
Test Date: 09/25/2024

OPERATOR COMMENTS AND SUBMITTAL

Comments

Form 44 filed to report POST-ABANDONMENT verification. The following flowlines were abandoned in place:
12340286_FL: services the Ruhl 1G-32H-B264 (05-123-40286)
12340283_FL: services the Ruhl 1F-32H-B264 (05-123-40283)
Third party verification attached.

Form 44 filed to REGISTER additional flowlines at this location.
12340278_FL: services the Ruhl 1L-32H-B264 (05-123-40278)
This flowline was constructed in 2015 prior to the 1100 series requirements were implemented; therefore, the original pressure test is not available. The most recently conducted pressure test is attached.

Updated GIS data attached.
All other related flowlines will remain as previously reported.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.
Signed: _____ Date: 03/27/2025 Email: flowlines@civiresources.com

Print Name: Stephany Olsen Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____ **Director of ECMC** Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type

Description

--	--

ATTACHMENT LIST

Att Doc Num

Name

404064957	THIRD PARTY VERIFICATION
404064959	THIRD PARTY VERIFICATION
404129509	OFF-LOCATION FLOWLINE GIS SHP
404132477	PRESSURE TEST

Total Attach: 4 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)