

State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



ECMC RECEPTION Receive Date: 02/03/2025 Document Number: 404048494

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

ECMC Operator Number: 10633 Contact Person: James Miller Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 984-7460 Address: 555 17TH STREET SUITE 3700 Email: jmiller@civiresources.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No []

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 317599 Location Type: Production Facilities Name: KAWAKAMI-63N67W Number: 35SENE County: WELD Qtr Qtr: SENE Section: 35 Township: 3N Range: 67W Meridian: 6 Latitude: 40.185216 Longitude: -104.852272

Description of Corrosion Protection

Crestones pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestones flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466109 Flowline Type: Wellhead Line Action Type: Abandonment Verification

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 336137 Location Type: Well Site
Name: KAWAKAMI-63N67W Number: 35NENE
County: WELD No Location ID
Qtr Qtr: NENE Section: 35 Township: 3N Range: 67W Meridian: 6
Latitude: 40.187700 Longitude: -104.850550
Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 06/29/1999
Maximum Anticipated Operating Pressure (PSI): 700 Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Abandonment Verification

Date: 11/08/2024

Abandonment Verification

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).

Jurisdiction	County	Municipality
County	WELD	N/A

Description of Abandonment Verification:

The flowline serving the Kawakami 41-35 (05-123-19760) was partially abandoned in place as per Rule 1105.d and verified by a third party. A segment from the wellhead to the edge of the nearby field was removed, the remainder was abandoned in place. See attached exhibit for flowline path. Where the flowline segments were removed, the trench was backfilled and the land surface was graded.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466110 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 330718 Location Type: Well Site
Name: KAWAKAMI-63N67W Number: 35SWNE
County: WELD No Location ID
Qtr Qtr: SWNE Section: 35 Township: 3N Range: 67W Meridian: 6
Latitude: 40.183436 Longitude: -104.856332
Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 04/15/1998
Maximum Anticipated Operating Pressure (PSI): 700 Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: 11/10/2022

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

The flowline serving the Kawakami 32-35 (05-123-19505) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 5/5/2019.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466111 Flowline Type: Wellhead Line Action Type:

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 330953 Location Type: Well Site
Name: KAWAKAMI-63N67W Number: 35SENE
County: WELD No Location ID
Qtr Qtr: SENE Section: 35 Township: 3N Range: 67W Meridian: 6
Latitude: 40.182856 Longitude: -104.850312

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 01/05/2001
Maximum Anticipated Operating Pressure (PSI): 130 Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: 11/10/2022

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

The flowline (12319928_FL) servicing the Kawakami 42-35 (05-123-19928) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 2/7/2022.

OPERATOR COMMENTS AND SUBMITTAL

Comments Form 44 filed to report POST-ABANDONMENT verification. The following flowline was partially abandoned in place and partially removed:
12319760_FL: services the Kawakami 41-35 (05-123-19760)

Third party verification attached.
Updated GIS data attached.
All other related flowlines will remain as previously reported.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 02/03/2025 Email: flowlines@civiresources.com

Print Name: Stephany Olsen Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____ **Director of ECMC** Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type

Description

--	--

ATTACHMENT LIST

Att Doc Num

Name

404061008	THIRD PARTY VERIFICATION
404078295	OFF-LOCATION FLOWLINE GIS SHP
404078801	PROPOSED ABANDONMENT LAYOUT DRAWING

Total Attach: 3 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)