

State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION Receive Date: 08/02/2023 Document Number: 403406959

Off-Location Flowline

The Flowline Report, Form 44, shall be submitted to register, report realignment, report removal from service, provide pre-abandonment notices, or report abandonment of Off-Location Flowlines, Flowline Systems, Produced Water Transfer Systems, or Crude Oil Transfer Lines or Systems as required by the 1100 Series Rules. The Form 44 shall also be submitted to register, report realignment, or report abandonment of Domestic Taps, and to report Grade 1 Gas Leaks from Flowlines per Rules 610 and 906.

Operator Information

OGCC Operator Number: 10633 Contact Person: James Miller Company Name: CRESTONE PEAK RESOURCES OPERATING LLC Phone: (720) 984-7460 Address: 1801 CALIFORNIA STREET #2500 Email: jmiller@civiresources.com City: DENVER State: CO Zip: 80202 Is the Operator a Tier One member of the Utility Notification Center of Colorado (CO811) that participates in Colorado's One Call notification system? Yes [X] No []

OFF LOCATION FLOWLINE

FLOWLINE ENDPOINT LOCATION IDENTIFICATION

Location ID: 322889 Location Type: Production Facilities Name: Rasmussen Number: 28 Facilities County: WELD Qtr: NWNW Section: 28 Township: 2N Range: 68W Meridian: 6 Latitude: 40.113460 Longitude: -105.013980

Description of Corrosion Protection

Crestone pipelines are covered in a protective external coating. Flowlines are subject to thorough inspections and fabrication standards during installation to minimize coating and pipe defects. Crestone maintains a chemical program to reduce internal corrosion. If a flowline is found to lack integrity, Crestone will investigate, report, and remediate any spills in accordance with the 900 series rules.

Description of Integrity Management Program

Crestone flowlines are pressure tested prior to placing flowlines into service. Flowlines are tested on an annual basis in accordance with COGCC 1104 series rules. If a flowline is found to lack integrity, Crestone will investigate the root cause, as well as report and remediate any spills in accordance with the 900 series rules. All repairs will be completed in accordance with COGCC 1102 Series rules.

Description of the construction method used for public by-ways, road crossings, sensitive wildlife habitats, sensitive areas, and natural and manmade watercourses (i.e., open trench, bored and cased, or bored only), if applicable.

N/A

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466033 Flowline Type: Wellhead Line Action Type: Out of Service

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 333145 Location Type: Well Site
Name: RASMUSSEN 62N68W Number: 28SENW MULTIWEL
County: WELD No Location ID
Qtr Qtr: SENW Section: 28 Township: 2N Range: 68W Meridian: 6
Latitude: 40.111528 Longitude: -105.010775

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 06/21/2013
Maximum Anticipated Operating Pressure (PSI): 60 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Out of Service

Date: 10/12/2022 Entire Line Removal Partial Line Removal

Description of Out of Service:

The flowline (12332896_FL) servicing the Rasmussen 2-4-28 (05-123-32896) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 7/26/2019.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466038 Flowline Type: Wellhead Line Action Type: Out of Service

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 333138 Location Type: Well Site
Name: RASMUSSEN-62N68W Number: 28NENW
County: WELD No Location ID
Qtr Qtr: NENW Section: 28 Township: 2N Range: 68W Meridian: 6
Latitude: 40.115125 Longitude: -105.010573

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 02/15/2004
Maximum Anticipated Operating Pressure (PSI): 60 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Out of ServiceDate: 10/12/2022 Entire Line Removal Partial Line Removal**Description of Out of Service:**

The flowline (12321710_FL) servicing the Rasmussen 21-28 (05-123-21710) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 7/26/2019.

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 466040 Flowline Type: Wellhead Line Action Type: Out of Service**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 333145 Location Type: Well Site
 Name: RASMUSSEN 62N68W Number: 28SEnw MULTIWEL
 County: WELD No Location ID
 Qtr Qtr: SEnw Section: 28 Township: 2N Range: 68W Meridian: 6
 Latitude: 40.111528 Longitude: -105.010775

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
 Bedding Material: Native Materials Date Construction Completed: 06/21/2013
 Maximum Anticipated Operating Pressure (PSI): 60 Testing PSI: _____
 Test Date: _____

OFF LOCATION FLOWLINE Out of ServiceDate: 10/12/2022 Entire Line Removal Partial Line Removal**Description of Out of Service:**

The flowline (12332893_FL) servicing the Rasmussen 4-2-28 (05-123-32893) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 7/26/2019.

FLOWLINE FACILITY INFORMATIONFlowline Facility ID: 466035 Flowline Type: Wellhead Line Action Type: Out of Service**OFF LOCATION FLOWLINE REGISTRATION**Equipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 333145 Location Type: Well Site
 Name: RASMUSSEN 62N68W Number: 28SEnw MULTIWEL
 County: WELD No Location ID
 Qtr Qtr: SEnw Section: 28 Township: 2N Range: 68W Meridian: 6
 Latitude: 40.111528 Longitude: -105.010775

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 06/20/2013
Maximum Anticipated Operating Pressure (PSI): 60 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Out of Service

Date: 10/12/2022

Entire Line Removal

Partial Line Removal

Description of Out of Service:

The flowline (12332895_FL) servicing the Rasmussen 4-0-28 (05-123-32895) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 7/26/2019.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466036 Flowline Type: Wellhead Line Action Type: _____

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 333145 Location Type: Well Site
Name: RASMUSSEN 62N68W Number: 28SENW MULTIWEL
County: WELD No Location ID
Qtr Qtr: SENW Section: 28 Township: 2N Range: 68W Meridian: 6
Latitude: 40.111528 Longitude: -105.010775

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 03/05/2005
Maximum Anticipated Operating Pressure (PSI): 60 Testing PSI: _____
Test Date: _____

OFF LOCATION FLOWLINE Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification

Date: _____

Description of Realignment, Out of Service, Pre-Abandonment Notice, or Abandonment Verification:

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466034 Flowline Type: Wellhead Line Action Type: Out of Service

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 333145 Location Type: Well Site
Name: RASMUSSEN 62N68W Number: 28SENW MULTIWEL
County: WELD No Location ID
Qtr Qtr: SENW Section: 28 Township: 2N Range: 68W Meridian: 6
Latitude: 40.111528 Longitude: -105.010775

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 06/20/2013
Maximum Anticipated Operating Pressure (PSI): 60 Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Out of Service

Date: 10/12/2022 Entire Line Removal Partial Line Removal

Description of Out of Service:

The flowline (12332897_FL) servicing the Rasmussen 4-4-28 (05-123-32897) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 7/26/2019.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466037 Flowline Type: Wellhead Line Action Type: Out of Service

OFF LOCATION FLOWLINE REGISTRATION

Equipment at End Point Riser: Separator

Flowline Start Point Location Identification

Location ID: 333145 Location Type: Well Site
Name: RASMUSSEN 62N68W Number: 28SENW MULTIWEL
County: WELD No Location ID
Qtr Qtr: SENW Section: 28 Township: 2N Range: 68W Meridian: 6
Latitude: 40.111528 Longitude: -105.010775

Equipment at Start Point Riser: Well

Flowline Description and Testing

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
Bedding Material: Native Materials Date Construction Completed: 06/20/2013
Maximum Anticipated Operating Pressure (PSI): 60 Testing PSI:
Test Date:

OFF LOCATION FLOWLINE Out of ServiceDate: 10/12/2022 Entire Line Removal Partial Line Removal**Description of Out of Service:**

The flowline (12332894_FL) servicing the Rasmussen 11-28 (05-123-32894) is now out of service as per rule 1102.O.(2). The most recent successful pressure test was conducted 7/26/2019.

FLOWLINE FACILITY INFORMATION

Flowline Facility ID: 466039 Flowline Type: Wellhead Line Action Type: Abandonment Verification

OFF LOCATION FLOWLINE REGISTRATIONEquipment at End Point Riser: Separator**Flowline Start Point Location Identification**

Location ID: 333145 Location Type: Well Site
 Name: RASMUSSEN 62N68W Number: 28SEW MULTIWEL
 County: WELD No Location ID
 Qtr Qtr: SEW Section: 28 Township: 2N Range: 68W Meridian: 6
 Latitude: 40.111528 Longitude: -105.010775

Equipment at Start Point Riser: Well**Flowline Description and Testing**

Type of Fluid Transferred: Multiphase Pipe Material: Carbon Steel Max Outer Diameter:(Inches) 2.000
 Bedding Material: Native Materials Date Construction Completed: 06/21/2013
 Maximum Anticipated Operating Pressure (PSI): 60 Testing PSI: _____
 Test Date: _____

OFF LOCATION FLOWLINE Abandonment VerificationDate: 05/04/2023**Abandonment Verification**

The abandoned Off-Location Flowline was located within the jurisdiction(s) of the following local government(s).

(No Jurisdiction)

Description of Abandonment Verification:

The flowline (12321362_FL) serviced the Rasmussen 12-28 (05-123-21362). It was abandoned in place as per Rule 1105.d. See attached exhibit for third party verification.

OPERATOR COMMENTS AND SUBMITTAL

Comments

Form 44 filed to report POST-ABANDONMENT verification. The following flowline(s) were abandoned in place:
12321362_FL: serviced Rasmussen 12-28 (05-123-21362)
Pressure test attached.
Third party verification attached.
The 12321362_FL was abandoned in place and does not have any associated spill/releases reported on a Form 19.

Form 44 filed to report STATUS CHANGE notification. The following flowline(s) are now out of service:
12321710_FL: services the Rasmussen 21-28 (05-123-21710)
12332894_FL: services the Rasmussen 11-28 (05-123-32894)
12332896_FL: services the Rasmussen 2-4-28 (05-123-32896)
12332895_FL: services the Rasmussen 4-0-28 (05-123-32895)
12332893_FL: services the Rasmussen 4-2-28 (05-123-32893)
12332897_FL: services the Rasmussen 4-4-28 (05-123-32897)

Updated GIS data attached.
All other flowlines will remain as previously reported.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 08/02/2023 Email: regulatory@civiresources.com

Print Name: Stephany Olsen Title: Sr. Regulatory Analyst

Based on the information provided herein, this Flowline Report complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: _____

Conditions of Approval

COA Type

Description

--	--

Attachment Check List

Att Doc Num

Name

403427429	PRESSURE TEST
403477117	OFF-LOCATION FLOWLINE GIS SHP
403480271	THIRD PARTY VERIFICATION

Total Attach: 3 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval

Total: 0 comment(s)