

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>404333139</u>			
Date Received: <u>08/27/2025</u>			

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>10651</u>	Contact Name <u>William Blust</u>
Name of Operator: <u>VERDAD RESOURCES LLC</u>	Phone: <u>(239) 465-1052</u>
Address: <u>1125 17TH STREET SUITE 600</u>	Fax: ()
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>wblust@quandaryconsultants.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION

API Number : 05- 123 00 ID Number: 441041

Name: Martin Number: 3030-3031

Location QtrQtr: SWSW Section: 30 Township: 9N Range: 59W Meridian: 6

County: WELD Field Name: DJ HORIZONTAL NIOBRARA

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
441041	Martin 3030-3031

OGDP(s)

No OGDP

GROUNDWATER SAMPLING

Uses of Groundwater Sampling Section

Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or to request exceptions to the requirements in previous Rules 318A.f and 609.
Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements described in Rules 615.c.(3) and 907.b.(9).A or requirements in previous Rules 318A.f and 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Groundwater Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- Request an Exception to Groundwater Sampling Requirements per previous Rule 318A.f: There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or previous Rule 609.c.
 - 1 Number of Water Sources located within one-half mile of an oil or gas well or multi-well site (Rule 615.c) or within one (1) mile of a Centralized E&P Waste Management Facility (Rule 907.b.(9)).
 - 4 Number of Water Source Exceptions requested per Rule 615.c or Rule 907.b.(9).
 - 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
 - 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 615.d.(3) and 907.b.(9) or as described in previous Rules 318A.f.(2).A and 609.d.(3).

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

An exception is requested because there was only one (1) suitable water well within 1/2 mile of the Martin 3030 location. The owner of the one suitable water well did not grant permission to sample their well for this sampling event. No other water wells are within the 1/2 mile radius. 4 exceptions are requested.
 This exception request applies to the following wells:
 Martin 3030 #03H 05-123-41240
 Martin 3030 #02H 05-123-41241
 Martin 3030 #01H 05-123-41245
 Martin Fed 3031 #02H 05-123-51382
 Martin Fed 3031 #01H 05-123-51383
 Martin Fed 3031 #04H 05-123-51384
 Martin Fed 3031 #03H 05-123-51385

Operator Comments:

An exception is requested because there was only one (1) suitable water well within 1/2 mile of the Martin 3030 location. The owner of the one suitable water well did not grant permission to sample their well for this sampling event. No other water wells are within the 1/2 mile radius. 4 exceptions are requested.
 This exception request applies to the following wells:
 Martin 3030 #03H 05-123-41240
 Martin 3030 #02H 05-123-41241
 Martin 3030 #01H 05-123-41245
 Martin Fed 3031 #02H 05-123-51382
 Martin Fed 3031 #01H 05-123-51383
 Martin Fed 3031 #04H 05-123-51384
 Martin Fed 3031 #03H 05-123-51385

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: William Blust
 Title: Environmental Scientist Email: wblust@quandaryconsultants.com Date: 8/27/2025

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: KOEPSSELL, ARTHUR Date: 9/27/2025

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type	Description
0 COA	

General Comments

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)

ATTACHMENT LIST

Att Doc Num	Name
404333139	SUNDRY NOTICE APPROVED-GW
404333178	OTHER
404333183	REFERENCE AREA MAP
404370796	FORM 4 SUBMITTED
Total Attach: 4 Files	