

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>404336010</u>			
Date Received: <u>08/29/2025</u>			

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>3104</u>	Contact Name <u>Schuyler Hamilton</u>
Name of Operator: <u>ANSCHUTZ EXPLORATION CORP</u>	Phone: <u>(303) 299-1599</u>
Address: <u>555 17TH ST STE 2400</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>Schuyler.Hamilton@aec-denver.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION

API Number : 05- 103 00 ID Number: 487080

Name: Mohee Fed Number: 0297-17

Location QtrQtr: SWNE Section: 17 Township: 2N Range: 97W Meridian: 6

County: RIO BLANCO Field Name: _____

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
487080	Mohee Fed 0297-17

OGDP(s)

OGDP ID	OGDP Name
486413	Mohee Fed 0297-17

GROUNDWATER SAMPLING

Uses of Groundwater Sampling Section

Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or to request exceptions to the requirements in previous Rules 318A.f and 609.

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements described in Rules 615.c.(3) and 907.b.(9).A or requirements in previous Rules 318A.f and 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Groundwater Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- Request an Exception to Groundwater Sampling Requirements per previous Rule 318A.f: There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request exceptions to current Groundwater sampling requirements in Rules 615.c and 907.b.(9) or previous Rule 609.c.
 - 0 Number of Water Sources located within one-half mile of an oil or gas well or multi-well site (Rule 615.c) or within one (1) mile of a Centralized E&P Waste Management Facility (Rule 907.b.(9)).
 - 4 Number of Water Source Exceptions requested per Rule 615.c or Rule 907.b.(9).
 - 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
 - 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**

Request a previously sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 615.d.(3) and 907.b.(9) or as described in previous Rules 318A.f.(2).A and 609.d.(3).

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Operator Comments:

This form is being submitted to request an exception to groundwater sampling requirements pursuant to Rule 615.c.1. There are no available water sources located within a half-mile radius of the proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well. No additional water sources were identified within the quarter sections intersecting the half-mile buffer.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Schuyler Hamilton
 Title: Env. Compliance Analyst Email: Schuyler.Hamilton@aec-denver.com Date: 8/29/2025

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: KOEPSSELL, ARTHUR Date: 9/29/2025

CONDITIONS OF APPROVAL, IF ANY LIST

<u>COA Type</u>	<u>Description</u>
0 COA	

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
404336010	SUNDRY NOTICE APPROVED-GW
404336024	OTHER
404371053	FORM 4 SUBMITTED

Total Attach: 3 Files