

TABLE 1
 915-1 Organic Analytes - Soil Samples
 T137-1 Comprehensive Sampling 6/13

lab sdg	lab sdg
L1869905	L1869905

Notes:
 Bold and Pink, Yellow, or Blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL).
 Pink cells indicate an exceedance of the Residential SSL also exceeds the Protection of Groundwater SSL except for benzo(a)pyrene.
 NE indicates that SSLs have not been established for this parameter.
 Pace National-Laboratory non-detections reported by the laboratory prior to 5/9/2025 are reported as less than (" $<$ ") the laboratory method detection limit. Pace National-Laboratory non-detections reported by the laboratory beginning on 5/9/2025 and Enthalpy - Laboratory non-detections are reported as less than (" $<$ ") the limit of quantitation.
 Italic values indicate that the laboratory-reported method detection limit and/or quantitation limit associated with the non-detected result is higher than the threshold concentration.
 Sampling and analysis is being performed in accordance with the approved ESAP.
 ND represents not-detected for calculated results that do not have a laboratory reporting limit. All results associated with the calculation of the analyte were not-detected.
 Soil TPH = (total volatile and extractable hydrocarbons).
 (DUP) indicates Field Duplicate Samples.
 ECMC = Colorado Energy and Carbon Management Commission

Data Qualifiers
 U: The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
 R: The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
 J: The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 J+: The result is an estimated quantity, but the result may be biased high.
 J-: The result is an estimated quantity, but the result may be biased low.
 UJ: The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

Units:
 mg/kg = Milligrams per kilogram

TABLE 1
915-1 Organic Analytes - Soil Samples
T137-1 Comprehensive Sampling 6/13

Sample ID	Location	Sample Date	Depth	Sample Purpose	SW8270-SIM									
					1-METHYLNAPHTHALENE	2-METHYLNAPHTHALENE	ACENAPHTHENE	ANTHRACENE	BENZO(A)ANTHRACENE	BENZO(A)PYRENE	BENZO(B)FLUORANTHENE	BENZO(K)FLUORANTHENE	CHRYSENE	
					mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	
ECMC Table 915-1 Limits (Soil TPH)					NE	NE	NE	NE	NE	NE	NE	NE	NE	
ECMC Table 915-1 Limits (Residential SSL)					18	24	360	1800	1.1	0.11	1.1	11	110	
ECMC Table 915-1 Limits (Protection of Groundwater SSL)					0.006	0.019	0.55	5.8	0.011	0.24	0.3	2.9	9	
GACO0613T137-1CRS001	T137-1CRS001	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00356 U	<0.0142 U	<0.0392 U	<0.0392 U	<0.00712 U	<0.0392 U	<0.0392 U	<0.0392 U	<0.0392 U	
GACO0613T137-1CRS001	T137-1CRS001 (DUP)	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0035 U	<0.014 U	<0.0385 U	<0.0385 U	<0.007 U	<0.0385 U	<0.0385 U	<0.0385 U	<0.0385 U	
GACO0613T137-1CRS002	T137-1CRS002	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00356 U	<0.0142 U	<0.0391 U	<0.0391 U	<0.00711 U	<0.0391 U	<0.0391 U	<0.0391 U	<0.0391 U	
GACO0613T137-1CRS003	T137-1CRS003	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00331 U	<0.0132 U	<0.0364 U	<0.0364 U	<0.00662 U	<0.0364 U	<0.0364 U	<0.0364 U	<0.0364 U	
GACO0613T137-1CRS004	T137-1CRS004	06/13/2025	0-0.5 feet	Assessment/Delineation	0.00432	<0.0156 U	<0.043 U	<0.043 U	<0.00782 U	<0.043 U	<0.043 U	<0.043 U	<0.043 U	
GACO0613T137-1CRS005	T137-1CRS005	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00328 U	<0.0131 U	<0.0361 U	<0.0361 U	<0.00656 U	<0.0361 U	<0.0361 U	<0.0361 U	<0.0361 U	
GACO0613T137-1CRS006	T137-1CRS006	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00349 U	<0.014 U	<0.0384 U	<0.0384 U	<0.00698 U	<0.0384 U	<0.0384 U	<0.0384 U	<0.0384 U	
GACO0613T137-1CRS007	T137-1CRS007	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00332 U	<0.0133 U	<0.0365 U	<0.0365 U	<0.00664 U	<0.0365 U	<0.0365 U	<0.0365 U	<0.0365 U	
GACO0613T137-1CRS008	T137-1CRS008	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00347 U	<0.0139 U	<0.0382 U	<0.0382 U	<0.00695 U	<0.0382 U	<0.0382 U	<0.0382 U	<0.0382 U	
GACO0613T137-1CRS009	T137-1CRS009	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00398 U	<0.0159 U	<0.0438 U	<0.0438 U	<0.00797 U	<0.0438 U	<0.0438 U	<0.0438 U	<0.0438 U	
GACO0613T137-1CRS010	T137-1CRS010	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00337 U	<0.0135 U	<0.037 U	<0.037 U	<0.00673 U	<0.037 U	<0.037 U	<0.037 U	<0.037 U	
GACO0613T137-1CRS011	T137-1CRS011	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00439 U	<0.0175 U	<0.0482 U	<0.0482 U	<0.00877 U	<0.0482 U	<0.0482 U	<0.0482 U	<0.0482 U	
GACO0613T137-1CRS012	T137-1CRS012	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00324 U	<0.0129 U	<0.0356 U	<0.0356 U	<0.00647 U	<0.0356 U	<0.0356 U	<0.0356 U	<0.0356 U	
GACO0613T137-1CRS012	T137-1CRS012 (DUP)	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00327 U	<0.0131 U	<0.036 U	<0.036 U	<0.00655 U	<0.036 U	<0.036 U	<0.036 U	<0.036 U	
GACO0613T137-1CRS013	T137-1CRS013	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00322 U	<0.0129 U	<0.0355 U	<0.0355 U	<0.00645 U	<0.0355 U	<0.0355 U	<0.0355 U	<0.0355 U	
GACO0613T137-1CRS014	T137-1CRS014	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00316 U	<0.0126 U	<0.0347 U	<0.0347 U	<0.00631 U	<0.0347 U	<0.0347 U	<0.0347 U	<0.0347 U	
GACO0613T137-1CRS015	T137-1CRS015	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00366 U	<0.0146 U	<0.0402 U	<0.0402 U	0.048	<0.0402 U	0.0528 J+	<0.0402 U	<0.0402 U	
GACO0613T137-1CRS016	T137-1CRS016	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.00343 U	<0.0137 U	<0.0377 U	<0.0377 U	<0.00685 U	<0.0377 U	<0.0377 U	<0.0377 U	<0.0377 U	

Notes:
 Bold and Pink, Yellow, or Blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL).
 Pink cells indicate an exceedance of the Residential SSL also exceeds the Protection of Groundwater SSL except for benzo(a)pyrene.
 NE indicates that SSLs have not been established for this parameter.
 Pace National-Laboratory non-detections reported by the laboratory prior to 5/9/2025 are reported as less than ("<") the laboratory method detection limit. Pace National-Laboratory non-detections reported by the laboratory beginning on 5/9/2025 and Enthalpy - Laboratory non-detections are reported as less than ("<") the limit of quantitation.
 Italic values indicate that the laboratory-reported method detection limit and/or quantitation limit associated with the non-detected result is higher than the threshold concentration.
 Sampling and analysis is being performed in accordance with the approved ESAP.
 ND represents not-detected for calculated results that do not have a laboratory reporting limit. All results associated with the calculation of the analyte were not-detected.
 Soil TPH = (total volatile and extractable hydrocarbons).
 (DUP) indicates Field Duplicate Samples.
 ECMC = Colorado Energy and Carbon Management Commission

Data Qualifiers
 U: The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
 R: The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
 J: The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 J+: The result is an estimated quantity, but the result may be biased high.
 J-: The result is an estimated quantity, but the result may be biased low.
 UJ: The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

Units:
 mg/kg = Milligrams per kilogram

TABLE 1
915-1 Organic Analytes - Soil Samples
T137-1 Comprehensive Sampling 6/13

Sample ID	Location	Sample Date	Depth	Sample Purpose	SW8270-SIM						SW8260		
					DIBENZ(A,H)ANTHRACENE	FLUORANTHENE	FLUORENE	INDENO(1,2,3-CD)PYRENE	NAPHTHALENE	PYRENE	1,2,4-TRIMETHYLBENZENE	1,3,5-TRIMETHYLBENZENE	BENZENE
					mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
ECMC Table 915-1 Limits (Soil TPH)					NE	NE	NE	NE	NE	NE	NE	NE	NE
ECMC Table 915-1 Limits (Residential SSL)					0.11	240	240	1.1	2	180	30	27	1.2
ECMC Table 915-1 Limits (Protection of Groundwater SSL)					0.096	8.9	0.54	0.98	0.0038	1.3	0.0081	0.0087	0.0026
GACO0613T137-1CRS001	T137-1CRS001	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0392 U	<0.0392 U	<0.0392 U	<0.0392 U	<0.00356 U	<0.0392 U	<0.00687 U	<0.00687 U	<0.00137 U
GACO0613T137-1CRS001	T137-1CRS001 (DUP)	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0385 U	<0.0385 U	<0.0385 U	<0.0385 U	<0.0035 U	<0.0385 U	<0.00666 U	<0.00666 U	<0.00133 U
GACO0613T137-1CRS002	T137-1CRS002	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0391 U	<0.0391 U	<0.0391 U	<0.0391 U	<0.00356 U	<0.0391 U	<0.00685 U	<0.00685 U	<0.00137 U
GACO0613T137-1CRS003	T137-1CRS003	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0364 U	<0.0364 U	<0.0364 U	<0.0364 U	<0.00331 U	<0.0364 U	<0.00604 U	<0.00604 U	<0.00121 U
GACO0613T137-1CRS004	T137-1CRS004	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.043 U	<0.043 U	<0.043 U	<0.043 U	0.0107	<0.043 U	<0.00803 U	<0.00803 U	<0.00161 U
GACO0613T137-1CRS005	T137-1CRS005	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0361 U	<0.0361 U	<0.0361 U	<0.0361 U	<0.00328 U	<0.0361 U	<0.00594 U	<0.00594 U	<0.00119 U
GACO0613T137-1CRS006	T137-1CRS006	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0384 U	<0.0384 U	<0.0384 U	<0.0384 U	<0.00349 U	<0.0384 U	<0.00663 U	<0.00663 U	<0.00133 U
GACO0613T137-1CRS007	T137-1CRS007	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0365 U	<0.0365 U	<0.0365 U	<0.0365 U	<0.00332 U	<0.0365 U	<0.00608 U	<0.00608 U	<0.00122 U
GACO0613T137-1CRS008	T137-1CRS008	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0382 U	<0.0382 U	<0.0382 U	<0.0382 U	<0.00347 U	<0.0382 U	<0.00658 U	<0.00658 U	<0.00132 U
GACO0613T137-1CRS009	T137-1CRS009	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0438 U	<0.0438 U	<0.0438 U	<0.0438 U	<0.00398 U	<0.0438 U	<0.00828 U	<0.00828 U	<0.00166 U
GACO0613T137-1CRS010	T137-1CRS010	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.037 U	<0.037 U	<0.037 U	<0.037 U	<0.00337 U	<0.037 U	<0.00622 U	<0.00622 U	<0.00124 U
GACO0613T137-1CRS011	T137-1CRS011	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0482 U	<0.0482 U	<0.0482 U	<0.0482 U	<0.00439 U	<0.0482 U	<0.00962 U	<0.00962 U	<0.00192 U
GACO0613T137-1CRS012	T137-1CRS012	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0356 U	<0.0356 U	<0.0356 U	<0.0356 U	<0.00324 U	<0.0356 U	<0.00579 U	<0.00579 U	<0.00116 U
GACO0613T137-1CRS012	T137-1CRS012 (DUP)	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.036 U	<0.036 U	<0.036 U	<0.036 U	<0.00327 U	<0.036 U	<0.00592 U	<0.00592 U	<0.00118 U
GACO0613T137-1CRS013	T137-1CRS013	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0355 U	<0.0355 U	<0.0355 U	<0.0355 U	<0.00322 U	<0.0355 U	<0.00575 U	<0.00575 U	<0.00115 U
GACO0613T137-1CRS014	T137-1CRS014	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0347 U	<0.0347 U	<0.0347 U	<0.0347 U	<0.00316 U	<0.0347 U	<0.00553 U	<0.00553 U	<0.00111 U
GACO0613T137-1CRS015	T137-1CRS015	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0402 U	0.0589	<0.0402 U	<0.0402 U	<0.00366 U	0.0576	<0.00719 U	<0.00719 U	<0.00144 U
GACO0613T137-1CRS016	T137-1CRS016	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0377 U	<0.0377 U	<0.0377 U	<0.0377 U	<0.00343 U	<0.0377 U	<0.00642 U	<0.00642 U	<0.00128 U

Notes:
 Bold and Pink, Yellow, or Blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL).
 Pink cells indicate an exceedance of the Residential SSL also exceeds the Protection of Groundwater SSL except for benzo(a)pyrene.
 NE indicates that SSLs have not been established for this parameter.
 Pace National-Laboratory non-detections reported by the laboratory prior to 5/9/2025 are reported as less than ("<") the laboratory method detection limit. Pace National-Laboratory non-detections reported by the laboratory beginning on 5/9/2025 and Enthalpy - Laboratory non-detections are reported as less than ("<") the limit of quantitation.
 Italic values indicate that the laboratory-reported method detection limit and/or quantitation limit associated with the non-detected result is higher than the threshold concentration.
 Sampling and analysis is being performed in accordance with the approved ESAP.
 ND represents not-detects for calculated results that do not have a laboratory reporting limit. All results associated with the calculation of the analyte were not-detected.
 Soil TPH = (total volatile and extractable hydrocarbons).
 (DUP) indicates Field Duplicate Samples.
 ECMC = Colorado Energy and Carbon Management Commission

Data Qualifiers
 U: The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
 R: The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
 J: The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 J+: The result is an estimated quantity, but the result may be biased high.
 J-: The result is an estimated quantity, but the result may be biased low.
 UJ: The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

Units:
 mg/kg = Milligrams per kilogram

TABLE 1
915-1 Organic Analytes - Soil Samples
T137-1 Comprehensive Sampling 6/13

Sample ID	Location	Sample Date	Depth	Sample Purpose	SW8260			SW8015	SW8015M		TPH
					ETHYLBENZENE	TOLUENE	TOTAL XYLENES	TVPH - GASOLINE RANGE ORGANICS	C10-C28 DIESEL RANGE ORGANICS	C28-C36 MOTOR OIL RANGE ORGANICS	
					mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
ECMC Table 915-1 Limits (Soil TPH)					NE	NE	NE	NE	NE	NE	500
ECMC Table 915-1 Limits (Residential SSL)					5.8	490	58	NE	NE	NE	NE
ECMC Table 915-1 Limits (Protection of Groundwater SSL)					0.78	0.69	9.9	NE	NE	NE	NE
GACO0613T137-1CRS001	T137-1CRS001	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0137 U	<0.0137 U	<0.137 U	<3.43 U	12.8	92.9	105.7
GACO0613T137-1CRC001	T137-1CRS001 (DUP)	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0133 U	<0.0133 U	<0.133 U	<3.33 U	8.27	73	81.27
GACO0613T137-1CRS002	T137-1CRS002	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0137 U	<0.0137 U	<0.137 U	<3.43 U	6.73	45	51.73
GACO0613T137-1CRS003	T137-1CRS003	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0121 U	<0.0121 U	<0.121 U	<3.02 U	7.78	91	98.78
GACO0613T137-1CRS004	T137-1CRS004	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0161 U	<0.0161 U	<0.161 U	<4.02 U	26.8	173	199.8
GACO0613T137-1CRS005	T137-1CRS005	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0119 U	<0.0119 U	<0.119 U	3.05	<21.9 U	113	116.05
GACO0613T137-1CRS006	T137-1CRS006	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0133 U	<0.0133 U	<0.133 U	<3.31 U	5.44	23.5	28.94
GACO0613T137-1CRS007	T137-1CRS007	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0122 U	<0.0122 U	<0.122 U	<3.04 U	15.2	73.1	88.3
GACO0613T137-1CRS008	T137-1CRS008	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0132 U	<0.0132 U	<0.132 U	<3.29 U	26	120	146
GACO0613T137-1CRS009	T137-1CRS009	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0166 U	<0.0166 U	<0.166 U	<4.14 U	13.5	59.2	72.7
GACO0613T137-1CRS010	T137-1CRS010	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0124 U	<0.0124 U	<0.124 U	<3.11 U	30.2	165	195.2
GACO0613T137-1CRS011	T137-1CRS011	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0192 U	<0.0192 U	<0.192 U	<4.81 U	10.8	79.7	90.5
GACO0613T137-1CRS012	T137-1CRS012	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0116 U	<0.0116 U	<0.116 U	<2.89 U	22.3	120	142.3
GACO0613T137-1CRC012	T137-1CRS012 (DUP)	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0118 U	<0.0118 U	<0.118 U	<2.96 U	19.6	104	123.6
GACO0613T137-1CRS013	T137-1CRS013	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0115 U	<0.0115 U	<0.115 U	3.53	31.3	135	169.83
GACO0613T137-1CRS014	T137-1CRS014	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0111 U	<0.0111 U	<0.111 U	<2.76 U	24.7	92.6	117.3
GACO0613T137-1CRS015	T137-1CRS015	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0144 U	<0.0144 U	<0.144 U	<3.6 U	<48.7 U	241	241
GACO0613T137-1CRS016	T137-1CRS016	06/13/2025	0-0.5 feet	Assessment/Delineation	<0.0128 U	<0.0128 U	<0.128 U	<3.21 U	<4.57 U	7.98	7.98

Notes:
 Bold and Pink, Yellow, or Blue highlighted soil analytical values indicate an exceedance of the referenced soil screening level (SSL).
 Pink cells indicate an exceedance of the Residential SSL also exceeds the Protection of Groundwater SSL except for benzo(a)pyrene.
 NE indicates that SSLs have not been established for this parameter.
 Pace National-Laboratory non-detections reported by the laboratory prior to 5/9/2025 are reported as less than (" $<$ ") the laboratory method detection limit. Pace National-Laboratory non-detections reported by the laboratory beginning on 5/9/2025 and Enthalpy - Laboratory non-detections are reported as less than (" $<$ ") the limit of quantitation.
 Italic values indicate that the laboratory-reported method detection limit and/or quantitation limit associated with the non-detected result is higher than the threshold concentration.
 Sampling and analysis is being performed in accordance with the approved ESAP.
 ND represents not-detects for calculated results that do not have a laboratory reporting limit. All results associated with the calculation of the analyte were not-detected.
 Soil TPH = (total volatile and extractable hydrocarbons).
 (DUP) indicates Field Duplicate Samples.
 ECMC = Colorado Energy and Carbon Management Commission

Data Qualifiers
 U: The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
 R: The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
 J: The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
 J+: The result is an estimated quantity, but the result may be biased high.
 J-: The result is an estimated quantity, but the result may be biased low.
 UJ: The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.

Units:
 mg/kg = Milligrams per kilogram