

This review was performed with guidance from the National Functional Guidelines for Inorganic Superfund Methods Data Review (US EPA, 2020, US EPA). This validation guidance document specifically addresses analyses performed in accordance with the CLP analytical methods and is not completely applicable to the type of analyses and analytical protocols performed for the Standard Method (SM), SW-846, ASTM, and/or US EPA methods utilized by the laboratory for these samples. Environmental Standards, Inc. (Environmental Standards) used professional judgment to determine the quality of the analytical results and compliance relative to the Standard Method (SM), SW-846, ASTM, and/or US EPA utilized by the laboratory. This QA review was performed on the data associated with Sample Delivery Group (SDG):

### L1871603

The findings offered in this report are based on a review of the Chain-of-Custody Record and Case Narrative, sample preservation and condition upon laboratory receipt, holding times, chemical yield, field and laboratory blank results, laboratory and field duplicate precision, laboratory control sample / laboratory control sample duplicate recoveries and precision, matrix spike / matrix spike duplicate recoveries and precision, and/or percent solids (as applicable). All review items may not have been included in this SDG; therefore, only those items included in this SDG were addressed in the QA review.

A summary of the results of the data review process is provided below:

Sample	Sample Type	Method	Analyte	T/D	Result	Qual	Reason Code(s)	MDL	QL	Uncertainty	Unit	Detect?
GACO0619T172-1CRS001	N	CALC	Total Nitrogen	N	4210	J	CR	0.708	23.4		mg/Kg	Y
GACO0619T172-1CRS001	N	SW6010	Antimony	T		UJ	MS	0.807	2.34		mg/Kg	N
GACO0619T172-1CRS001	N	SW6010	Magnesium	T	2430	J-	MS	23.2	117		mg/Kg	Y
GACO0619T172-1CRS001	N	SW6010	Potassium	T	2610	J-	MS	24.4	117		mg/Kg	Y
GACO0619T172-1CRS001	N	SW6010	Thallium	T		UJ	MS	0.605	2.34		mg/Kg	N
GACO0619T172-1CRS001	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.234	0.234		mg/Kg	N
GACO0619T172-1CRS001	N	SW8270	Benzidine	N		R	LC	11.7	19.5		mg/Kg	N
GACO0619T172-1CRS002	N	CALC	Total Nitrogen	N	675	J	CR	0.673	22.2		mg/Kg	Y
GACO0619T172-1CRS002	N	SW6010	Antimony	T		UJ	MS	0.745	2.16		mg/Kg	N
GACO0619T172-1CRS002	N	SW6010	Magnesium	T	1680	J-	MS	21.5	108		mg/Kg	Y
GACO0619T172-1CRS002	N	SW6010	Potassium	T	1350	J-	MS	22.5	108		mg/Kg	Y
GACO0619T172-1CRS002	N	SW6010	Thallium	T		UJ	MS	0.558	2.16		mg/Kg	N
GACO0619T172-1CRS002	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.216	0.216		mg/Kg	N
GACO0619T172-1CRS002	N	SW8270	Benzidine	N		R	LC	1.08	1.80		mg/Kg	N
GACO0619T172-1CRS003	N	CALC	Total Nitrogen	N	138	J	CR	0.687	22.7		mg/Kg	Y
GACO0619T172-1CRS003	N	SW6010	Antimony	T		UJ	MS	0.760	2.20		mg/Kg	N
GACO0619T172-1CRS003	N	SW6010	Magnesium	T	945	J-	MS	21.9	110		mg/Kg	Y
GACO0619T172-1CRS003	N	SW6010	Potassium	T	740	J-	MS	23.0	110		mg/Kg	Y
GACO0619T172-1CRS003	N	SW6010	Thallium	T		UJ	MS	0.570	2.20		mg/Kg	N
GACO0619T172-1CRS003	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.220	0.220		mg/Kg	N
GACO0619T172-1CRS003	N	SW8270	Benzidine	N		R	LC	11.0	18.4		mg/Kg	N
GACO0619T172-1CRS003	N	SW8270-SIM	Benzo(a)anthracene	N	0.0132	J+	SR	0.00660	0.00660		mg/Kg	Y
GACO0619T172-1CRS003	N	SW8270-SIM	Benzo(b)fluoranthene	N	0.0460	J+	SR	0.0363	0.0363		mg/Kg	Y
GACO0619T172-1CRS003	N	SW8270-SIM	Benzo(g,h,i)perylene	N	0.0459	J+	SR	0.0363	0.0363		mg/Kg	Y
GACO0619T172-1CRS003	N	SW8270-SIM	Indeno(1,2,3-cd)pyrene	N	0.0372	J+	SR	0.0363	0.0363		mg/Kg	Y
GACO0619T172-1CRS004	N	CALC	Total Nitrogen	N	373	J	CR	0.670	22.1		mg/Kg	Y
GACO0619T172-1CRS004	N	SW6010	Antimony	T		UJ	MS	0.742	2.15		mg/Kg	N
GACO0619T172-1CRS004	N	SW6010	Magnesium	T	864	J-	MS	21.4	107		mg/Kg	Y
GACO0619T172-1CRS004	N	SW6010	Potassium	T	1040	J-	MS	22.4	107		mg/Kg	Y
GACO0619T172-1CRS004	N	SW6010	Thallium	T		UJ	MS	0.556	2.15		mg/Kg	N
GACO0619T172-1CRS004	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.215	0.215		mg/Kg	N
GACO0619T172-1CRS004	N	SW8270	Benzidine	N		R	LC	2.15	3.59		mg/Kg	N

Sample	Sample Type	Method	Analyte	T/D	Result	Qual	Reason Code(s)	MDL	QL	Uncertainty	Unit	Detect?
GACO0619T172-1CRC004	FD	CALC	Total Nitrogen	N	375	J	CR	0.654	21.6		mg/Kg	Y
GACO0619T172-1CRC004	FD	SW6010	Antimony	T		UJ	MS	0.739	2.14		mg/Kg	N
GACO0619T172-1CRC004	FD	SW6010	Magnesium	T	971	J-	MS	21.3	107		mg/Kg	Y
GACO0619T172-1CRC004	FD	SW6010	Potassium	T	1190	J-	MS	22.4	107		mg/Kg	Y
GACO0619T172-1CRC004	FD	SW6010	Thallium	T		UJ	MS	0.554	2.14		mg/Kg	N
GACO0619T172-1CRC004	FD	SW7199	Hexavalent Chromium	N		UJ	MS	0.214	0.214		mg/Kg	N
GACO0619T172-1CRC004	FD	SW8270	Benzidine	N		R	LC	2.14	3.57		mg/Kg	N
GACO0619T172-1CRS005	N	CALC	Total Nitrogen	N	1740	J	CR	0.708	23.4		mg/Kg	Y
GACO0619T172-1CRS005	N	SW6010	Antimony	T		UJ	MS	0.784	2.27		mg/Kg	N
GACO0619T172-1CRS005	N	SW6010	Magnesium	T	2820	J-	MS	22.6	113		mg/Kg	Y
GACO0619T172-1CRS005	N	SW6010	Potassium	T	3150	J-	MS	23.7	113		mg/Kg	Y
GACO0619T172-1CRS005	N	SW6010	Thallium	T		UJ	MS	0.588	2.27		mg/Kg	N
GACO0619T172-1CRS005	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.227	0.227		mg/Kg	N
GACO0619T172-1CRS005	N	SW8270	Benzidine	N		R	LC	1.13	1.90		mg/Kg	N
GACO0619T172-1CRS006	N	SW6010	Antimony	T		UJ	MS	0.770	2.23		mg/Kg	N
GACO0619T172-1CRS006	N	SW6010	Magnesium	T	2860	J-	MS	22.2	111		mg/Kg	Y
GACO0619T172-1CRS006	N	SW6010	Potassium	T	2990	J-	MS	23.3	111		mg/Kg	Y
GACO0619T172-1CRS006	N	SW6010	Thallium	T		UJ	MS	0.577	2.23		mg/Kg	N
GACO0619T172-1CRS006	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.223	0.223		mg/Kg	N
GACO0619T172-1CRS006	N	SW8015M	C28-C36 Motor Oil Range	N	336	J	FD	3.05	44.6		mg/Kg	Y
GACO0619T172-1CRS006	N	SW8270	Benzidine	N		R	LC	1.11	1.86		mg/Kg	N
GACO0619T172-1CRC006	FD	SW6010	Antimony	T		UJ	MS	0.770	2.23		mg/Kg	N
GACO0619T172-1CRC006	FD	SW6010	Magnesium	T	2490	J-	MS	22.2	111		mg/Kg	Y
GACO0619T172-1CRC006	FD	SW6010	Potassium	T	2710	J-	MS	23.3	111		mg/Kg	Y
GACO0619T172-1CRC006	FD	SW6010	Thallium	T		UJ	MS	0.577	2.23		mg/Kg	N
GACO0619T172-1CRC006	FD	SW7199	Hexavalent Chromium	N		UJ	MS	0.223	0.223		mg/Kg	N
GACO0619T172-1CRC006	FD	SW8015M	C28-C36 Motor Oil Range	N	159	J	FD	3.05	44.6		mg/Kg	Y
GACO0619T172-1CRC006	FD	SW8270	Benzidine	N		R	LC	1.11	1.86		mg/Kg	N
GACO0619T172-1CRC006	FD	SW8270-SIM	Benzo(a)anthracene	N	0.0175	J+	SR	0.00668	0.00668		mg/Kg	Y
GACO0619T172-1CRS007	N	CALC	Total Nitrogen	N	3350	J	CR	0.702	23.2		mg/Kg	Y
GACO0619T172-1CRS007	N	SW6010	Antimony	T		UJ	MS	0.801	2.32		mg/Kg	N
GACO0619T172-1CRS007	N	SW6010	Magnesium	T	2490	J-	MS	23.1	116		mg/Kg	Y
GACO0619T172-1CRS007	N	SW6010	Potassium	T	3260	J-	MS	24.2	116		mg/Kg	Y
GACO0619T172-1CRS007	N	SW6010	Thallium	T		UJ	MS	0.600	2.32		mg/Kg	N
GACO0619T172-1CRS007	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.232	0.232		mg/Kg	N
GACO0619T172-1CRS007	N	SW8270	Benzidine	N		R	LC	2.32	3.87		mg/Kg	N
GACO0619T172-1CRS007	N	SW8270-SIM	Benzo(a)anthracene	N	0.0617	J+	SR	0.00695	0.00695		mg/Kg	Y
GACO0619T172-1CRS007	N	SW8270-SIM	Benzo(a)pyrene	N	0.0892	J+	SR	0.0382	0.0382		mg/Kg	Y
GACO0619T172-1CRS007	N	SW8270-SIM	Benzo(b)fluoranthene	N	0.114	J+	SR	0.0382	0.0382		mg/Kg	Y
GACO0619T172-1CRS007	N	SW8270-SIM	Benzo(g,h,i)perylene	N	0.0653	J+	SR	0.0382	0.0382		mg/Kg	Y
GACO0619T172-1CRS007	N	SW8270-SIM	Chrysene	N	0.0868	J+	SR	0.0382	0.0382		mg/Kg	Y
GACO0619T172-1CRS007	N	SW8270-SIM	Fluoranthene	N	0.136	J+	SR	0.0382	0.0382		mg/Kg	Y
GACO0619T172-1CRS007	N	SW8270-SIM	Indeno(1,2,3-cd)pyrene	N	0.0664	J+	SR	0.0382	0.0382		mg/Kg	Y
GACO0619T172-1CRS007	N	SW8270-SIM	Pyrene	N	0.103	J+	SR	0.0382	0.0382		mg/Kg	Y
GACO0619T172-1CRS008	N	SW6010	Antimony	T		UJ	MS	0.796	2.30		mg/Kg	N
GACO0619T172-1CRS008	N	SW6010	Magnesium	T	3210	J-	MS	22.9	115		mg/Kg	Y
GACO0619T172-1CRS008	N	SW6010	Potassium	T	2790	J-	MS	24.1	115		mg/Kg	Y
GACO0619T172-1CRS008	N	SW6010	Thallium	T		UJ	MS	0.597	2.30		mg/Kg	N

Sample	Sample Type	Method	Analyte	T/D	Result	Qual	Reason Code(s)	MDL	QL	Uncertainty	Unit	Detect?
GACO0619T172-1CRS008	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.230	0.230		mg/Kg	N
GACO0619T172-1CRS008	N	SW8270	Benzidine	N		R	LC,MS	1.15	1.92		mg/Kg	N
GACO0619T172-1CRS008	N	SW8270	Hexachlorocyclopentadiene	N		R	MS	0.118	0.384		mg/Kg	N
GACO0619T172-1CRS009	N	CALC	Total Nitrogen	N	2640	J	CR	0.776	25.6		mg/Kg	Y
GACO0619T172-1CRS009	N	SW6010	Antimony	T		UJ	MS	0.885	2.56		mg/Kg	N
GACO0619T172-1CRS009	N	SW6010	Magnesium	T	2300	J-	MS	25.5	128		mg/Kg	Y
GACO0619T172-1CRS009	N	SW6010	Potassium	T	2570	J-	MS	26.8	128		mg/Kg	Y
GACO0619T172-1CRS009	N	SW6010	Thallium	T		UJ	MS	0.663	2.56		mg/Kg	N
GACO0619T172-1CRS009	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.256	0.256		mg/Kg	N
GACO0619T172-1CRS009	N	SW8270	Benzidine	N		R	LC	1.28	2.14		mg/Kg	N
GACO0619T172-1CRS010	N	CALC	Total Nitrogen	N	2380	J	CR	0.728	24.0		mg/Kg	Y
GACO0619T172-1CRS010	N	SW6010	Antimony	T		UJ	MS	0.830	2.40		mg/Kg	N
GACO0619T172-1CRS010	N	SW6010	Magnesium	T	3220	J-	MS	23.9	120		mg/Kg	Y
GACO0619T172-1CRS010	N	SW6010	Potassium	T	2830	J-	MS	25.1	120		mg/Kg	Y
GACO0619T172-1CRS010	N	SW6010	Thallium	T		UJ	MS	0.622	2.40		mg/Kg	N
GACO0619T172-1CRS010	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.240	0.240		mg/Kg	N
GACO0619T172-1CRS010	N	SW8270	Benzidine	N		R	LC	1.20	2.01		mg/Kg	N
GACO0619T172-1CRS010	N	SW8270-SIM	Benzo(a)anthracene	N	0.0148	J+	SR	0.00721	0.00721		mg/Kg	Y
GACO0619T172-1CRS010	N	SW8270-SIM	Fluoranthene	N	0.0439	J+	SR	0.0396	0.0396		mg/Kg	Y
GACO0619T172-1CRS011	N	CALC	Total Nitrogen	N	665	J	CR	0.654	21.6		mg/Kg	Y
GACO0619T172-1CRS011	N	SW6010	Antimony	T		UJ	MS	0.717	2.08		mg/Kg	N
GACO0619T172-1CRS011	N	SW6010	Magnesium	T	525	J-	MS	20.7	104		mg/Kg	Y
GACO0619T172-1CRS011	N	SW6010	Potassium	T	632	J-	MS	21.7	104		mg/Kg	Y
GACO0619T172-1CRS011	N	SW6010	Thallium	T		UJ	MS	0.538	2.08		mg/Kg	N
GACO0619T172-1CRS011	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.208	0.208		mg/Kg	N
GACO0619T172-1CRS011	N	SW8270	Benzidine	N		R	LC	1.04	1.73		mg/Kg	N
GACO0619T172-1CRS012	N	SW6010	Antimony	T		UJ	MS	0.781	2.26		mg/Kg	N
GACO0619T172-1CRS012	N	SW6010	Magnesium	T	3530	J-	MS	22.5	113		mg/Kg	Y
GACO0619T172-1CRS012	N	SW6010	Potassium	T	2500	J-	MS	23.6	113		mg/Kg	Y
GACO0619T172-1CRS012	N	SW6010	Thallium	T		UJ	MS	0.585	2.26		mg/Kg	N
GACO0619T172-1CRS012	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.226	0.226		mg/Kg	N
GACO0619T172-1CRS012	N	SW8270	Benzidine	N		R	LC	1.13	1.89		mg/Kg	N
GACO0619T172-1CRS013	N	CALC	Total Nitrogen	N	190	J	CR	0.624	20.6		mg/Kg	Y
GACO0619T172-1CRS013	N	SW6010	Antimony	T		UJ	MS	0.711	2.06		mg/Kg	N
GACO0619T172-1CRS013	N	SW6010	Magnesium	T	1120	J-	MS	20.5	103		mg/Kg	Y
GACO0619T172-1CRS013	N	SW6010	Potassium	T	836	J-	MS	21.5	103		mg/Kg	Y
GACO0619T172-1CRS013	N	SW6010	Thallium	T		UJ	MS	0.533	2.06		mg/Kg	N
GACO0619T172-1CRS013	N	SW7199	Hexavalent Chromium	N		UJ	MS	0.206	0.206		mg/Kg	N
GACO0619T172-1CRS013	N	SW8270	Benzidine	N		R	LC	1.03	1.72		mg/Kg	N
GACO0619T172-1CRS006	N	E901.1	Bismuth-214 (Ra-226)	N	0.918	J	FD	0.247	0.247	0.187	pCi/g	Y
GACO0619T172-1CRS006	N	E901.1	Radium-226 (186 KeV)	N	0.235	UJ	FD	1.52	1.52	0.784	pCi/g	N
GACO0619T172-1CRS006	FD	E901.1	Bismuth-214 (Ra-226)	N	1.51	J	FD	0.244	0.244	0.255	pCi/g	Y
GACO0619T172-1CRS006	FD	E901.1	Radium-226 (186 KeV)	N	2.05	J	FD	1.32	1.32	0.812	pCi/g	Y

#### Data Qualifiers

U	The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate, or was observed in a blank at a similar level.
R	The data are unusable. The sample results are rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
J	The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.

J+	The result is an estimated quantity, but the result may be biased high.
J-	The result is an estimated quantity, but the result may be biased low.
UJ	The analyte was analyzed for but was not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
<b>Reason Codes and Explanations</b>	
BF	Contamination present in a field blank (e.g ., Field Blank, Equipment Blank, etc .); evaluation criteria exceeded
BL	Contamination present in a laboratory blank (e.g ., Method Blank, Instrument Blank, etc .); evaluation criteria exceeded
BT	Contamination present in the Trip Blank; evaluation criteria exceeded
CC	Possible contamination due to carryover from a previous sample
CR	Calculated result in which one or more of the components has been qualified
CRQ	Calculated result flagged due to reporting protocol
CT	Cooler temperature criteria not met
CY	Chemical Yield recovery criteria not met
EC	Result exceeds the calibration range; potential bias indeterminate
FD	Field duplicate imprecision; potential bias indeterminate
GH	Headspace present in the gamma spectrometer sample analysis vessel; potential bias indeterminate
GS	Low sample density in the gamma spectrometer sample analysis vessel; potential bias indeterminate
HT	Holding time exceeded
HV	Headspace present in volatile vials
IN	Interference (e.g ., laboratory, chemical, chromatographic/instrumental, and/or matrix) present in the analysis
LC	Laboratory control sample/laboratory control sample duplicate recovery criteria not met
LCP	Laboratory control sample/laboratory control sample duplicate precision criteria not met; potential bias indeterminate
LD	Laboratory duplicate precision criteria not met; potential bias indeterminate
MDP	Laboratory deviated from the method for a method-defined parameter, based on regulatory requirements
MS	Matrix spike/matrix spike duplicate recovery criteria not met
MSP	Matrix spike/matrix spike duplicate precision criteria not met; potential bias indeterminate
PD	Post-digestion spike recovery criteria not met
OT	Other deficiencies, see validation report for additional details
PS	Low percent solids; potential bias indeterminate
RA	Replicate/multiple analyses criteria not met; potential bias indeterminate
RL	The analysis meets all qualitative identification criteria, but the measured concentration is between the method detection limit and the quantitation or reporting limit; potential bias indeterminate
RS	Reporting limit standard(s) outside of acceptance limits
SC	Relative percent difference between two columns exceeds criteria; potential bias indeterminate
SP	Sample preservation criteria not met
SR	Surrogate recovery criteria not met
ST	Sample container type incorrect
SU	Sample result is less than the two-sigma uncertainty
SUN	Absolute value of the negative sample result is greater than the two-sigma uncertainty
SW	Sample switch suspected
TD	Result for dissolved constituent significantly exceeded result for total constituent; potential bias indeterminate
TIC	Tentatively identified compound, quantified using an assumed calibration factor; potential bias indeterminate

Lab Sample ID	L1871603-01
Sys Sample Code	GACO0619T172-1CRS001
Sample Name	GACO0619T172-1CRS001
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	14.40

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	0.830							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	4210	J	CR		0.708	23.4	23.4	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			8.40	11.7	11.7	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	85.6							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	4190				88.7	117	117	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	3990				7.10	23.4	23.4	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.807	2.34	2.34	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.413				0.0557	0.234	0.234	Y	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	7800				22.2	117	117	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	5.13				0.250	1.17	1.17	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	3.16				0.207	1.17	1.17	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	0.488				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	6310				2.62	11.7	11.7	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	2430	J-	MS		23.2	117	117	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	282				0.202	1.17	1.17	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	2610	J-	MS		24.4	117	117	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg	128				48.1	117	117	Y	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.605	2.34	2.34	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	10.7				0.447	2.34	2.34	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	2.19				0.117	0.117	0.117	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	62.3				11.7	11.7	11.7	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.303				0.117	0.117	0.117	Y	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			11.7	11.7	11.7	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg		U			11.7	11.7	11.7	N	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			11.7	11.7	11.7	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.644				0.117	0.117	0.117	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.584	0.584	0.584	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg		U			58.4	58.4	58.4	N	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.234	0.234	0.234	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.67	3.34	3.34	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg		U			18.8	46.7	46.7	N	Y	10	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	298				3.20	46.7	46.7	Y	Y	10	DRY

Lab Sample ID	L1871603-01
Sys Sample Code	GACO0619T172-1CRS001
Sample Name	GACO0619T172-1CRS001
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	14.40

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00127	0.00334	0.00334	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00123	0.00334	0.00334	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000928	0.00334	0.00334	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000797	0.00334	0.00334	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.00101	0.00334	0.00334	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000656	0.00334	0.00334	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000809	0.00334	0.00334	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.00108	0.00334	0.00334	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00979	0.0167	0.0167	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00216	0.0167	0.0167	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00211	0.00668	0.00668	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00587	0.0167	0.0167	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00668	0.00668	0.00668	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00521	0.0334	0.0334	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000865	0.00334	0.00334	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000567	0.00668	0.00668	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000867	0.00334	0.00334	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00190	0.00668	0.00668	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00668	0.00668	0.00668	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000801	0.00668	0.00668	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000669	0.00668	0.00668	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000935	0.00668	0.00668	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00184	0.00334	0.00334	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0848	0.134	0.134	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00115	0.00334	0.00334	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000601	0.00668	0.00668	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00304	0.0334	0.0334	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0487	0.0668	0.0668	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00482	0.0167	0.0167	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00134	0.00134	0.00134	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00120	0.0167	0.0167	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000968	0.00334	0.00334	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00156	0.0334	0.0334	N	Y	1	DRY

Lab Sample ID	L1871603-01
Sys Sample Code	GACO0619T172-1CRS001
Sample Name	GACO0619T172-1CRS001
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	14.40

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00263	0.0167	0.0167	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00120	0.00668	0.00668	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000280	0.00334	0.00334	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000817	0.00334	0.00334	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00227	0.00668	0.00668	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00138	0.00334	0.00334	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00581	0.0167	0.0167	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000980	0.00334	0.00334	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.00101	0.00334	0.00334	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.00100	0.00668	0.00668	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00215	0.00668	0.00668	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000547	0.00134	0.00134	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0134	0.0134	0.0134	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00801	0.0334	0.0334	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000567	0.00334	0.00334	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000467	0.00134	0.00134	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00887	0.0334	0.0334	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00701	0.0167	0.0167	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00127	0.00668	0.00668	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00340	0.00668	0.00668	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00385	0.0167	0.0167	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000306	0.0167	0.0167	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00260	0.00668	0.00668	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00120	0.00334	0.00334	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0134	0.0134	0.0134	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00139	0.00668	0.00668	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00152	0.00668	0.00668	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000780	0.00134	0.00134	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.00110	0.00334	0.00334	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00155	0.00334	0.00334	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.134	0.134	0.134	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.461	3.89	3.89	N	Y	10
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.334	3.89	3.89	N	Y	10	DRY

Lab Sample ID	L1871603-01
Sys Sample Code	GACO0619T172-1CRS001
Sample Name	GACO0619T172-1CRS001
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	14.40

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.339	3.89	3.89	N	Y	10	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.334	3.89	3.89	N	Y	10	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.381	3.89	3.89	N	Y	10	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.929	3.89	3.89	N	Y	10	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.513	3.89	3.89	N	Y	10	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.807	3.89	3.89	N	Y	10	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			1.48	3.89	3.89	N	Y	10	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.771	3.89	3.89	N	Y	10	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.733	3.89	3.89	N	Y	10	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.0579	0.389	0.389	N	Y	10	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.404	3.89	3.89	N	Y	10	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.577	3.89	3.89	N	Y	10	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			1.48	3.89	3.89	N	Y	10	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			1.19	3.89	3.89	N	Y	10	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.555	3.89	3.89	N	Y	10	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.607	3.89	3.89	N	Y	10	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.555	3.89	3.89	N	Y	10	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			1.24	3.89	3.89	N	Y	10	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0662	0.389	0.389	N	Y	10	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		11.7	19.5	19.5	N	Y	10	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0752	0.389	0.389	N	Y	10	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.753	3.89	3.89	N	Y	10	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.422	3.89	3.89	N	Y	10	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.734	3.89	3.89	N	Y	10	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.767	3.89	3.89	N	Y	10	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.602	3.89	3.89	N	Y	10	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.522	3.89	3.89	N	Y	10	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.523	3.89	3.89	N	Y	10	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			1.72	3.89	3.89	N	Y	10	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.616	3.89	3.89	N	Y	10	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.635	3.89	3.89	N	Y	10	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			1.19	3.89	3.89	N	Y	10	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.479	3.89	3.89	N	Y	10	DRY

Lab Sample ID	L1871603-01
Sys Sample Code	GACO0619T172-1CRS001
Sample Name	GACO0619T172-1CRS001
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	14.40

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.489	3.89	3.89	N	Y	10	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.525	3.89	3.89	N	Y	10	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.913	3.89	3.89	N	Y	10	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.616	3.89	3.89	N	Y	10	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.499	3.89	3.89	N	Y	10	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.727	3.89	3.89	N	Y	10	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0427	0.389	0.389	N	Y	10	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.662	3.89	3.89	N	Y	10	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00350	0.00350	0.00350	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0140	0.0140	0.0140	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg		U			0.00701	0.00701	0.00701	N	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00350	0.00350	0.00350	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0385	0.0385	0.0385	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.49							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	1170				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.708	23.4	23.4	N	Y	1	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	36300				255	1000	1000	Y	Y	10	NA

Lab Sample ID	L1871603-02
Sys Sample Code	GACO0619T172-1CRS002
Sample Name	GACO0619T172-1CRS002
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	7.25

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	0.987							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	675	J	CR		0.673	22.2	22.2	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			7.75	10.8	10.8	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	92.8							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	675				81.9	108	108	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	3150				6.56	21.6	21.6	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.745	2.16	2.16	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.318				0.0514	0.216	0.216	Y	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	5890				20.5	108	108	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	3.84				0.231	1.08	1.08	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	2.60				0.191	1.08	1.08	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	0.373				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	5090				2.42	10.8	10.8	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	1680	J-	MS		21.5	108	108	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	167				0.187	1.08	1.08	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	1350	J-	MS		22.5	108	108	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg		U			44.4	108	108	N	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.558	2.16	2.16	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	9.06				0.413	2.16	2.16	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	1.92				0.108	0.108	0.108	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	42.6				10.8	10.8	10.8	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.136				0.108	0.108	0.108	Y	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			10.8	10.8	10.8	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg		U			10.8	10.8	10.8	N	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			10.8	10.8	10.8	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.365				0.108	0.108	0.108	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.539	0.539	0.539	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg		U			53.9	53.9	53.9	N	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.216	0.216	0.216	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.31	2.89	2.89	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg		U			1.74	4.31	4.31	N	Y	1	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	6.62				0.295	4.31	4.31	Y	Y	1	DRY

Lab Sample ID	L1871603-02
Sys Sample Code	GACO0619T172-1CRS002
Sample Name	GACO0619T172-1CRS002
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	7.25

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00110	0.00289	0.00289	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00107	0.00289	0.00289	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000804	0.00289	0.00289	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000690	0.00289	0.00289	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000872	0.00289	0.00289	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000568	0.00289	0.00289	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000701	0.00289	0.00289	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.000936	0.00289	0.00289	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00848	0.0145	0.0145	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00187	0.0145	0.0145	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00183	0.00578	0.00578	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00509	0.0145	0.0145	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00578	0.00578	0.00578	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00451	0.0289	0.0289	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000749	0.00289	0.00289	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000491	0.00578	0.00578	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000751	0.00289	0.00289	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00164	0.00578	0.00578	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00578	0.00578	0.00578	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000694	0.00578	0.00578	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000579	0.00578	0.00578	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000810	0.00578	0.00578	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00160	0.00289	0.00289	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0734	0.116	0.116	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00100	0.00289	0.00289	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000520	0.00578	0.00578	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00264	0.0289	0.0289	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0422	0.0578	0.0578	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00417	0.0145	0.0145	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00116	0.00116	0.00116	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00104	0.0145	0.0145	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000838	0.00289	0.00289	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00135	0.0289	0.0289	N	Y	1	DRY

Lab Sample ID	L1871603-02
Sys Sample Code	GACO0619T172-1CRS002
Sample Name	GACO0619T172-1CRS002
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	7.25

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00228	0.0145	0.0145	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00104	0.00578	0.00578	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000243	0.00289	0.00289	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000708	0.00289	0.00289	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00197	0.00578	0.00578	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00119	0.00289	0.00289	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00503	0.0145	0.0145	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000849	0.00289	0.00289	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000875	0.00289	0.00289	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000867	0.00578	0.00578	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00186	0.00578	0.00578	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000474	0.00116	0.00116	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0116	0.0116	0.0116	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00694	0.0289	0.0289	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000491	0.00289	0.00289	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000405	0.00116	0.00116	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00768	0.0289	0.0289	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00607	0.0145	0.0145	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00110	0.00578	0.00578	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00295	0.00578	0.00578	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00333	0.0145	0.0145	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000265	0.0145	0.0145	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00226	0.00578	0.00578	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00104	0.00289	0.00289	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0116	0.0116	0.0116	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00120	0.00578	0.00578	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00132	0.00578	0.00578	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000675	0.00116	0.00116	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.000956	0.00289	0.00289	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00134	0.00289	0.00289	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.116	0.116	0.116	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0426	0.359	0.359	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0308	0.359	0.359	N	Y	1	DRY

Lab Sample ID	L1871603-02
Sys Sample Code	GACO0619T172-1CRS002
Sample Name	GACO0619T172-1CRS002
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	7.25

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0313	0.359	0.359	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0308	0.359	0.359	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0351	0.359	0.359	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.0858	0.359	0.359	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0473	0.359	0.359	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0745	0.359	0.359	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.137	0.359	0.359	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0712	0.359	0.359	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0677	0.359	0.359	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00535	0.0359	0.0359	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0373	0.359	0.359	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0533	0.359	0.359	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.137	0.359	0.359	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.110	0.359	0.359	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0512	0.359	0.359	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0561	0.359	0.359	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0512	0.359	0.359	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.114	0.359	0.359	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00611	0.0359	0.0359	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		1.08	1.80	1.80	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00694	0.0359	0.0359	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0695	0.359	0.359	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0389	0.359	0.359	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0678	0.359	0.359	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0708	0.359	0.359	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0556	0.359	0.359	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0482	0.359	0.359	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0483	0.359	0.359	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.158	0.359	0.359	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0569	0.359	0.359	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0587	0.359	0.359	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.110	0.359	0.359	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0442	0.359	0.359	N	Y	1	DRY

Lab Sample ID	L1871603-02
Sys Sample Code	GACO0619T172-1CRS002
Sample Name	GACO0619T172-1CRS002
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	7.25

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0452	0.359	0.359	N	Y	1	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0485	0.359	0.359	N	Y	1	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.0843	0.359	0.359	N	Y	1	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0569	0.359	0.359	N	Y	1	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0460	0.359	0.359	N	Y	1	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0672	0.359	0.359	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00395	0.0359	0.0359	N	Y	1	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0611	0.359	0.359	N	Y	1	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00323	0.00323	0.00323	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0129	0.0129	0.0129	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg		U			0.00647	0.00647	0.00647	N	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00323	0.00323	0.00323	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0356	0.0356	0.0356	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	8.15							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	359				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.673	22.2	22.2	N	Y	1.03	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	6750				51.0	200	200	Y	Y	2	NA

Lab Sample ID	L1871603-03
Sys Sample Code	GACO0619T172-1CRS003
Sample Name	GACO0619T172-1CRS003
Sample Date	6/19/2025 8:15:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	9.11

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	1.42							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	138	J	CR		0.687	22.7	22.7	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			7.91	11.0	11.0	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	90.9							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	134				83.6	110	110	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	1720				6.69	22.0	22.0	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.760	2.20	2.20	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg		U			0.0525	0.220	0.220	N	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	4220				20.9	110	110	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	3.43				0.235	1.10	1.10	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	1.40				0.195	1.10	1.10	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	0.356				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	3120				2.46	11.0	11.0	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	945	J-	MS		21.9	110	110	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	82.8				0.190	1.10	1.10	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	740	J-	MS		23.0	110	110	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg	141				45.3	110	110	Y	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.570	2.20	2.20	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	6.53				0.421	2.20	2.20	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	1.31				0.110	0.110	0.110	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	21.2				11.0	11.0	11.0	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg		U			0.110	0.110	0.110	N	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			11.0	11.0	11.0	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg	31.6				11.0	11.0	11.0	Y	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			11.0	11.0	11.0	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.195				0.110	0.110	0.110	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.550	0.550	0.550	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg		U			55.0	55.0	55.0	N	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.220	0.220	0.220	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.40	3.00	3.00	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg		U			17.7	44.0	44.0	N	Y	10	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	91.0				3.01	44.0	44.0	Y	Y	10	DRY

Lab Sample ID	L1871603-03
Sys Sample Code	GACO0619T172-1CRS003
Sample Name	GACO0619T172-1CRS003
Sample Date	6/19/2025 8:15:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	9.11

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00114	0.00300	0.00300	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00111	0.00300	0.00300	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000834	0.00300	0.00300	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000717	0.00300	0.00300	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000905	0.00300	0.00300	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000589	0.00300	0.00300	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000727	0.00300	0.00300	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.000971	0.00300	0.00300	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00880	0.0150	0.0150	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00194	0.0150	0.0150	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00190	0.00600	0.00600	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00528	0.0150	0.0150	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00600	0.00600	0.00600	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00468	0.0300	0.0300	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000778	0.00300	0.00300	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000510	0.00600	0.00600	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000779	0.00300	0.00300	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00170	0.00600	0.00600	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00600	0.00600	0.00600	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000720	0.00600	0.00600	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000601	0.00600	0.00600	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000840	0.00600	0.00600	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00166	0.00300	0.00300	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0762	0.120	0.120	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00104	0.00300	0.00300	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000540	0.00600	0.00600	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00274	0.0300	0.0300	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0438	0.0600	0.0600	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00433	0.0150	0.0150	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00120	0.00120	0.00120	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00108	0.0150	0.0150	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000870	0.00300	0.00300	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00140	0.0300	0.0300	N	Y	1	DRY

Lab Sample ID	L1871603-03
Sys Sample Code	GACO0619T172-1CRS003
Sample Name	GACO0619T172-1CRS003
Sample Date	6/19/2025 8:15:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	9.11

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00236	0.0150	0.0150	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00108	0.00600	0.00600	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000252	0.00300	0.00300	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000735	0.00300	0.00300	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00204	0.00600	0.00600	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00124	0.00300	0.00300	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00522	0.0150	0.0150	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000881	0.00300	0.00300	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000909	0.00300	0.00300	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000900	0.00600	0.00600	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00193	0.00600	0.00600	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000492	0.00120	0.00120	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0120	0.0120	0.0120	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00720	0.0300	0.0300	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000510	0.00300	0.00300	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000420	0.00120	0.00120	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00797	0.0300	0.0300	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00630	0.0150	0.0150	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00114	0.00600	0.00600	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00306	0.00600	0.00600	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00346	0.0150	0.0150	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000275	0.0150	0.0150	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00234	0.00600	0.00600	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00108	0.00300	0.00300	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0120	0.0120	0.0120	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00125	0.00600	0.00600	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00137	0.00600	0.00600	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000701	0.00120	0.00120	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.000993	0.00300	0.00300	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00139	0.00300	0.00300	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.120	0.120	0.120	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.435	3.66	3.66	N	Y	10
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.315	3.66	3.66	N	Y	10	DRY

Lab Sample ID	L1871603-03
Sys Sample Code	GACO0619T172-1CRS003
Sample Name	GACO0619T172-1CRS003
Sample Date	6/19/2025 8:15:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	9.11

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.319	3.66	3.66	N	Y	10	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.315	3.66	3.66	N	Y	10	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.359	3.66	3.66	N	Y	10	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.876	3.66	3.66	N	Y	10	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.483	3.66	3.66	N	Y	10	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.760	3.66	3.66	N	Y	10	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			1.40	3.66	3.66	N	Y	10	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.726	3.66	3.66	N	Y	10	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.691	3.66	3.66	N	Y	10	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.0546	0.366	0.366	N	Y	10	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.381	3.66	3.66	N	Y	10	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.544	3.66	3.66	N	Y	10	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			1.40	3.66	3.66	N	Y	10	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			1.12	3.66	3.66	N	Y	10	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.523	3.66	3.66	N	Y	10	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.572	3.66	3.66	N	Y	10	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.523	3.66	3.66	N	Y	10	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			1.17	3.66	3.66	N	Y	10	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0624	0.366	0.366	N	Y	10	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		11.0	18.4	18.4	N	Y	10	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0709	0.366	0.366	N	Y	10	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.710	3.66	3.66	N	Y	10	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.397	3.66	3.66	N	Y	10	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.692	3.66	3.66	N	Y	10	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.723	3.66	3.66	N	Y	10	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.568	3.66	3.66	N	Y	10	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.492	3.66	3.66	N	Y	10	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.493	3.66	3.66	N	Y	10	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			1.62	3.66	3.66	N	Y	10	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.581	3.66	3.66	N	Y	10	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.599	3.66	3.66	N	Y	10	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			1.12	3.66	3.66	N	Y	10	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.451	3.66	3.66	N	Y	10	DRY

Lab Sample ID	L1871603-03
Sys Sample Code	GACO0619T172-1CRS003
Sample Name	GACO0619T172-1CRS003
Sample Date	6/19/2025 8:15:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	9.11

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.461	3.66	3.66	N	Y	10	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.495	3.66	3.66	N	Y	10	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.860	3.66	3.66	N	Y	10	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.581	3.66	3.66	N	Y	10	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.470	3.66	3.66	N	Y	10	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.685	3.66	3.66	N	Y	10	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0403	0.366	0.366	N	Y	10	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.624	3.66	3.66	N	Y	10	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00330	0.00330	0.00330	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0132	0.0132	0.0132	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg	0.0132	J+	SR		0.00660	0.00660	0.00660	Y	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg	0.0460	J+	SR		0.0363	0.0363	0.0363	Y	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg	0.0459	J+	SR		0.0363	0.0363	0.0363	Y	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg	0.0372	J+	SR		0.0363	0.0363	0.0363	Y	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00330	0.00330	0.00330	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0363	0.0363	0.0363	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	8.41							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	246				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.687	22.7	22.7	N	Y	1.03	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	2330				25.5	100	100	Y	Y	1	NA

Lab Sample ID	L1871603-04
Sys Sample Code	GACO0619T172-1CRT001
Sample Name	GACO0619T172-1CRT001
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/L		U			0.000147	0.00100	0.00100	N	Y	1	NA
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/L		U			0.000133	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/L		U			0.000158	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/L		U			0.000180	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/L		U			0.000100	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/L		U			0.000188	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/L		U			0.000142	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/L		U			0.000230	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/L		U			0.000237	0.00250	0.00250	N	Y	1	NA
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/L		U			0.000481	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/L		U			0.000322	0.00100	0.00100	N	Y	1	NA
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/L		U			0.000276	0.00500	0.00500	N	Y	1	NA
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/L		U			0.000107	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/L		U			0.0000819	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/L		U			0.000161	0.00100	0.00100	N	Y	1	NA
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/L		U			0.00119	0.0100	0.0100	N	Y	1	NA
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/L		U			0.000106	0.00100	0.00100	N	Y	1	NA
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/L		U			0.000114	0.00100	0.00100	N	Y	1	NA
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/L		U			0.000478	0.0100	0.0100	N	Y	1	NA
	Acetone	67-64-1	N	INITIAL	mg/L		U			0.0113	0.0500	0.0500	N	Y	1	NA
	Acrolein	107-02-8	N	INITIAL	mg/L		U			0.00254	0.0500	0.0500	N	Y	1	NA
	Acrylonitrile	107-13-1	N	INITIAL	mg/L		U			0.000671	0.0100	0.0100	N	Y	1	NA
	Benzene	71-43-2	N	INITIAL	mg/L		U			0.0000941	0.00100	0.00100	N	Y	1	NA
	Bromobenzene	108-86-1	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	Bromodichloromethane	75-27-4	N	INITIAL	mg/L		U			0.000136	0.00100	0.00100	N	Y	1	NA

Lab Sample ID	L1871603-04
Sys Sample Code	GACO0619T172-1CRT001
Sample Name	GACO0619T172-1CRT001
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromoform	75-25-2	N	INITIAL	mg/L		U			0.000129	0.00100	0.00100	N	Y	1	NA
	Bromomethane	74-83-9	N	INITIAL	mg/L		U			0.000605	0.00500	0.00500	N	Y	1	NA
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/L		U			0.000128	0.00100	0.00100	N	Y	1	NA
	Chlorobenzene	108-90-7	N	INITIAL	mg/L		U			0.000116	0.00100	0.00100	N	Y	1	NA
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/L		U			0.000140	0.00100	0.00100	N	Y	1	NA
	Chloroethane	75-00-3	N	INITIAL	mg/L		U			0.000192	0.00500	0.00500	N	Y	1	NA
	Chloroform	67-66-3	N	INITIAL	mg/L		U			0.000111	0.00500	0.00500	N	Y	1	NA
	Chloromethane	74-87-3	N	INITIAL	mg/L		U			0.000960	0.00250	0.00250	N	Y	1	NA
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/L		U			0.000111	0.00100	0.00100	N	Y	1	NA
	Dibromomethane	74-95-3	N	INITIAL	mg/L		U			0.000122	0.00100	0.00100	N	Y	1	NA
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/L		U			0.000374	0.00500	0.00500	N	Y	1	NA
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Ethylbenzene	100-41-4	N	INITIAL	mg/L		U			0.000137	0.00100	0.00100	N	Y	1	NA
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/L		U			0.000337	0.00100	0.00100	N	Y	1	NA
	Isopropylbenzene	98-82-8	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/L		U			0.000101	0.00100	0.00100	N	Y	1	NA
	Methylene Chloride	75-09-2	N	INITIAL	mg/L		U			0.000430	0.00500	0.00500	N	Y	1	NA
	Naphthalene	91-20-3	N	INITIAL	mg/L		U			0.00100	0.00500	0.00500	N	Y	1	NA
	n-Butylbenzene	104-51-8	N	INITIAL	mg/L		U			0.000157	0.00100	0.00100	N	Y	1	NA
	n-Propylbenzene	103-65-1	N	INITIAL	mg/L		U			0.0000993	0.00100	0.00100	N	Y	1	NA
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/L		U			0.000125	0.00100	0.00100	N	Y	1	NA
	Styrene	100-42-5	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/L		U			0.000127	0.00100	0.00100	N	Y	1	NA
	Tetrachloroethene	127-18-4	N	INITIAL	mg/L		U			0.000300	0.00100	0.00100	N	Y	1	NA
	Toluene	108-88-3	N	INITIAL	mg/L		U			0.000278	0.00100	0.00100	N	Y	1	NA
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	Trichloroethene	79-01-6	N	INITIAL	mg/L		U			0.000190	0.00100	0.00100	N	Y	1	NA
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/L		U			0.000160	0.00500	0.00500	N	Y	1	NA
	Vinyl chloride	75-01-4	N	INITIAL	mg/L		U			0.000234	0.00100	0.00100	N	Y	1	NA
	Xylenes, Total	1330-20-7	N	INITIAL	mg/L		U			0.000174	0.00300	0.00300	N	Y	1	NA

Lab Sample ID	L1871603-05
Sys Sample Code	GACO0619T172-1CRS004
Sample Name	GACO0619T172-1CRS004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	6.84

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	0.229							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	373	J	CR		0.670	22.1	22.1	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			7.72	10.7	10.7	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	93.2							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	368				81.6	107	107	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	1870				6.53	21.5	21.5	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.742	2.15	2.15	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg		U			0.0512	0.215	0.215	N	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	1370				20.4	107	107	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	3.44				0.230	1.07	1.07	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	1.69				0.190	1.07	1.07	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	0.218				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	3570				2.40	10.7	10.7	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	864	J-	MS		21.4	107	107	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	96.4				0.186	1.07	1.07	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	1040	J-	MS		22.4	107	107	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg		U			44.2	107	107	N	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.556	2.15	2.15	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	6.15				0.411	2.15	2.15	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	1.14				0.107	0.107	0.107	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	21.0				10.7	10.7	10.7	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg		U			0.107	0.107	0.107	N	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			10.7	10.7	10.7	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg		U			10.7	10.7	10.7	N	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			10.7	10.7	10.7	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.206				0.107	0.107	0.107	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.537	0.537	0.537	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg		U			53.7	53.7	53.7	N	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.215	0.215	0.215	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.29	2.87	2.87	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg	4.96				1.73	4.29	4.29	Y	Y	1	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	18.7				0.294	4.29	4.29	Y	Y	1	DRY

Lab Sample ID	L1871603-05
Sys Sample Code	GACO0619T172-1CRS004
Sample Name	GACO0619T172-1CRS004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	6.84

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00109	0.00287	0.00287	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00106	0.00287	0.00287	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000797	0.00287	0.00287	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000685	0.00287	0.00287	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000865	0.00287	0.00287	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000563	0.00287	0.00287	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000695	0.00287	0.00287	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.000928	0.00287	0.00287	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00841	0.0143	0.0143	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00186	0.0143	0.0143	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00181	0.00574	0.00574	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00505	0.0143	0.0143	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00574	0.00574	0.00574	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00447	0.0287	0.0287	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000743	0.00287	0.00287	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000488	0.00574	0.00574	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000745	0.00287	0.00287	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00163	0.00574	0.00574	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00574	0.00574	0.00574	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000688	0.00574	0.00574	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000575	0.00574	0.00574	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000803	0.00574	0.00574	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00158	0.00287	0.00287	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0728	0.115	0.115	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.000992	0.00287	0.00287	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000516	0.00574	0.00574	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00262	0.0287	0.0287	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0419	0.0574	0.0574	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00414	0.0143	0.0143	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00115	0.00115	0.00115	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00103	0.0143	0.0143	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000832	0.00287	0.00287	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00134	0.0287	0.0287	N	Y	1	DRY

Lab Sample ID	L1871603-05
Sys Sample Code	GACO0619T172-1CRS004
Sample Name	GACO0619T172-1CRS004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	6.84

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00226	0.0143	0.0143	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00103	0.00574	0.00574	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000241	0.00287	0.00287	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000702	0.00287	0.00287	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00195	0.00574	0.00574	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00118	0.00287	0.00287	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00499	0.0143	0.0143	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000842	0.00287	0.00287	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000868	0.00287	0.00287	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000860	0.00574	0.00574	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00185	0.00574	0.00574	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000470	0.00115	0.00115	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0115	0.0115	0.0115	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00688	0.0287	0.0287	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000488	0.00287	0.00287	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000402	0.00115	0.00115	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00762	0.0287	0.0287	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00602	0.0143	0.0143	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00109	0.00574	0.00574	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00293	0.00574	0.00574	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00330	0.0143	0.0143	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000263	0.0143	0.0143	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00224	0.00574	0.00574	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00103	0.00287	0.00287	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0115	0.0115	0.0115	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00119	0.00574	0.00574	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00131	0.00574	0.00574	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000670	0.00115	0.00115	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.000949	0.00287	0.00287	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00133	0.00287	0.00287	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.115	0.115	0.115	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0848	0.715	0.715	N	Y	2
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0614	0.715	0.715	N	Y	2	DRY

Lab Sample ID	L1871603-05
Sys Sample Code	GACO0619T172-1CRS004
Sample Name	GACO0619T172-1CRS004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	6.84

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0623	0.715	0.715	N	Y	2	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0614	0.715	0.715	N	Y	2	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0700	0.715	0.715	N	Y	2	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.171	0.715	0.715	N	Y	2	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0943	0.715	0.715	N	Y	2	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.148	0.715	0.715	N	Y	2	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.273	0.715	0.715	N	Y	2	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.142	0.715	0.715	N	Y	2	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.135	0.715	0.715	N	Y	2	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.0106	0.0715	0.0715	N	Y	2	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0743	0.715	0.715	N	Y	2	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.106	0.715	0.715	N	Y	2	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.273	0.715	0.715	N	Y	2	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.219	0.715	0.715	N	Y	2	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.102	0.715	0.715	N	Y	2	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.112	0.715	0.715	N	Y	2	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.102	0.715	0.715	N	Y	2	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.228	0.715	0.715	N	Y	2	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0121	0.0715	0.0715	N	Y	2	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		2.15	3.59	3.59	N	Y	2	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0138	0.0715	0.0715	N	Y	2	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.138	0.715	0.715	N	Y	2	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0775	0.715	0.715	N	Y	2	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.135	0.715	0.715	N	Y	2	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.141	0.715	0.715	N	Y	2	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.111	0.715	0.715	N	Y	2	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0960	0.715	0.715	N	Y	2	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0962	0.715	0.715	N	Y	2	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.316	0.715	0.715	N	Y	2	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.114	0.715	0.715	N	Y	2	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.117	0.715	0.715	N	Y	2	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.219	0.715	0.715	N	Y	2	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0880	0.715	0.715	N	Y	2	DRY

Lab Sample ID	L1871603-05
Sys Sample Code	GACO0619T172-1CRS004
Sample Name	GACO0619T172-1CRS004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	6.84

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0900	0.715	0.715	N	Y	2	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0966	0.715	0.715	N	Y	2	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.167	0.715	0.715	N	Y	2	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.114	0.715	0.715	N	Y	2	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0917	0.715	0.715	N	Y	2	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.134	0.715	0.715	N	Y	2	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00786	0.0715	0.0715	N	Y	2	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.121	0.715	0.715	N	Y	2	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00322	0.00322	0.00322	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0129	0.0129	0.0129	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg		U			0.00644	0.00644	0.00644	N	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00322	0.00322	0.00322	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0354	0.0354	0.0354	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.52							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	213				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.670	22.1	22.1	N	Y	1.03	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	4490				25.5	100	100	Y	Y	1	NA

Lab Sample ID	L1871603-06
Sys Sample Code	GACO0619T172-1CRC004
Sample Name	GACO0619T172-1CRC004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS004
% Moisture	6.49

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	0.233							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	375	J	CR		0.654	21.6	21.6	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			7.69	10.7	10.7	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	93.5							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	375				81.3	107	107	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	2160				6.50	21.4	21.4	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.739	2.14	2.14	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg		U			0.0510	0.214	0.214	N	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	1280				20.3	107	107	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	3.62				0.229	1.07	1.07	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	1.86				0.189	1.07	1.07	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	0.363				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	4040				2.40	10.7	10.7	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	971	J-	MS		21.3	107	107	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	95.6				0.185	1.07	1.07	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	1190	J-	MS		22.4	107	107	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg		U			44.1	107	107	N	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.554	2.14	2.14	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	6.40				0.410	2.14	2.14	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	1.24				0.107	0.107	0.107	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	25.5				10.7	10.7	10.7	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg		U			0.107	0.107	0.107	N	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			10.7	10.7	10.7	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg		U			10.7	10.7	10.7	N	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			10.7	10.7	10.7	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.225				0.107	0.107	0.107	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.535	0.535	0.535	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg		U			53.5	53.5	53.5	N	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.214	0.214	0.214	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.28	2.85	2.85	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg		U			1.72	4.28	4.28	N	Y	1	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	16.8				0.293	4.28	4.28	Y	Y	1	DRY

Lab Sample ID	L1871603-06
Sys Sample Code	GACO0619T172-1CRC004
Sample Name	GACO0619T172-1CRC004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS004
% Moisture	6.49

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00108	0.00285	0.00285	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00105	0.00285	0.00285	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000792	0.00285	0.00285	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000680	0.00285	0.00285	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000859	0.00285	0.00285	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000559	0.00285	0.00285	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000690	0.00285	0.00285	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.000921	0.00285	0.00285	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00835	0.0142	0.0142	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00185	0.0142	0.0142	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00180	0.00569	0.00569	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00501	0.0142	0.0142	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00569	0.00569	0.00569	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00444	0.0285	0.0285	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000738	0.00285	0.00285	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000484	0.00569	0.00569	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000739	0.00285	0.00285	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00162	0.00569	0.00569	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00569	0.00569	0.00569	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000683	0.00569	0.00569	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000571	0.00569	0.00569	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000797	0.00569	0.00569	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00157	0.00285	0.00285	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0723	0.114	0.114	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.000985	0.00285	0.00285	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000513	0.00569	0.00569	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00260	0.0285	0.0285	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0416	0.0569	0.0569	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00411	0.0142	0.0142	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00114	0.00114	0.00114	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00103	0.0142	0.0142	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000826	0.00285	0.00285	N	Y	1	DRY
Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00133	0.0285	0.0285	N	Y	1	DRY	

Lab Sample ID	L1871603-06
Sys Sample Code	GACO0619T172-1CRC004
Sample Name	GACO0619T172-1CRC004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS004
% Moisture	6.49

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00224	0.0142	0.0142	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00102	0.00569	0.00569	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000239	0.00285	0.00285	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000697	0.00285	0.00285	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00194	0.00569	0.00569	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00117	0.00285	0.00285	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00495	0.0142	0.0142	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000836	0.00285	0.00285	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000862	0.00285	0.00285	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000854	0.00569	0.00569	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00183	0.00569	0.00569	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000467	0.00114	0.00114	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0114	0.0114	0.0114	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00683	0.0285	0.0285	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000484	0.00285	0.00285	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000399	0.00114	0.00114	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00756	0.0285	0.0285	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00598	0.0142	0.0142	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00108	0.00569	0.00569	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00290	0.00569	0.00569	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00328	0.0142	0.0142	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000261	0.0142	0.0142	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00222	0.00569	0.00569	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00102	0.00285	0.00285	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0114	0.0114	0.0114	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00118	0.00569	0.00569	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00130	0.00569	0.00569	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000665	0.00114	0.00114	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.000942	0.00285	0.00285	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00132	0.00285	0.00285	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.114	0.114	0.114	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0845	0.712	0.712	N	Y	2
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0612	0.712	0.712	N	Y	2	DRY

Lab Sample ID	L1871603-06
Sys Sample Code	GACO0619T172-1CRC004
Sample Name	GACO0619T172-1CRC004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS004
% Moisture	6.49

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0620	0.712	0.712	N	Y	2	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0612	0.712	0.712	N	Y	2	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0697	0.712	0.712	N	Y	2	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.170	0.712	0.712	N	Y	2	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0939	0.712	0.712	N	Y	2	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.148	0.712	0.712	N	Y	2	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.272	0.712	0.712	N	Y	2	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.141	0.712	0.712	N	Y	2	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.135	0.712	0.712	N	Y	2	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.0106	0.0712	0.0712	N	Y	2	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0740	0.712	0.712	N	Y	2	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.106	0.712	0.712	N	Y	2	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.272	0.712	0.712	N	Y	2	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.218	0.712	0.712	N	Y	2	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.102	0.712	0.712	N	Y	2	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.111	0.712	0.712	N	Y	2	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.102	0.712	0.712	N	Y	2	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.227	0.712	0.712	N	Y	2	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0121	0.0712	0.0712	N	Y	2	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		2.14	3.57	3.57	N	Y	2	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0138	0.0712	0.0712	N	Y	2	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.138	0.712	0.712	N	Y	2	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0772	0.712	0.712	N	Y	2	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.135	0.712	0.712	N	Y	2	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.140	0.712	0.712	N	Y	2	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.110	0.712	0.712	N	Y	2	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0956	0.712	0.712	N	Y	2	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0958	0.712	0.712	N	Y	2	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.314	0.712	0.712	N	Y	2	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.113	0.712	0.712	N	Y	2	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.117	0.712	0.712	N	Y	2	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.218	0.712	0.712	N	Y	2	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0877	0.712	0.712	N	Y	2	DRY

Lab Sample ID	L1871603-06
Sys Sample Code	GACO0619T172-1CRC004
Sample Name	GACO0619T172-1CRC004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS004
% Moisture	6.49

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0896	0.712	0.712	N	Y	2	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0962	0.712	0.712	N	Y	2	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.167	0.712	0.712	N	Y	2	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.113	0.712	0.712	N	Y	2	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0913	0.712	0.712	N	Y	2	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.134	0.712	0.712	N	Y	2	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00783	0.0712	0.0712	N	Y	2	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.121	0.712	0.712	N	Y	2	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00321	0.00321	0.00321	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0128	0.0128	0.0128	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg		U			0.00642	0.00642	0.00642	N	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00321	0.00321	0.00321	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0353	0.0353	0.0353	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.55							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	235				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.654	21.6	21.6	N	Y	1.01	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	3750				51.0	200	200	Y	Y	2	NA

Lab Sample ID	L1871603-07
Sys Sample Code	GACO0619T172-1CRS005
Sample Name	GACO0619T172-1CRS005
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	0.406							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	1740	J	CR		0.708	23.4	23.4	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			8.16	11.3	11.3	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	88.1							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	1730				86.2	113	113	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	6330				6.90	22.7	22.7	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.784	2.27	2.27	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.554				0.0541	0.227	0.227	Y	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	6190				21.6	113	113	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	6.97				0.243	1.13	1.13	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	4.89				0.201	1.13	1.13	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	0.546				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	8800				2.54	11.3	11.3	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	2820	J-	MS		22.6	113	113	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	293				0.196	1.13	1.13	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	3150	J-	MS		23.7	113	113	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg		U			46.8	113	113	N	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.588	2.27	2.27	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	15.9				0.435	2.27	2.27	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	3.27				0.113	0.113	0.113	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	82.3				11.3	11.3	11.3	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.252				0.113	0.113	0.113	Y	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			11.3	11.3	11.3	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg		U			11.3	11.3	11.3	N	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			11.3	11.3	11.3	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.516				0.113	0.113	0.113	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.567	0.567	0.567	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg		U			56.7	56.7	56.7	N	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.227	0.227	0.227	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.54	3.17	3.17	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg	12.7				1.83	4.54	4.54	Y	Y	1	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	77.8				0.311	4.54	4.54	Y	Y	1	DRY

Lab Sample ID	L1871603-07
Sys Sample Code	GACO0619T172-1CRS005
Sample Name	GACO0619T172-1CRS005
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00120	0.00317	0.00317	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00117	0.00317	0.00317	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000882	0.00317	0.00317	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000758	0.00317	0.00317	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000957	0.00317	0.00317	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000623	0.00317	0.00317	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000769	0.00317	0.00317	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.00103	0.00317	0.00317	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00931	0.0159	0.0159	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00206	0.0159	0.0159	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00201	0.00635	0.00635	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00559	0.0159	0.0159	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00635	0.00635	0.00635	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00495	0.0317	0.0317	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000823	0.00317	0.00317	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000540	0.00635	0.00635	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000824	0.00317	0.00317	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00180	0.00635	0.00635	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00635	0.00635	0.00635	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000762	0.00635	0.00635	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000636	0.00635	0.00635	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000889	0.00635	0.00635	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00175	0.00317	0.00317	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0806	0.127	0.127	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00110	0.00317	0.00317	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000571	0.00635	0.00635	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00290	0.0317	0.0317	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0463	0.0635	0.0635	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00458	0.0159	0.0159	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00127	0.00127	0.00127	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00114	0.0159	0.0159	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000921	0.00317	0.00317	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00149	0.0317	0.0317	N	Y	1	DRY

Lab Sample ID	L1871603-07
Sys Sample Code	GACO0619T172-1CRS005
Sample Name	GACO0619T172-1CRS005
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00250	0.0159	0.0159	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00114	0.00635	0.00635	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000267	0.00317	0.00317	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000777	0.00317	0.00317	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00216	0.00635	0.00635	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00131	0.00317	0.00317	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00552	0.0159	0.0159	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000932	0.00317	0.00317	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000961	0.00317	0.00317	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000952	0.00635	0.00635	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00204	0.00635	0.00635	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000521	0.00127	0.00127	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0127	0.0127	0.0127	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00762	0.0317	0.0317	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000540	0.00317	0.00317	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000444	0.00127	0.00127	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00843	0.0317	0.0317	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00667	0.0159	0.0159	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00121	0.00635	0.00635	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00324	0.00635	0.00635	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00366	0.0159	0.0159	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000291	0.0159	0.0159	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00248	0.00635	0.00635	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00114	0.00317	0.00317	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0127	0.0127	0.0127	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00132	0.00635	0.00635	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00145	0.00635	0.00635	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000742	0.00127	0.00127	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.00105	0.00317	0.00317	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00147	0.00317	0.00317	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.127	0.127	0.127	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0448	0.378	0.378	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0325	0.378	0.378	N	Y	1	DRY

Lab Sample ID	L1871603-07
Sys Sample Code	GACO0619T172-1CRS005
Sample Name	GACO0619T172-1CRS005
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0329	0.378	0.378	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0325	0.378	0.378	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0370	0.378	0.378	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.0903	0.378	0.378	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0498	0.378	0.378	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0784	0.378	0.378	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.144	0.378	0.378	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0749	0.378	0.378	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0713	0.378	0.378	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00563	0.0378	0.0378	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0393	0.378	0.378	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0561	0.378	0.378	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.144	0.378	0.378	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.116	0.378	0.378	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0539	0.378	0.378	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0590	0.378	0.378	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0539	0.378	0.378	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.120	0.378	0.378	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00643	0.0378	0.0378	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		1.13	1.90	1.90	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00731	0.0378	0.0378	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0732	0.378	0.378	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0410	0.378	0.378	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0714	0.378	0.378	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0746	0.378	0.378	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0586	0.378	0.378	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0507	0.378	0.378	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0508	0.378	0.378	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.167	0.378	0.378	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0599	0.378	0.378	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0617	0.378	0.378	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.116	0.378	0.378	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0465	0.378	0.378	N	Y	1	DRY

Lab Sample ID	L1871603-07
Sys Sample Code	GACO0619T172-1CRS005
Sample Name	GACO0619T172-1CRS005
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0475	0.378	0.378	N	Y	1	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0511	0.378	0.378	N	Y	1	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.0887	0.378	0.378	N	Y	1	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0599	0.378	0.378	N	Y	1	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0485	0.378	0.378	N	Y	1	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0707	0.378	0.378	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00415	0.0378	0.0378	N	Y	1	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0643	0.378	0.378	N	Y	1	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00340	0.00340	0.00340	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0136	0.0136	0.0136	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg		U			0.00681	0.00681	0.00681	N	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00340	0.00340	0.00340	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0374	0.0374	0.0374	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.95							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	467				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.708	23.4	23.4	N	Y	1.03	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	18400				128	500	500	Y	Y	5	NA

Lab Sample ID	L1871603-08
Sys Sample Code	GACO0619T172-1CRT002
Sample Name	GACO0619T172-1CRT002
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/L		U			0.000147	0.00100	0.00100	N	Y	1	NA
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/L		U			0.000133	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/L		U			0.000158	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/L		U			0.000180	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/L		U			0.000100	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/L		U			0.000188	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/L		U			0.000142	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/L		U			0.000230	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/L		U			0.000237	0.00250	0.00250	N	Y	1	NA
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/L		U			0.000481	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/L		U			0.000322	0.00100	0.00100	N	Y	1	NA
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/L		U			0.000276	0.00500	0.00500	N	Y	1	NA
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/L		U			0.000107	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/L		U			0.0000819	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/L		U			0.000161	0.00100	0.00100	N	Y	1	NA
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/L		U			0.00119	0.0100	0.0100	N	Y	1	NA
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/L		U			0.000106	0.00100	0.00100	N	Y	1	NA
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/L		U			0.000114	0.00100	0.00100	N	Y	1	NA
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/L		U			0.000478	0.0100	0.0100	N	Y	1	NA
	Acetone	67-64-1	N	INITIAL	mg/L		U			0.0113	0.0500	0.0500	N	Y	1	NA
	Acrolein	107-02-8	N	INITIAL	mg/L		U			0.00254	0.0500	0.0500	N	Y	1	NA
	Acrylonitrile	107-13-1	N	INITIAL	mg/L		U			0.000671	0.0100	0.0100	N	Y	1	NA
	Benzene	71-43-2	N	INITIAL	mg/L		U			0.0000941	0.00100	0.00100	N	Y	1	NA
	Bromobenzene	108-86-1	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
Bromodichloromethane	75-27-4	N	INITIAL	mg/L		U			0.000136	0.00100	0.00100	N	Y	1	NA	

Lab Sample ID	L1871603-08
Sys Sample Code	GACO0619T172-1CRT002
Sample Name	GACO0619T172-1CRT002
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromoform	75-25-2	N	INITIAL	mg/L		U			0.000129	0.00100	0.00100	N	Y	1	NA
	Bromomethane	74-83-9	N	INITIAL	mg/L		U			0.000605	0.00500	0.00500	N	Y	1	NA
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/L		U			0.000128	0.00100	0.00100	N	Y	1	NA
	Chlorobenzene	108-90-7	N	INITIAL	mg/L		U			0.000116	0.00100	0.00100	N	Y	1	NA
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/L		U			0.000140	0.00100	0.00100	N	Y	1	NA
	Chloroethane	75-00-3	N	INITIAL	mg/L		U			0.000192	0.00500	0.00500	N	Y	1	NA
	Chloroform	67-66-3	N	INITIAL	mg/L		U			0.000111	0.00500	0.00500	N	Y	1	NA
	Chloromethane	74-87-3	N	INITIAL	mg/L		U			0.000960	0.00250	0.00250	N	Y	1	NA
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/L		U			0.000111	0.00100	0.00100	N	Y	1	NA
	Dibromomethane	74-95-3	N	INITIAL	mg/L		U			0.000122	0.00100	0.00100	N	Y	1	NA
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/L		U			0.000374	0.00500	0.00500	N	Y	1	NA
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Ethylbenzene	100-41-4	N	INITIAL	mg/L		U			0.000137	0.00100	0.00100	N	Y	1	NA
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/L		U			0.000337	0.00100	0.00100	N	Y	1	NA
	Isopropylbenzene	98-82-8	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/L		U			0.000101	0.00100	0.00100	N	Y	1	NA
	Methylene Chloride	75-09-2	N	INITIAL	mg/L		U			0.000430	0.00500	0.00500	N	Y	1	NA
	Naphthalene	91-20-3	N	INITIAL	mg/L		U			0.00100	0.00500	0.00500	N	Y	1	NA
	n-Butylbenzene	104-51-8	N	INITIAL	mg/L		U			0.000157	0.00100	0.00100	N	Y	1	NA
	n-Propylbenzene	103-65-1	N	INITIAL	mg/L		U			0.0000993	0.00100	0.00100	N	Y	1	NA
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/L		U			0.000125	0.00100	0.00100	N	Y	1	NA
	Styrene	100-42-5	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/L		U			0.000127	0.00100	0.00100	N	Y	1	NA
	Tetrachloroethene	127-18-4	N	INITIAL	mg/L		U			0.000300	0.00100	0.00100	N	Y	1	NA
	Toluene	108-88-3	N	INITIAL	mg/L		U			0.000278	0.00100	0.00100	N	Y	1	NA
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	Trichloroethene	79-01-6	N	INITIAL	mg/L		U			0.000190	0.00100	0.00100	N	Y	1	NA
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/L		U			0.000160	0.00500	0.00500	N	Y	1	NA
	Vinyl chloride	75-01-4	N	INITIAL	mg/L		U			0.000234	0.00100	0.00100	N	Y	1	NA
	Xylenes, Total	1330-20-7	N	INITIAL	mg/L		U			0.000174	0.00300	0.00300	N	Y	1	NA

Lab Sample ID	L1871603-09
Sys Sample Code	GACO0619T172-1CRS006
Sample Name	GACO0619T172-1CRS006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	2.02							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	3800				6.75	111	111	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg	17.4				8.01	11.1	11.1	Y	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	89.8							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	3110				84.7	111	111	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	4270				6.77	22.3	22.3	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.770	2.23	2.23	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.446				0.0531	0.223	0.223	Y	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	9370				21.2	111	111	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	5.65				0.238	1.11	1.11	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	3.76				0.197	1.11	1.11	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	1.70				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	6490				2.50	11.1	11.1	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	2860	J-	MS		22.2	111	111	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	273				0.193	1.11	1.11	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	2990	J-	MS		23.3	111	111	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg	397				45.9	111	111	Y	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.577	2.23	2.23	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	11.5				0.427	2.23	2.23	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	2.71				0.111	0.111	0.111	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	72.1				11.1	11.1	11.1	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.330				0.111	0.111	0.111	Y	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg	13.4				11.1	11.1	11.1	Y	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg	13.9				11.1	11.1	11.1	Y	Y	5	DRY
SW7199	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			11.1	11.1	11.1	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.570				0.111	0.111	0.111	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.557	0.557	0.557	N	Y	5	DRY
	Zinc	7440-66-6	T	INITIAL	mg/Kg	76.3				55.7	55.7	55.7	Y	Y	5	DRY
SW8015	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.223	0.223	0.223	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.46	3.07	3.07	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg		U			17.9	44.6	44.6	N	Y	10	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	336	J	FD		3.05	44.6	44.6	Y	Y	10	DRY

Lab Sample ID	L1871603-09
Sys Sample Code	GACO0619T172-1CRS006
Sample Name	GACO0619T172-1CRS006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00116	0.00307	0.00307	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00113	0.00307	0.00307	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000854	0.00307	0.00307	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000733	0.00307	0.00307	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000926	0.00307	0.00307	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000603	0.00307	0.00307	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000744	0.00307	0.00307	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.000994	0.00307	0.00307	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00900	0.0154	0.0154	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00199	0.0154	0.0154	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00194	0.00614	0.00614	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00540	0.0154	0.0154	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00614	0.00614	0.00614	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00479	0.0307	0.0307	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000796	0.00307	0.00307	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000522	0.00614	0.00614	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000797	0.00307	0.00307	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00174	0.00614	0.00614	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00614	0.00614	0.00614	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000737	0.00614	0.00614	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000615	0.00614	0.00614	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000860	0.00614	0.00614	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00170	0.00307	0.00307	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0780	0.123	0.123	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00106	0.00307	0.00307	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000553	0.00614	0.00614	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00280	0.0307	0.0307	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0448	0.0614	0.0614	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00443	0.0154	0.0154	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00123	0.00123	0.00123	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00111	0.0154	0.0154	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000891	0.00307	0.00307	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00144	0.0307	0.0307	N	Y	1	DRY

Lab Sample ID	L1871603-09
Sys Sample Code	GACO0619T172-1CRS006
Sample Name	GACO0619T172-1CRS006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00242	0.0154	0.0154	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00110	0.00614	0.00614	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000258	0.00307	0.00307	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000752	0.00307	0.00307	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00209	0.00614	0.00614	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00127	0.00307	0.00307	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00534	0.0154	0.0154	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000902	0.00307	0.00307	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000930	0.00307	0.00307	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000921	0.00614	0.00614	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00198	0.00614	0.00614	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000504	0.00123	0.00123	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0123	0.0123	0.0123	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00737	0.0307	0.0307	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000522	0.00307	0.00307	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000430	0.00123	0.00123	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00816	0.0307	0.0307	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00645	0.0154	0.0154	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00117	0.00614	0.00614	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00313	0.00614	0.00614	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00354	0.0154	0.0154	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000281	0.0154	0.0154	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00240	0.00614	0.00614	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00110	0.00307	0.00307	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0123	0.0123	0.0123	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00128	0.00614	0.00614	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00140	0.00614	0.00614	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000717	0.00123	0.00123	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.00102	0.00307	0.00307	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00142	0.00307	0.00307	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.123	0.123	0.123	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0440	0.371	0.371	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0319	0.371	0.371	N	Y	1	DRY

Lab Sample ID	L1871603-09
Sys Sample Code	GACO0619T172-1CRS006
Sample Name	GACO0619T172-1CRS006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0323	0.371	0.371	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0319	0.371	0.371	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0363	0.371	0.371	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.0887	0.371	0.371	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0489	0.371	0.371	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0770	0.371	0.371	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.141	0.371	0.371	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0735	0.371	0.371	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0700	0.371	0.371	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00553	0.0371	0.0371	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0385	0.371	0.371	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0550	0.371	0.371	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.141	0.371	0.371	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.114	0.371	0.371	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0529	0.371	0.371	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0579	0.371	0.371	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0529	0.371	0.371	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.118	0.371	0.371	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00632	0.0371	0.0371	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		1.11	1.86	1.86	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00717	0.0371	0.0371	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0719	0.371	0.371	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0402	0.371	0.371	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0701	0.371	0.371	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0732	0.371	0.371	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0575	0.371	0.371	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0498	0.371	0.371	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0499	0.371	0.371	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.164	0.371	0.371	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0588	0.371	0.371	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0606	0.371	0.371	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.114	0.371	0.371	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0457	0.371	0.371	N	Y	1	DRY

Lab Sample ID	L1871603-09
Sys Sample Code	GACO0619T172-1CRS006
Sample Name	GACO0619T172-1CRS006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis	
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0467	0.371	0.371	N	Y	1	DRY	
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0501	0.371	0.371	N	Y	1	DRY	
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.0871	0.371	0.371	N	Y	1	DRY	
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0588	0.371	0.371	N	Y	1	DRY	
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0476	0.371	0.371	N	Y	1	DRY	
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0694	0.371	0.371	N	Y	1	DRY	
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00408	0.0371	0.0371	N	Y	1	DRY	
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0632	0.371	0.371	N	Y	1	DRY	
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00334	0.00334	0.00334	N	Y	1	DRY	
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0134	0.0134	0.0134	N	Y	1	DRY	
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg		U			0.00668	0.00668	0.00668	N	Y	1	DRY	
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY	
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		0.00443				0.00334	0.00334	0.00334	Y	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg			U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg			U			0.0368	0.0368	0.0368	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.03							Y	Y	1	NA	
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	5290				10.0	10.0	10.0	Y	Y	1	NA	
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg	692				6.75	223	223	Y	Y	10	DRY	
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	35100				128	500	500	Y	Y	5	NA	

Lab Sample ID	L1871603-10
Sys Sample Code	GACO0619T172-1CRC006
Sample Name	GACO0619T172-1CRC006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS006
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	1.90							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	3960				7.02	111	111	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			8.01	11.1	11.1	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	89.8							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	3360				84.7	111	111	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	3540				6.77	22.3	22.3	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.770	2.23	2.23	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.445				0.0531	0.223	0.223	Y	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	8760				21.2	111	111	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	4.75				0.238	1.11	1.11	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	3.47				0.197	1.11	1.11	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	1.41				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	6350				2.50	11.1	11.1	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	2490	J-	MS		22.2	111	111	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	267				0.193	1.11	1.11	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	2710	J-	MS		23.3	111	111	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg	370				45.9	111	111	Y	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.577	2.23	2.23	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	11.9				0.427	2.23	2.23	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	2.30				0.111	0.111	0.111	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	62.3				11.1	11.1	11.1	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.304				0.111	0.111	0.111	Y	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			11.1	11.1	11.1	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg		U			11.1	11.1	11.1	N	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			11.1	11.1	11.1	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.545				0.111	0.111	0.111	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.557	0.557	0.557	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg	65.5				55.7	55.7	55.7	Y	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.223	0.223	0.223	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.46	3.07	3.07	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg		U			17.9	44.6	44.6	N	Y	10	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	159	J	FD		3.05	44.6	44.6	Y	Y	10	DRY

Lab Sample ID	L1871603-10
Sys Sample Code	GACO0619T172-1CRC006
Sample Name	GACO0619T172-1CRC006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS006
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00116	0.00307	0.00307	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00113	0.00307	0.00307	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000854	0.00307	0.00307	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000733	0.00307	0.00307	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000926	0.00307	0.00307	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000603	0.00307	0.00307	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000744	0.00307	0.00307	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.000994	0.00307	0.00307	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00900	0.0154	0.0154	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00199	0.0154	0.0154	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00194	0.00614	0.00614	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00540	0.0154	0.0154	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00614	0.00614	0.00614	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00479	0.0307	0.0307	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000796	0.00307	0.00307	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000522	0.00614	0.00614	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000797	0.00307	0.00307	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00174	0.00614	0.00614	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00614	0.00614	0.00614	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000737	0.00614	0.00614	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000615	0.00614	0.00614	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000860	0.00614	0.00614	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00169	0.00307	0.00307	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0780	0.123	0.123	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00106	0.00307	0.00307	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000553	0.00614	0.00614	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00280	0.0307	0.0307	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0448	0.0614	0.0614	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00443	0.0154	0.0154	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00123	0.00123	0.00123	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00111	0.0154	0.0154	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000890	0.00307	0.00307	N	Y	1	DRY
Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00144	0.0307	0.0307	N	Y	1	DRY	

Lab Sample ID	L1871603-10
Sys Sample Code	GACO0619T172-1CRC006
Sample Name	GACO0619T172-1CRC006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS006
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00242	0.0154	0.0154	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00110	0.00614	0.00614	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000258	0.00307	0.00307	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000752	0.00307	0.00307	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00209	0.00614	0.00614	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00126	0.00307	0.00307	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00534	0.0154	0.0154	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000901	0.00307	0.00307	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000930	0.00307	0.00307	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000921	0.00614	0.00614	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00198	0.00614	0.00614	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000504	0.00123	0.00123	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0123	0.0123	0.0123	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00737	0.0307	0.0307	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000522	0.00307	0.00307	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000430	0.00123	0.00123	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00815	0.0307	0.0307	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00645	0.0154	0.0154	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00117	0.00614	0.00614	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00313	0.00614	0.00614	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00354	0.0154	0.0154	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000281	0.0154	0.0154	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00239	0.00614	0.00614	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00110	0.00307	0.00307	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0123	0.0123	0.0123	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00128	0.00614	0.00614	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00140	0.00614	0.00614	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000717	0.00123	0.00123	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.00102	0.00307	0.00307	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00142	0.00307	0.00307	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.123	0.123	0.123	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0440	0.371	0.371	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0319	0.371	0.371	N	Y	1	DRY

Lab Sample ID	L1871603-10
Sys Sample Code	GACO0619T172-1CRC006
Sample Name	GACO0619T172-1CRC006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS006
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0323	0.371	0.371	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0319	0.371	0.371	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0363	0.371	0.371	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.0887	0.371	0.371	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0489	0.371	0.371	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0770	0.371	0.371	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.141	0.371	0.371	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0735	0.371	0.371	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0700	0.371	0.371	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00553	0.0371	0.0371	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0385	0.371	0.371	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0550	0.371	0.371	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.141	0.371	0.371	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.114	0.371	0.371	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0529	0.371	0.371	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0579	0.371	0.371	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0529	0.371	0.371	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.118	0.371	0.371	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00632	0.0371	0.0371	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		1.11	1.86	1.86	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00717	0.0371	0.0371	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0718	0.371	0.371	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0402	0.371	0.371	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0701	0.371	0.371	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0732	0.371	0.371	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0575	0.371	0.371	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0498	0.371	0.371	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0499	0.371	0.371	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.164	0.371	0.371	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0588	0.371	0.371	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0606	0.371	0.371	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.114	0.371	0.371	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0457	0.371	0.371	N	Y	1	DRY

Lab Sample ID	L1871603-10
Sys Sample Code	GACO0619T172-1CRC006
Sample Name	GACO0619T172-1CRC006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	FD
Matrix	SO
Parent Sample	GACO0619T172-1CRS006
% Moisture	10.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0467	0.371	0.371	N	Y	1	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0501	0.371	0.371	N	Y	1	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.0871	0.371	0.371	N	Y	1	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0588	0.371	0.371	N	Y	1	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0476	0.371	0.371	N	Y	1	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0694	0.371	0.371	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00408	0.0371	0.0371	N	Y	1	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0632	0.371	0.371	N	Y	1	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00334	0.00334	0.00334	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0134	0.0134	0.0134	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg	0.0175	J+	SR		0.00668	0.00668	0.00668	Y	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00334	0.00334	0.00334	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0368	0.0368	0.0368	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.04							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	4820				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg	597				7.02	232	232	Y	Y	10.4	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	39200				128	500	500	Y	Y	5	NA

Lab Sample ID	L1871603-11
Sys Sample Code	GACO0619T172-1CRS007
Sample Name	GACO0619T172-1CRS007
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.70

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	0.884							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	3350	J	CR		0.702	23.2	23.2	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			8.33	11.6	11.6	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	86.3							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	3330				88.1	116	116	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	4030				7.05	23.2	23.2	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.801	2.32	2.32	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.434				0.0553	0.232	0.232	Y	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	7460				22.0	116	116	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	5.37				0.248	1.16	1.16	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	3.51				0.205	1.16	1.16	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	1.05				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	6060				2.60	11.6	11.6	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	2490	J-	MS		23.1	116	116	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	270				0.201	1.16	1.16	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	3260	J-	MS		24.2	116	116	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg	131				47.8	116	116	Y	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.600	2.32	2.32	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	11.3				0.444	2.32	2.32	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	2.16				0.116	0.116	0.116	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	70.7				11.6	11.6	11.6	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.251				0.116	0.116	0.116	Y	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			11.6	11.6	11.6	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg		U			11.6	11.6	11.6	N	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			11.6	11.6	11.6	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.429				0.116	0.116	0.116	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.580	0.580	0.580	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg		U			58.0	58.0	58.0	N	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.232	0.232	0.232	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.64	3.30	3.30	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg	24.0				1.87	4.64	4.64	Y	Y	1	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	DILUTION	mg/Kg	229				3.18	46.4	46.4	Y	Y	10	DRY

Lab Sample ID	L1871603-11
Sys Sample Code	GACO0619T172-1CRS007
Sample Name	GACO0619T172-1CRS007
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.70

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00125	0.00330	0.00330	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00122	0.00330	0.00330	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000916	0.00330	0.00330	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000787	0.00330	0.00330	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000994	0.00330	0.00330	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000647	0.00330	0.00330	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000799	0.00330	0.00330	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.00107	0.00330	0.00330	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00966	0.0165	0.0165	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00214	0.0165	0.0165	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00208	0.00659	0.00659	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00580	0.0165	0.0165	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00659	0.00659	0.00659	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00514	0.0330	0.0330	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000854	0.00330	0.00330	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000560	0.00659	0.00659	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000856	0.00330	0.00330	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00187	0.00659	0.00659	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00659	0.00659	0.00659	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000791	0.00659	0.00659	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000660	0.00659	0.00659	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000923	0.00659	0.00659	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00182	0.00330	0.00330	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0837	0.132	0.132	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00114	0.00330	0.00330	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000593	0.00659	0.00659	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00301	0.0330	0.0330	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0481	0.0659	0.0659	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00476	0.0165	0.0165	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00132	0.00132	0.00132	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00119	0.0165	0.0165	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000956	0.00330	0.00330	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00154	0.0330	0.0330	N	Y	1	DRY

Lab Sample ID	L1871603-11
Sys Sample Code	GACO0619T172-1CRS007
Sample Name	GACO0619T172-1CRS007
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.70

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00260	0.0165	0.0165	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00118	0.00659	0.00659	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000277	0.00330	0.00330	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000807	0.00330	0.00330	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00224	0.00659	0.00659	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00136	0.00330	0.00330	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00573	0.0165	0.0165	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000968	0.00330	0.00330	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000998	0.00330	0.00330	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000989	0.00659	0.00659	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00212	0.00659	0.00659	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000541	0.00132	0.00132	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0132	0.0132	0.0132	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00791	0.0330	0.0330	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000560	0.00330	0.00330	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000461	0.00132	0.00132	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00875	0.0330	0.0330	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00692	0.0165	0.0165	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00125	0.00659	0.00659	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00336	0.00659	0.00659	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00380	0.0165	0.0165	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000302	0.0165	0.0165	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00257	0.00659	0.00659	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00118	0.00330	0.00330	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0132	0.0132	0.0132	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00137	0.00659	0.00659	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00150	0.00659	0.00659	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000770	0.00132	0.00132	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.00109	0.00330	0.00330	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00153	0.00330	0.00330	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.132	0.132	0.132	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0916	0.772	0.772	N	Y	2
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0663	0.772	0.772	N	Y	2	DRY

Lab Sample ID	L1871603-11
Sys Sample Code	GACO0619T172-1CRS007
Sample Name	GACO0619T172-1CRS007
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.70

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0672	0.772	0.772	N	Y	2	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0663	0.772	0.772	N	Y	2	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0756	0.772	0.772	N	Y	2	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.184	0.772	0.772	N	Y	2	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.102	0.772	0.772	N	Y	2	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.160	0.772	0.772	N	Y	2	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.294	0.772	0.772	N	Y	2	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.153	0.772	0.772	N	Y	2	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.146	0.772	0.772	N	Y	2	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.0115	0.0772	0.0772	N	Y	2	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0802	0.772	0.772	N	Y	2	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.115	0.772	0.772	N	Y	2	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.294	0.772	0.772	N	Y	2	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.236	0.772	0.772	N	Y	2	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.110	0.772	0.772	N	Y	2	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.121	0.772	0.772	N	Y	2	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.110	0.772	0.772	N	Y	2	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.246	0.772	0.772	N	Y	2	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0131	0.0772	0.0772	N	Y	2	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		2.32	3.87	3.87	N	Y	2	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0150	0.0772	0.0772	N	Y	2	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.150	0.772	0.772	N	Y	2	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0837	0.772	0.772	N	Y	2	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.146	0.772	0.772	N	Y	2	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.152	0.772	0.772	N	Y	2	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.119	0.772	0.772	N	Y	2	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.104	0.772	0.772	N	Y	2	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.104	0.772	0.772	N	Y	2	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.341	0.772	0.772	N	Y	2	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.123	0.772	0.772	N	Y	2	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.126	0.772	0.772	N	Y	2	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.236	0.772	0.772	N	Y	2	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0950	0.772	0.772	N	Y	2	DRY

Lab Sample ID	L1871603-11
Sys Sample Code	GACO0619T172-1CRS007
Sample Name	GACO0619T172-1CRS007
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.70

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0971	0.772	0.772	N	Y	2	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.104	0.772	0.772	N	Y	2	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.181	0.772	0.772	N	Y	2	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.123	0.772	0.772	N	Y	2	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0990	0.772	0.772	N	Y	2	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.145	0.772	0.772	N	Y	2	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00848	0.0772	0.0772	N	Y	2	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.131	0.772	0.772	N	Y	2	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00348	0.00348	0.00348	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0139	0.0139	0.0139	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0382	0.0382	0.0382	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0382	0.0382	0.0382	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0382	0.0382	0.0382	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg	0.0617	J+	SR		0.00695	0.00695	0.00695	Y	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg	0.0892	J+	SR		0.0382	0.0382	0.0382	Y	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg	0.114	J+	SR		0.0382	0.0382	0.0382	Y	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg	0.0653	J+	SR		0.0382	0.0382	0.0382	Y	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0382	0.0382	0.0382	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg	0.0868	J+	SR		0.0382	0.0382	0.0382	Y	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0382	0.0382	0.0382	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg	0.136	J+	SR		0.0382	0.0382	0.0382	Y	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0382	0.0382	0.0382	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg	0.0664	J+	SR		0.0382	0.0382	0.0382	Y	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00348	0.00348	0.00348	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0382	0.0382	0.0382	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg	0.103	J+	SR		0.0382	0.0382	0.0382	Y	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.71							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	978				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.702	23.2	23.2	N	Y	1	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	35500				128	500	500	Y	Y	5	NA

Lab Sample ID	L1871603-12
Sys Sample Code	GACO0619T172-1CRT003
Sample Name	GACO0619T172-1CRT003
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/L		U			0.000147	0.00100	0.00100	N	Y	1	NA
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/L		U			0.000133	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/L		U			0.000158	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/L		U			0.000180	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/L		U			0.000100	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/L		U			0.000188	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/L		U			0.000142	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/L		U			0.000230	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/L		U			0.000237	0.00250	0.00250	N	Y	1	NA
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/L		U			0.000481	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/L		U			0.000322	0.00100	0.00100	N	Y	1	NA
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/L		U			0.000276	0.00500	0.00500	N	Y	1	NA
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/L		U			0.000107	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/L		U			0.0000819	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/L		U			0.000161	0.00100	0.00100	N	Y	1	NA
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/L		U			0.00119	0.0100	0.0100	N	Y	1	NA
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/L		U			0.000106	0.00100	0.00100	N	Y	1	NA
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/L		U			0.000114	0.00100	0.00100	N	Y	1	NA
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/L		U			0.000478	0.0100	0.0100	N	Y	1	NA
	Acetone	67-64-1	N	INITIAL	mg/L		U			0.0113	0.0500	0.0500	N	Y	1	NA
	Acrolein	107-02-8	N	INITIAL	mg/L		U			0.00254	0.0500	0.0500	N	Y	1	NA
	Acrylonitrile	107-13-1	N	INITIAL	mg/L		U			0.000671	0.0100	0.0100	N	Y	1	NA
	Benzene	71-43-2	N	INITIAL	mg/L		U			0.0000941	0.00100	0.00100	N	Y	1	NA
	Bromobenzene	108-86-1	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	Bromodichloromethane	75-27-4	N	INITIAL	mg/L		U			0.000136	0.00100	0.00100	N	Y	1	NA

Lab Sample ID	L1871603-12
Sys Sample Code	GACO0619T172-1CRT003
Sample Name	GACO0619T172-1CRT003
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromoform	75-25-2	N	INITIAL	mg/L		U			0.000129	0.00100	0.00100	N	Y	1	NA
	Bromomethane	74-83-9	N	INITIAL	mg/L		U			0.000605	0.00500	0.00500	N	Y	1	NA
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/L		U			0.000128	0.00100	0.00100	N	Y	1	NA
	Chlorobenzene	108-90-7	N	INITIAL	mg/L		U			0.000116	0.00100	0.00100	N	Y	1	NA
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/L		U			0.000140	0.00100	0.00100	N	Y	1	NA
	Chloroethane	75-00-3	N	INITIAL	mg/L		U			0.000192	0.00500	0.00500	N	Y	1	NA
	Chloroform	67-66-3	N	INITIAL	mg/L		U			0.000111	0.00500	0.00500	N	Y	1	NA
	Chloromethane	74-87-3	N	INITIAL	mg/L		U			0.000960	0.00250	0.00250	N	Y	1	NA
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/L		U			0.000111	0.00100	0.00100	N	Y	1	NA
	Dibromomethane	74-95-3	N	INITIAL	mg/L		U			0.000122	0.00100	0.00100	N	Y	1	NA
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/L		U			0.000374	0.00500	0.00500	N	Y	1	NA
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Ethylbenzene	100-41-4	N	INITIAL	mg/L		U			0.000137	0.00100	0.00100	N	Y	1	NA
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/L		U			0.000337	0.00100	0.00100	N	Y	1	NA
	Isopropylbenzene	98-82-8	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/L		U			0.000101	0.00100	0.00100	N	Y	1	NA
	Methylene Chloride	75-09-2	N	INITIAL	mg/L		U			0.000430	0.00500	0.00500	N	Y	1	NA
	Naphthalene	91-20-3	N	INITIAL	mg/L		U			0.00100	0.00500	0.00500	N	Y	1	NA
	n-Butylbenzene	104-51-8	N	INITIAL	mg/L		U			0.000157	0.00100	0.00100	N	Y	1	NA
	n-Propylbenzene	103-65-1	N	INITIAL	mg/L		U			0.0000993	0.00100	0.00100	N	Y	1	NA
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/L		U			0.000125	0.00100	0.00100	N	Y	1	NA
	Styrene	100-42-5	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/L		U			0.000127	0.00100	0.00100	N	Y	1	NA
	Tetrachloroethene	127-18-4	N	INITIAL	mg/L		U			0.000300	0.00100	0.00100	N	Y	1	NA
	Toluene	108-88-3	N	INITIAL	mg/L		U			0.000278	0.00100	0.00100	N	Y	1	NA
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	Trichloroethene	79-01-6	N	INITIAL	mg/L		U			0.000190	0.00100	0.00100	N	Y	1	NA
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/L		U			0.000160	0.00500	0.00500	N	Y	1	NA
	Vinyl chloride	75-01-4	N	INITIAL	mg/L		U			0.000234	0.00100	0.00100	N	Y	1	NA
	Xylenes, Total	1330-20-7	N	INITIAL	mg/L		U			0.000174	0.00300	0.00300	N	Y	1	NA

Lab Sample ID	L1871603-13
Sys Sample Code	GACO0619T172-1CRS008
Sample Name	GACO0619T172-1CRS008
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	1.24							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	2310				0.698	23.0	23.0	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			8.29	11.5	11.5	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	86.8							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	2270				87.6	115	115	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	5780				7.01	23.0	23.0	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.796	2.30	2.30	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.569				0.0550	0.230	0.230	Y	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	10800				21.9	115	115	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	7.36				0.247	1.15	1.15	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	4.62				0.204	1.15	1.15	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	0.875				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	8550				2.58	11.5	11.5	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	3210	J-	MS		22.9	115	115	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	305				0.199	1.15	1.15	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	2790	J-	MS		24.1	115	115	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg	210				47.5	115	115	Y	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.597	2.30	2.30	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	15.2				0.441	2.30	2.30	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	3.44				0.115	0.115	0.115	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	93.5				11.5	11.5	11.5	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.390				0.115	0.115	0.115	Y	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg	13.4				11.5	11.5	11.5	Y	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg	22.0				11.5	11.5	11.5	Y	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg			U		11.5	11.5	11.5	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.599				0.115	0.115	0.115	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg			U		0.576	0.576	0.576	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg	65.9				57.6	57.6	57.6	Y	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.230	0.230	0.230	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.61	3.26	3.26	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg		U			9.28	23.0	23.0	N	Y	5	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	75.6				1.58	23.0	23.0	Y	Y	5	DRY

Lab Sample ID	L1871603-13
Sys Sample Code	GACO0619T172-1CRS008
Sample Name	GACO0619T172-1CRS008
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00124	0.00326	0.00326	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00120	0.00326	0.00326	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000907	0.00326	0.00326	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000779	0.00326	0.00326	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000984	0.00326	0.00326	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000641	0.00326	0.00326	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000791	0.00326	0.00326	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.00106	0.00326	0.00326	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00957	0.0163	0.0163	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00211	0.0163	0.0163	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00206	0.00652	0.00652	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00574	0.0163	0.0163	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00652	0.00652	0.00652	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00509	0.0326	0.0326	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000846	0.00326	0.00326	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000555	0.00652	0.00652	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000847	0.00326	0.00326	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00185	0.00652	0.00652	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00652	0.00652	0.00652	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000783	0.00652	0.00652	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000654	0.00652	0.00652	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000913	0.00652	0.00652	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00180	0.00326	0.00326	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0829	0.130	0.130	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00113	0.00326	0.00326	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000587	0.00652	0.00652	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00298	0.0326	0.0326	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0476	0.0652	0.0652	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00471	0.0163	0.0163	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00130	0.00130	0.00130	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00117	0.0163	0.0163	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000946	0.00326	0.00326	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00153	0.0326	0.0326	N	Y	1	DRY

Lab Sample ID	L1871603-13
Sys Sample Code	GACO0619T172-1CRS008
Sample Name	GACO0619T172-1CRS008
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00257	0.0163	0.0163	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00117	0.00652	0.00652	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000274	0.00326	0.00326	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000799	0.00326	0.00326	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00222	0.00652	0.00652	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00134	0.00326	0.00326	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00568	0.0163	0.0163	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000958	0.00326	0.00326	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000988	0.00326	0.00326	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000979	0.00652	0.00652	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00210	0.00652	0.00652	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000535	0.00130	0.00130	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0130	0.0130	0.0130	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00783	0.0326	0.0326	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000555	0.00326	0.00326	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000457	0.00130	0.00130	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00866	0.0326	0.0326	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00685	0.0163	0.0163	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00124	0.00652	0.00652	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00333	0.00652	0.00652	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00376	0.0163	0.0163	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000299	0.0163	0.0163	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00254	0.00652	0.00652	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00117	0.00326	0.00326	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0130	0.0130	0.0130	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00136	0.00652	0.00652	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00149	0.00652	0.00652	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000762	0.00130	0.00130	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.00108	0.00326	0.00326	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00151	0.00326	0.00326	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.130	0.130	0.130	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0455	0.384	0.384	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0330	0.384	0.384	N	Y	1	DRY

Lab Sample ID	L1871603-13
Sys Sample Code	GACO0619T172-1CRS008
Sample Name	GACO0619T172-1CRS008
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0334	0.384	0.384	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0330	0.384	0.384	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0376	0.384	0.384	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.0917	0.384	0.384	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0506	0.384	0.384	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0796	0.384	0.384	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.146	0.384	0.384	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0761	0.384	0.384	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0724	0.384	0.384	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00572	0.0384	0.0384	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0399	0.384	0.384	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0569	0.384	0.384	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.146	0.384	0.384	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.118	0.384	0.384	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0547	0.384	0.384	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0599	0.384	0.384	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0547	0.384	0.384	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.122	0.384	0.384	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00653	0.0384	0.0384	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC,MS		1.15	1.92	1.92	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00742	0.0384	0.0384	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0743	0.384	0.384	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0416	0.384	0.384	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0725	0.384	0.384	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0757	0.384	0.384	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0595	0.384	0.384	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0515	0.384	0.384	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0516	0.384	0.384	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.169	0.384	0.384	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0608	0.384	0.384	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0627	0.384	0.384	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		R	MS		0.118	0.384	0.384	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0472	0.384	0.384	N	Y	1	DRY

Lab Sample ID	L1871603-13
Sys Sample Code	GACO0619T172-1CRS008
Sample Name	GACO0619T172-1CRS008
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	13.20

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0483	0.384	0.384	N	Y	1	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0519	0.384	0.384	N	Y	1	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.0901	0.384	0.384	N	Y	1	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0608	0.384	0.384	N	Y	1	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0492	0.384	0.384	N	Y	1	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0718	0.384	0.384	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00422	0.0384	0.0384	N	Y	1	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0653	0.384	0.384	N	Y	1	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00346	0.00346	0.00346	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0138	0.0138	0.0138	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg	0.00848				0.00691	0.00691	0.00691	Y	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00346	0.00346	0.00346	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0380	0.0380	0.0380	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.89							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	502				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg	35.9				0.698	23.0	23.0	Y	Y	1	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	21000				102	400	400	Y	Y	4	NA

Lab Sample ID	L1871603-14
Sys Sample Code	GACO0619T172-1CRS009
Sample Name	GACO0619T172-1CRS009
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	21.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis	
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	0.629							Y	Y	1	NA	
	Total Nitrogen	TN	N	INITIAL	mg/Kg	2640	J	CR		0.776	25.6	25.6	Y	Y	1	DRY	
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			9.21	12.8	12.8	N	Y	1	DRY	
SM2540G	Total Solids	10-31-1	N	INITIAL	%	78.1							Y	Y	1	NA	
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	2640				97.3	128	128	Y	Y	5	DRY	
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	4040				7.79	25.6	25.6	Y	Y	1	DRY	
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.885	2.56	2.56	N	Y	1	DRY	
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.431				0.0611	0.256	0.256	Y	Y	1	DRY	
	Calcium	7440-70-2	T	INITIAL	mg/Kg	6670				24.3	128	128	Y	Y	1	DRY	
	Chromium	7440-47-3	T	INITIAL	mg/Kg	5.09				0.274	1.28	1.28	Y	Y	1	DRY	
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	3.61				0.227	1.28	1.28	Y	Y	1	DRY	
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	1.23				0.0199	0.100	0.100	Y	Y	1	NA	
	Iron	7439-89-6	T	INITIAL	mg/Kg	6250				2.87	12.8	12.8	Y	Y	1	DRY	
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	2300	J-	MS		25.5	128	128	Y	Y	1	DRY	
	Manganese	7439-96-5	T	INITIAL	mg/Kg	278				0.222	1.28	1.28	Y	Y	1	DRY	
	Potassium	7440-09-7	T	INITIAL	mg/Kg	2570	J-	MS		26.8	128	128	Y	Y	1	DRY	
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg		U			52.8	128	128	N	Y	1	DRY	
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.663	2.56	2.56	N	Y	1	DRY	
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	11.3				0.490	2.56	2.56	Y	Y	1	DRY	
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	2.15				0.128	0.128	0.128	Y	Y	5	DRY	
	Barium	7440-39-3	T	INITIAL	mg/Kg	64.3				12.8	12.8	12.8	Y	Y	5	DRY	
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.249				0.128	0.128	0.128	Y	Y	5	DRY	
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			12.8	12.8	12.8	N	Y	5	DRY	
	Lead	7439-92-1	T	INITIAL	mg/Kg		U			12.8	12.8	12.8	N	Y	5	DRY	
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			12.8	12.8	12.8	N	Y	5	DRY	
SW7199	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.515				0.128	0.128	0.128	Y	Y	5	DRY	
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.640	0.640	0.640	N	Y	5	DRY	
	Zinc	7440-66-6	T	INITIAL	mg/Kg		U			64.0	64.0	64.0	N	Y	5	DRY	
	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.256	0.256	0.256	N	Y	1	DRY	
	SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			3.13	3.91	3.91	N	Y	25	DRY
	SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg	13.1				2.06	5.12	5.12	Y	Y	1	DRY
		C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	104				0.351	5.12	5.12	Y	Y	1	DRY

Lab Sample ID	L1871603-14
Sys Sample Code	GACO0619T172-1CRS009
Sample Name	GACO0619T172-1CRS009
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	21.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00148	0.00391	0.00391	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00144	0.00391	0.00391	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.00109	0.00391	0.00391	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000933	0.00391	0.00391	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.00118	0.00391	0.00391	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000767	0.00391	0.00391	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000947	0.00391	0.00391	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.00126	0.00391	0.00391	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.0115	0.0195	0.0195	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00253	0.0195	0.0195	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00247	0.00781	0.00781	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00688	0.0195	0.0195	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00781	0.00781	0.00781	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00609	0.0391	0.0391	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.00101	0.00391	0.00391	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000664	0.00781	0.00781	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.00101	0.00391	0.00391	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00222	0.00781	0.00781	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00781	0.00781	0.00781	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000938	0.00781	0.00781	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000783	0.00781	0.00781	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.00109	0.00781	0.00781	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00216	0.00391	0.00391	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0992	0.156	0.156	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00135	0.00391	0.00391	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000703	0.00781	0.00781	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00356	0.0391	0.0391	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0570	0.0781	0.0781	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00564	0.0195	0.0195	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00156	0.00156	0.00156	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00141	0.0195	0.0195	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.00113	0.00391	0.00391	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00183	0.0391	0.0391	N	Y	1	DRY

Lab Sample ID	L1871603-14
Sys Sample Code	GACO0619T172-1CRS009
Sample Name	GACO0619T172-1CRS009
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	21.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00308	0.0195	0.0195	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00140	0.00781	0.00781	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000328	0.00391	0.00391	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000956	0.00391	0.00391	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00266	0.00781	0.00781	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00161	0.00391	0.00391	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00680	0.0195	0.0195	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.00115	0.00391	0.00391	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.00118	0.00391	0.00391	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.00117	0.00781	0.00781	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00252	0.00781	0.00781	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000641	0.00156	0.00156	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0156	0.0156	0.0156	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00938	0.0391	0.0391	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000664	0.00391	0.00391	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000547	0.00156	0.00156	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.0104	0.0391	0.0391	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00820	0.0195	0.0195	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00148	0.00781	0.00781	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00398	0.00781	0.00781	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00450	0.0195	0.0195	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000358	0.0195	0.0195	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00305	0.00781	0.00781	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00140	0.00391	0.00391	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0156	0.0156	0.0156	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00163	0.00781	0.00781	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00178	0.00781	0.00781	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000913	0.00156	0.00156	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.00129	0.00391	0.00391	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00181	0.00391	0.00391	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.156	0.156	0.156	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0506	0.426	0.426	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0366	0.426	0.426	N	Y	1	DRY

Lab Sample ID	L1871603-14
Sys Sample Code	GACO0619T172-1CRS009
Sample Name	GACO0619T172-1CRS009
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	21.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0371	0.426	0.426	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0366	0.426	0.426	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0417	0.426	0.426	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.102	0.426	0.426	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0562	0.426	0.426	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0885	0.426	0.426	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.163	0.426	0.426	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0845	0.426	0.426	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0804	0.426	0.426	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00635	0.0426	0.0426	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0443	0.426	0.426	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0633	0.426	0.426	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.163	0.426	0.426	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.131	0.426	0.426	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0608	0.426	0.426	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0666	0.426	0.426	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0608	0.426	0.426	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.136	0.426	0.426	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00726	0.0426	0.0426	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		1.28	2.14	2.14	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00825	0.0426	0.0426	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0826	0.426	0.426	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0462	0.426	0.426	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0806	0.426	0.426	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0841	0.426	0.426	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0661	0.426	0.426	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0572	0.426	0.426	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0574	0.426	0.426	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.188	0.426	0.426	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0676	0.426	0.426	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0697	0.426	0.426	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.131	0.426	0.426	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0525	0.426	0.426	N	Y	1	DRY

Lab Sample ID	L1871603-14
Sys Sample Code	GACO0619T172-1CRS009
Sample Name	GACO0619T172-1CRS009
Sample Date	6/19/2025 8:45:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	21.90

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0537	0.426	0.426	N	Y	1	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0576	0.426	0.426	N	Y	1	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.100	0.426	0.426	N	Y	1	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0676	0.426	0.426	N	Y	1	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0547	0.426	0.426	N	Y	1	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0798	0.426	0.426	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00469	0.0426	0.0426	N	Y	1	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0726	0.426	0.426	N	Y	1	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00384	0.00384	0.00384	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0154	0.0154	0.0154	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg		U			0.00768	0.00768	0.00768	N	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00384	0.00384	0.00384	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY
Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0423	0.0423	0.0423	N	Y	1	DRY	
SW9045	pH	10-29-7	N	INITIAL	SU	7.47							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	771				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.776	25.6	25.6	N	Y	1	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	62600				1070	4200	4200	Y	Y	42	NA

Lab Sample ID	L1871603-15
Sys Sample Code	GACO0619T172-1CRT004
Sample Name	GACO0619T172-1CRT004
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/L		U			0.000147	0.00100	0.00100	N	Y	1	NA
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/L		U			0.000133	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/L		U			0.000158	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/L		U			0.000180	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/L		U			0.000100	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/L		U			0.000188	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/L		U			0.000142	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/L		U			0.000230	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/L		U			0.000237	0.00250	0.00250	N	Y	1	NA
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/L		U			0.000481	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/L		U			0.000322	0.00100	0.00100	N	Y	1	NA
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/L		U			0.000276	0.00500	0.00500	N	Y	1	NA
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/L		U			0.000107	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/L		U			0.0000819	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/L		U			0.000161	0.00100	0.00100	N	Y	1	NA
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/L		U			0.00119	0.0100	0.0100	N	Y	1	NA
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/L		U			0.000106	0.00100	0.00100	N	Y	1	NA
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/L		U			0.000114	0.00100	0.00100	N	Y	1	NA
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/L		U			0.000478	0.0100	0.0100	N	Y	1	NA
	Acetone	67-64-1	N	INITIAL	mg/L		U			0.0113	0.0500	0.0500	N	Y	1	NA
	Acrolein	107-02-8	N	INITIAL	mg/L		U			0.00254	0.0500	0.0500	N	Y	1	NA
	Acrylonitrile	107-13-1	N	INITIAL	mg/L		U			0.000671	0.0100	0.0100	N	Y	1	NA
	Benzene	71-43-2	N	INITIAL	mg/L		U			0.0000941	0.00100	0.00100	N	Y	1	NA
	Bromobenzene	108-86-1	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
Bromodichloromethane	75-27-4	N	INITIAL	mg/L		U			0.000136	0.00100	0.00100	N	Y	1	NA	

Lab Sample ID	L1871603-15
Sys Sample Code	GACO0619T172-1CRT004
Sample Name	GACO0619T172-1CRT004
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromoform	75-25-2	N	INITIAL	mg/L		U			0.000129	0.00100	0.00100	N	Y	1	NA
	Bromomethane	74-83-9	N	INITIAL	mg/L		U			0.000605	0.00500	0.00500	N	Y	1	NA
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/L		U			0.000128	0.00100	0.00100	N	Y	1	NA
	Chlorobenzene	108-90-7	N	INITIAL	mg/L		U			0.000116	0.00100	0.00100	N	Y	1	NA
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/L		U			0.000140	0.00100	0.00100	N	Y	1	NA
	Chloroethane	75-00-3	N	INITIAL	mg/L		U			0.000192	0.00500	0.00500	N	Y	1	NA
	Chloroform	67-66-3	N	INITIAL	mg/L		U			0.000111	0.00500	0.00500	N	Y	1	NA
	Chloromethane	74-87-3	N	INITIAL	mg/L		U			0.000960	0.00250	0.00250	N	Y	1	NA
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/L		U			0.000111	0.00100	0.00100	N	Y	1	NA
	Dibromomethane	74-95-3	N	INITIAL	mg/L		U			0.000122	0.00100	0.00100	N	Y	1	NA
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/L		U			0.000374	0.00500	0.00500	N	Y	1	NA
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Ethylbenzene	100-41-4	N	INITIAL	mg/L		U			0.000137	0.00100	0.00100	N	Y	1	NA
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/L		U			0.000337	0.00100	0.00100	N	Y	1	NA
	Isopropylbenzene	98-82-8	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/L		U			0.000101	0.00100	0.00100	N	Y	1	NA
	Methylene Chloride	75-09-2	N	INITIAL	mg/L		U			0.000430	0.00500	0.00500	N	Y	1	NA
	Naphthalene	91-20-3	N	INITIAL	mg/L		U			0.00100	0.00500	0.00500	N	Y	1	NA
	n-Butylbenzene	104-51-8	N	INITIAL	mg/L		U			0.000157	0.00100	0.00100	N	Y	1	NA
	n-Propylbenzene	103-65-1	N	INITIAL	mg/L		U			0.0000993	0.00100	0.00100	N	Y	1	NA
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/L		U			0.000125	0.00100	0.00100	N	Y	1	NA
	Styrene	100-42-5	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/L		U			0.000127	0.00100	0.00100	N	Y	1	NA
	Tetrachloroethene	127-18-4	N	INITIAL	mg/L		U			0.000300	0.00100	0.00100	N	Y	1	NA
	Toluene	108-88-3	N	INITIAL	mg/L		U			0.000278	0.00100	0.00100	N	Y	1	NA
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	Trichloroethene	79-01-6	N	INITIAL	mg/L		U			0.000190	0.00100	0.00100	N	Y	1	NA
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/L		U			0.000160	0.00500	0.00500	N	Y	1	NA
	Vinyl chloride	75-01-4	N	INITIAL	mg/L		U			0.000234	0.00100	0.00100	N	Y	1	NA
	Xylenes, Total	1330-20-7	N	INITIAL	mg/L		U			0.000174	0.00300	0.00300	N	Y	1	NA

Lab Sample ID	L1871603-16
Sys Sample Code	GACO0619T172-1CRS010
Sample Name	GACO0619T172-1CRS010
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	16.80

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	0.778							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	2380	J	CR		0.728	24.0	24.0	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			8.64	12.0	12.0	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	83.2							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	2370				91.3	120	120	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	6220				7.30	24.0	24.0	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.830	2.40	2.40	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.640				0.0573	0.240	0.240	Y	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	9190				22.8	120	120	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	7.69				0.257	1.20	1.20	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	5.17				0.213	1.20	1.20	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	1.65				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	9950				2.69	12.0	12.0	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	3220	J-	MS		23.9	120	120	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	371				0.208	1.20	1.20	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	2830	J-	MS		25.1	120	120	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg	144				49.5	120	120	Y	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.622	2.40	2.40	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	17.8				0.460	2.40	2.40	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	3.52				0.120	0.120	0.120	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	94.0				12.0	12.0	12.0	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.382				0.120	0.120	0.120	Y	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			12.0	12.0	12.0	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg	17.1				12.0	12.0	12.0	Y	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			12.0	12.0	12.0	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.714				0.120	0.120	0.120	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.601	0.601	0.601	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg	74.8				60.1	60.1	60.1	Y	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.240	0.240	0.240	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.81	3.51	3.51	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg	15.1				1.93	4.81	4.81	Y	Y	1	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	80.3				0.329	4.81	4.81	Y	Y	1	DRY

Lab Sample ID	L1871603-16
Sys Sample Code	GACO0619T172-1CRS010
Sample Name	GACO0619T172-1CRS010
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	16.80

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00133	0.00351	0.00351	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00130	0.00351	0.00351	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000976	0.00351	0.00351	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000838	0.00351	0.00351	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.00106	0.00351	0.00351	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000689	0.00351	0.00351	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000851	0.00351	0.00351	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.00114	0.00351	0.00351	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.0103	0.0175	0.0175	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00227	0.0175	0.0175	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00222	0.00702	0.00702	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00618	0.0175	0.0175	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00702	0.00702	0.00702	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00547	0.0351	0.0351	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000910	0.00351	0.00351	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000597	0.00702	0.00702	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000911	0.00351	0.00351	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00199	0.00702	0.00702	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00702	0.00702	0.00702	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000842	0.00702	0.00702	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000703	0.00702	0.00702	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000983	0.00702	0.00702	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00194	0.00351	0.00351	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0891	0.140	0.140	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00121	0.00351	0.00351	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000632	0.00702	0.00702	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00320	0.0351	0.0351	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0512	0.0702	0.0702	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00507	0.0175	0.0175	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00140	0.00140	0.00140	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00126	0.0175	0.0175	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.00102	0.00351	0.00351	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00164	0.0351	0.0351	N	Y	1	DRY

Lab Sample ID	L1871603-16
Sys Sample Code	GACO0619T172-1CRS010
Sample Name	GACO0619T172-1CRS010
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	16.80

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00277	0.0175	0.0175	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00126	0.00702	0.00702	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000295	0.00351	0.00351	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000859	0.00351	0.00351	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00239	0.00702	0.00702	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00145	0.00351	0.00351	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00611	0.0175	0.0175	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.00103	0.00351	0.00351	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.00106	0.00351	0.00351	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.00105	0.00702	0.00702	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00226	0.00702	0.00702	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000576	0.00140	0.00140	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0140	0.0140	0.0140	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00842	0.0351	0.0351	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000597	0.00351	0.00351	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000491	0.00140	0.00140	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00932	0.0351	0.0351	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00737	0.0175	0.0175	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00133	0.00702	0.00702	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00358	0.00702	0.00702	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00404	0.0175	0.0175	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000321	0.0175	0.0175	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00274	0.00702	0.00702	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00126	0.00351	0.00351	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0140	0.0140	0.0140	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00146	0.00702	0.00702	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00160	0.00702	0.00702	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000820	0.00140	0.00140	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.00116	0.00351	0.00351	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00163	0.00351	0.00351	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.140	0.140	0.140	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0475	0.400	0.400	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0344	0.400	0.400	N	Y	1	DRY

Lab Sample ID	L1871603-16
Sys Sample Code	GACO0619T172-1CRS010
Sample Name	GACO0619T172-1CRS010
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	16.80

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0348	0.400	0.400	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0344	0.400	0.400	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0392	0.400	0.400	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.0956	0.400	0.400	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0527	0.400	0.400	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0830	0.400	0.400	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.153	0.400	0.400	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0793	0.400	0.400	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0754	0.400	0.400	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00596	0.0400	0.0400	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0416	0.400	0.400	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0593	0.400	0.400	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.153	0.400	0.400	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.123	0.400	0.400	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0571	0.400	0.400	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0625	0.400	0.400	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0571	0.400	0.400	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.127	0.400	0.400	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00681	0.0400	0.0400	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		1.20	2.01	2.01	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00774	0.0400	0.0400	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0775	0.400	0.400	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0434	0.400	0.400	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0756	0.400	0.400	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0789	0.400	0.400	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0620	0.400	0.400	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0537	0.400	0.400	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0538	0.400	0.400	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.177	0.400	0.400	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0634	0.400	0.400	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0654	0.400	0.400	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.123	0.400	0.400	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0493	0.400	0.400	N	Y	1	DRY

Lab Sample ID	L1871603-16
Sys Sample Code	GACO0619T172-1CRS010
Sample Name	GACO0619T172-1CRS010
Sample Date	6/19/2025 8:35:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	16.80

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0503	0.400	0.400	N	Y	1	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0541	0.400	0.400	N	Y	1	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.0940	0.400	0.400	N	Y	1	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0634	0.400	0.400	N	Y	1	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0513	0.400	0.400	N	Y	1	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0748	0.400	0.400	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00440	0.0400	0.0400	N	Y	1	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0681	0.400	0.400	N	Y	1	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00360	0.00360	0.00360	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0144	0.0144	0.0144	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg	0.0148	J+	SR		0.00721	0.00721	0.00721	Y	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg	0.0439	J+	SR		0.0396	0.0396	0.0396	Y	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00360	0.00360	0.00360	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0396	0.0396	0.0396	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.75							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	471				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.728	24.0	24.0	N	Y	1	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	21500				128	500	500	Y	Y	5	NA

Lab Sample ID	L1871603-17
Sys Sample Code	GACO0619T172-1CRS011
Sample Name	GACO0619T172-1CRS011
Sample Date	6/19/2025 8:30:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	3.64

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	0.826							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	665	J	CR		0.654	21.6	21.6	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg	25.6				7.46	10.4	10.4	Y	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	96.4							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	650				78.9	104	104	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	1150				6.31	20.8	20.8	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.717	2.08	2.08	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg		U			0.0495	0.208	0.208	N	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	998				19.7	104	104	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	1.79				0.222	1.04	1.04	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	1.06				0.184	1.04	1.04	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	0.170				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	2520				2.32	10.4	10.4	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	525	J-	MS		20.7	104	104	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	56.8				0.180	1.04	1.04	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	632	J-	MS		21.7	104	104	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg		U			42.8	104	104	N	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.538	2.08	2.08	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	4.39				0.397	2.08	2.08	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	0.999				0.104	0.104	0.104	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	19.9				10.4	10.4	10.4	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg		U			0.104	0.104	0.104	N	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			10.4	10.4	10.4	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg		U			10.4	10.4	10.4	N	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			10.4	10.4	10.4	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.218				0.104	0.104	0.104	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.519	0.519	0.519	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg		U			51.9	51.9	51.9	N	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.208	0.208	0.208	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.15	2.69	2.69	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg	7.42				1.67	4.15	4.15	Y	Y	1	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	31.3				0.284	4.15	4.15	Y	Y	1	DRY

Lab Sample ID	L1871603-17
Sys Sample Code	GACO0619T172-1CRS011
Sample Name	GACO0619T172-1CRS011
Sample Date	6/19/2025 8:30:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	3.64

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00102	0.00269	0.00269	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.000993	0.00269	0.00269	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000747	0.00269	0.00269	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000642	0.00269	0.00269	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000811	0.00269	0.00269	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000528	0.00269	0.00269	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000652	0.00269	0.00269	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.000870	0.00269	0.00269	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00788	0.0134	0.0134	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00174	0.0134	0.0134	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00170	0.00538	0.00538	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00473	0.0134	0.0134	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00538	0.00538	0.00538	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00419	0.0269	0.0269	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000697	0.00269	0.00269	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000457	0.00538	0.00538	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000698	0.00269	0.00269	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00153	0.00538	0.00538	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00538	0.00538	0.00538	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000645	0.00538	0.00538	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000539	0.00538	0.00538	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000753	0.00538	0.00538	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00148	0.00269	0.00269	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0683	0.108	0.108	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.000930	0.00269	0.00269	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000484	0.00538	0.00538	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00245	0.0269	0.0269	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0393	0.0538	0.0538	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00388	0.0134	0.0134	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00108	0.00108	0.00108	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.000968	0.0134	0.0134	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000780	0.00269	0.00269	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00126	0.0269	0.0269	N	Y	1	DRY

Lab Sample ID	L1871603-17
Sys Sample Code	GACO0619T172-1CRS011
Sample Name	GACO0619T172-1CRS011
Sample Date	6/19/2025 8:30:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	3.64

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00212	0.0134	0.0134	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.000966	0.00538	0.00538	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000226	0.00269	0.00269	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000658	0.00269	0.00269	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00183	0.00538	0.00538	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00111	0.00269	0.00269	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00468	0.0134	0.0134	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000789	0.00269	0.00269	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000814	0.00269	0.00269	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000807	0.00538	0.00538	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00173	0.00538	0.00538	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000441	0.00108	0.00108	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0108	0.0108	0.0108	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00645	0.0269	0.0269	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000457	0.00269	0.00269	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000376	0.00108	0.00108	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00714	0.0269	0.0269	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00565	0.0134	0.0134	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00102	0.00538	0.00538	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00274	0.00538	0.00538	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00310	0.0134	0.0134	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000246	0.0134	0.0134	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00210	0.00538	0.00538	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.000964	0.00269	0.00269	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0108	0.0108	0.0108	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00112	0.00538	0.00538	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00123	0.00538	0.00538	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000628	0.00108	0.00108	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.000889	0.00269	0.00269	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00125	0.00269	0.00269	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.108	0.108	0.108	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0410	0.346	0.346	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0297	0.346	0.346	N	Y	1	DRY

Lab Sample ID	L1871603-17
Sys Sample Code	GACO0619T172-1CRS011
Sample Name	GACO0619T172-1CRS011
Sample Date	6/19/2025 8:30:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	3.64

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0301	0.346	0.346	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0297	0.346	0.346	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0338	0.346	0.346	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.0826	0.346	0.346	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0456	0.346	0.346	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0717	0.346	0.346	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.132	0.346	0.346	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0685	0.346	0.346	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0652	0.346	0.346	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00515	0.0346	0.0346	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0359	0.346	0.346	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0513	0.346	0.346	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.132	0.346	0.346	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.106	0.346	0.346	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0493	0.346	0.346	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0540	0.346	0.346	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0493	0.346	0.346	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.110	0.346	0.346	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00588	0.0346	0.0346	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		1.04	1.73	1.73	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00668	0.0346	0.0346	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0669	0.346	0.346	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0375	0.346	0.346	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0653	0.346	0.346	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0682	0.346	0.346	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0535	0.346	0.346	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0464	0.346	0.346	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0465	0.346	0.346	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.153	0.346	0.346	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0548	0.346	0.346	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0565	0.346	0.346	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.106	0.346	0.346	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0425	0.346	0.346	N	Y	1	DRY

Lab Sample ID	L1871603-17
Sys Sample Code	GACO0619T172-1CRS011
Sample Name	GACO0619T172-1CRS011
Sample Date	6/19/2025 8:30:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	3.64

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0435	0.346	0.346	N	Y	1	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0467	0.346	0.346	N	Y	1	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.0812	0.346	0.346	N	Y	1	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0548	0.346	0.346	N	Y	1	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0443	0.346	0.346	N	Y	1	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0647	0.346	0.346	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00380	0.0346	0.0346	N	Y	1	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0588	0.346	0.346	N	Y	1	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00311	0.00311	0.00311	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0125	0.0125	0.0125	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg		U			0.00623	0.00623	0.00623	N	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00311	0.00311	0.00311	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0342	0.0342	0.0342	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.79							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	593				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.654	21.6	21.6	N	Y	1.04	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	3290				25.5	100	100	Y	Y	1	NA

Lab Sample ID	L1871603-18
Sys Sample Code	GACO0619T172-1CRS012
Sample Name	GACO0619T172-1CRS012
Sample Date	6/19/2025 8:40:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.50

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	1.30							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	2360				0.685	22.6	22.6	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			8.13	11.3	11.3	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	88.5							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	2310				85.9	113	113	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	6020				6.87	22.6	22.6	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.781	2.26	2.26	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg	0.596				0.0539	0.226	0.226	Y	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	11700				21.5	113	113	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	7.53				0.242	1.13	1.13	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	4.90				0.200	1.13	1.13	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	1.59				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	8420				2.53	11.3	11.3	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	3530	J-	MS		22.5	113	113	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	314				0.196	1.13	1.13	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	2500	J-	MS		23.6	113	113	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg	204				46.6	113	113	Y	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.585	2.26	2.26	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	14.4				0.433	2.26	2.26	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	3.27				0.113	0.113	0.113	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	96.8				11.3	11.3	11.3	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg	0.388				0.113	0.113	0.113	Y	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			11.3	11.3	11.3	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg	20.3				11.3	11.3	11.3	Y	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			11.3	11.3	11.3	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.667				0.113	0.113	0.113	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.565	0.565	0.565	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg	83.7				56.5	56.5	56.5	Y	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.226	0.226	0.226	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.52	3.15	3.15	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg	7.50				1.82	4.52	4.52	Y	Y	1	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	40.8				0.310	4.52	4.52	Y	Y	1	DRY

Lab Sample ID	L1871603-18
Sys Sample Code	GACO0619T172-1CRS012
Sample Name	GACO0619T172-1CRS012
Sample Date	6/19/2025 8:40:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.50

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00119	0.00315	0.00315	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.00116	0.00315	0.00315	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000876	0.00315	0.00315	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000753	0.00315	0.00315	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000950	0.00315	0.00315	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000619	0.00315	0.00315	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000764	0.00315	0.00315	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.00102	0.00315	0.00315	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00924	0.0158	0.0158	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00204	0.0158	0.0158	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00199	0.00630	0.00630	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00555	0.0158	0.0158	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00630	0.00630	0.00630	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00492	0.0315	0.0315	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000817	0.00315	0.00315	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000536	0.00630	0.00630	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000818	0.00315	0.00315	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00179	0.00630	0.00630	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00630	0.00630	0.00630	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000756	0.00630	0.00630	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000632	0.00630	0.00630	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000882	0.00630	0.00630	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00174	0.00315	0.00315	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0800	0.126	0.126	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.00109	0.00315	0.00315	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000567	0.00630	0.00630	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00287	0.0315	0.0315	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0460	0.0630	0.0630	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00455	0.0158	0.0158	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00126	0.00126	0.00126	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.00113	0.0158	0.0158	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000914	0.00315	0.00315	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00147	0.0315	0.0315	N	Y	1	DRY

Lab Sample ID	L1871603-18
Sys Sample Code	GACO0619T172-1CRS012
Sample Name	GACO0619T172-1CRS012
Sample Date	6/19/2025 8:40:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.50

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00248	0.0158	0.0158	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.00113	0.00630	0.00630	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000265	0.00315	0.00315	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000771	0.00315	0.00315	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00214	0.00630	0.00630	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00130	0.00315	0.00315	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00548	0.0158	0.0158	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000925	0.00315	0.00315	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000954	0.00315	0.00315	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000945	0.00630	0.00630	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00203	0.00630	0.00630	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000517	0.00126	0.00126	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0126	0.0126	0.0126	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00756	0.0315	0.0315	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000536	0.00315	0.00315	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000441	0.00126	0.00126	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00837	0.0315	0.0315	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00662	0.0158	0.0158	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00120	0.00630	0.00630	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00321	0.00630	0.00630	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00363	0.0158	0.0158	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000289	0.0158	0.0158	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00246	0.00630	0.00630	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.00113	0.00315	0.00315	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0126	0.0126	0.0126	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00131	0.00630	0.00630	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00144	0.00630	0.00630	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000736	0.00126	0.00126	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.00104	0.00315	0.00315	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00146	0.00315	0.00315	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.126	0.126	0.126	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0446	0.376	0.376	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0323	0.376	0.376	N	Y	1	DRY

Lab Sample ID	L1871603-18
Sys Sample Code	GACO0619T172-1CRS012
Sample Name	GACO0619T172-1CRS012
Sample Date	6/19/2025 8:40:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.50

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0328	0.376	0.376	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0323	0.376	0.376	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0368	0.376	0.376	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.0900	0.376	0.376	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0496	0.376	0.376	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0781	0.376	0.376	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.144	0.376	0.376	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0746	0.376	0.376	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0710	0.376	0.376	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00561	0.0376	0.0376	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0391	0.376	0.376	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0558	0.376	0.376	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.144	0.376	0.376	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.115	0.376	0.376	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0537	0.376	0.376	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0588	0.376	0.376	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0537	0.376	0.376	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.120	0.376	0.376	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00641	0.0376	0.0376	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		1.13	1.89	1.89	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00728	0.0376	0.0376	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0729	0.376	0.376	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0408	0.376	0.376	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0711	0.376	0.376	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0742	0.376	0.376	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0583	0.376	0.376	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0505	0.376	0.376	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0506	0.376	0.376	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.166	0.376	0.376	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0597	0.376	0.376	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0615	0.376	0.376	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.115	0.376	0.376	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0463	0.376	0.376	N	Y	1	DRY

Lab Sample ID	L1871603-18
Sys Sample Code	GACO0619T172-1CRS012
Sample Name	GACO0619T172-1CRS012
Sample Date	6/19/2025 8:40:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	11.50

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0474	0.376	0.376	N	Y	1	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0509	0.376	0.376	N	Y	1	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.0884	0.376	0.376	N	Y	1	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0597	0.376	0.376	N	Y	1	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0483	0.376	0.376	N	Y	1	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0704	0.376	0.376	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00414	0.0376	0.0376	N	Y	1	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0641	0.376	0.376	N	Y	1	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00339	0.00339	0.00339	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0136	0.0136	0.0136	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg	0.0221				0.00678	0.00678	0.00678	Y	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg	0.0382				0.0373	0.0373	0.0373	Y	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00339	0.00339	0.00339	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0373	0.0373	0.0373	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	7.82							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	635				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg	48.7				0.685	22.6	22.6	Y	Y	1	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	30600				128	500	500	Y	Y	5	NA

Lab Sample ID	L1871603-19
Sys Sample Code	GACO0619T172-1CRS013
Sample Name	GACO0619T172-1CRS013
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	2.81

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
CALC	Sodium Adsorption Ratio	SAR	N	INITIAL	None	4.52							Y	Y	1	NA
	Total Nitrogen	TN	N	INITIAL	mg/Kg	190	J	CR		0.624	20.6	20.6	Y	Y	1	DRY
E350.1	Ammonia Nitrogen	7664-41-7	N	INITIAL	mg/Kg		U			7.40	10.3	10.3	N	Y	1	DRY
SM2540G	Total Solids	10-31-1	N	INITIAL	%	97.2							Y	Y	1	NA
SM4500-NORG-D	Kjeldahl Nitrogen, TKN	7727-37-9TKN	N	INITIAL	mg/Kg	178				78.2	103	103	Y	Y	5	DRY
SW6010	Aluminum	7429-90-5	T	INITIAL	mg/Kg	1770				6.26	20.6	20.6	Y	Y	1	DRY
	Antimony	7440-36-0	T	INITIAL	mg/Kg		UJ	MS		0.711	2.06	2.06	N	Y	1	DRY
	Beryllium	7440-41-7	T	INITIAL	mg/Kg		U			0.0491	0.206	0.206	N	Y	1	DRY
	Calcium	7440-70-2	T	INITIAL	mg/Kg	2960				19.5	103	103	Y	Y	1	DRY
	Chromium	7440-47-3	T	INITIAL	mg/Kg	2.57				0.220	1.03	1.03	Y	Y	1	DRY
	Cobalt	7440-48-4	T	INITIAL	mg/Kg	1.51				0.182	1.03	1.03	Y	Y	1	DRY
	Hot Water Sol. Boron	HotH2OSolBo	T	INITIAL	mg/L	0.695				0.0199	0.100	0.100	Y	Y	1	NA
	Iron	7439-89-6	T	INITIAL	mg/Kg	3800				2.30	10.3	10.3	Y	Y	1	DRY
	Magnesium	7439-95-4	T	INITIAL	mg/Kg	1120	J-	MS		20.5	103	103	Y	Y	1	DRY
	Manganese	7439-96-5	T	INITIAL	mg/Kg	98.5				0.178	1.03	1.03	Y	Y	1	DRY
	Potassium	7440-09-7	T	INITIAL	mg/Kg	836	J-	MS		21.5	103	103	Y	Y	1	DRY
SW6020	Sodium	7440-23-5	T	INITIAL	mg/Kg	233				42.4	103	103	Y	Y	1	DRY
	Thallium	7440-28-0	T	INITIAL	mg/Kg		UJ	MS		0.533	2.06	2.06	N	Y	1	DRY
	Vanadium	7440-62-2	T	INITIAL	mg/Kg	6.73				0.394	2.06	2.06	Y	Y	1	DRY
	Arsenic	7440-38-2	T	INITIAL	mg/Kg	1.44				0.103	0.103	0.103	Y	Y	5	DRY
	Barium	7440-39-3	T	INITIAL	mg/Kg	23.9				10.3	10.3	10.3	Y	Y	5	DRY
	Cadmium	7440-43-9	T	INITIAL	mg/Kg		U			0.103	0.103	0.103	N	Y	5	DRY
	Copper	7440-50-8	T	INITIAL	mg/Kg		U			10.3	10.3	10.3	N	Y	5	DRY
	Lead	7439-92-1	T	INITIAL	mg/Kg	10.4				10.3	10.3	10.3	Y	Y	5	DRY
	Nickel	7440-02-0	T	INITIAL	mg/Kg		U			10.3	10.3	10.3	N	Y	5	DRY
	Selenium	7782-49-2	T	INITIAL	mg/Kg	0.189				0.103	0.103	0.103	Y	Y	5	DRY
	Silver	7440-22-4	T	INITIAL	mg/Kg		U			0.514	0.514	0.514	N	Y	5	DRY
Zinc	7440-66-6	T	INITIAL	mg/Kg		U			51.4	51.4	51.4	N	Y	5	DRY	
SW7199	Hexavalent Chromium	18540-29-9	N	INITIAL	mg/Kg		UJ	MS		0.206	0.206	0.206	N	Y	1	DRY
SW8015	TPH (GC/FID) Low Fraction	8006-61-9	N	INITIAL	mg/Kg		U			2.12	2.64	2.64	N	Y	25	DRY
SW8015M	C10-C28 Diesel Range	DROC10C28	N	INITIAL	mg/Kg		U			1.66	4.12	4.12	N	Y	1	DRY
	C28-C36 Motor Oil Range	MORC28C36	N	INITIAL	mg/Kg	14.9				0.282	4.12	4.12	Y	Y	1	DRY

Lab Sample ID	L1871603-19
Sys Sample Code	GACO0619T172-1CRS013
Sample Name	GACO0619T172-1CRS013
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	2.81

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/Kg		U			0.00100	0.00264	0.00264	N	Y	1	DRY
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/Kg		U			0.000976	0.00264	0.00264	N	Y	1	DRY
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/Kg		U			0.000735	0.00264	0.00264	N	Y	1	DRY
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/Kg		U			0.000632	0.00264	0.00264	N	Y	1	DRY
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/Kg		U			0.000798	0.00264	0.00264	N	Y	1	DRY
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/Kg		U			0.000519	0.00264	0.00264	N	Y	1	DRY
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/Kg		U			0.000641	0.00264	0.00264	N	Y	1	DRY
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/Kg		U			0.000856	0.00264	0.00264	N	Y	1	DRY
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/Kg		U			0.00775	0.0132	0.0132	N	Y	1	DRY
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/Kg		U			0.00171	0.0132	0.0132	N	Y	1	DRY
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/Kg		U			0.00167	0.00529	0.00529	N	Y	1	DRY
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.00465	0.0132	0.0132	N	Y	1	DRY
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/Kg		U			0.00529	0.00529	0.00529	N	Y	1	DRY
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/Kg		U			0.00413	0.0264	0.0264	N	Y	1	DRY
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/Kg		U			0.000686	0.00264	0.00264	N	Y	1	DRY
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/Kg		U			0.000450	0.00529	0.00529	N	Y	1	DRY
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/Kg		U			0.000687	0.00264	0.00264	N	Y	1	DRY
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/Kg		U			0.00150	0.00529	0.00529	N	Y	1	DRY
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/Kg		U			0.00529	0.00529	0.00529	N	Y	1	DRY
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.000635	0.00529	0.00529	N	Y	1	DRY
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/Kg		U			0.000530	0.00529	0.00529	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.000741	0.00529	0.00529	N	Y	1	DRY
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/Kg		U			0.00146	0.00264	0.00264	N	Y	1	DRY
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/Kg		U			0.0672	0.106	0.106	N	Y	1	DRY
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/Kg		U			0.000915	0.00264	0.00264	N	Y	1	DRY
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/Kg		U			0.000476	0.00529	0.00529	N	Y	1	DRY
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/Kg		U			0.00241	0.0264	0.0264	N	Y	1	DRY
	Acetone	67-64-1	N	INITIAL	mg/Kg		U			0.0386	0.0529	0.0529	N	Y	1	DRY
	Acrylonitrile	107-13-1	N	INITIAL	mg/Kg		U			0.00382	0.0132	0.0132	N	Y	1	DRY
	Benzene	71-43-2	N	INITIAL	mg/Kg		U			0.00106	0.00106	0.00106	N	Y	1	DRY
	Bromobenzene	108-86-1	N	INITIAL	mg/Kg		U			0.000952	0.0132	0.0132	N	Y	1	DRY
	Bromodichloromethane	75-27-4	N	INITIAL	mg/Kg		U			0.000767	0.00264	0.00264	N	Y	1	DRY
	Bromoform	75-25-2	N	INITIAL	mg/Kg		U			0.00124	0.0264	0.0264	N	Y	1	DRY

Lab Sample ID	L1871603-19
Sys Sample Code	GACO0619T172-1CRS013
Sample Name	GACO0619T172-1CRS013
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	2.81

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromomethane	74-83-9	N	INITIAL	mg/Kg		U			0.00208	0.0132	0.0132	N	Y	1	DRY
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/Kg		U			0.000950	0.00529	0.00529	N	Y	1	DRY
	Chlorobenzene	108-90-7	N	INITIAL	mg/Kg		U			0.000222	0.00264	0.00264	N	Y	1	DRY
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/Kg		U			0.000647	0.00264	0.00264	N	Y	1	DRY
	Chloroethane	75-00-3	N	INITIAL	mg/Kg		U			0.00180	0.00529	0.00529	N	Y	1	DRY
	Chloroform	67-66-3	N	INITIAL	mg/Kg		U			0.00109	0.00264	0.00264	N	Y	1	DRY
	Chloromethane	74-87-3	N	INITIAL	mg/Kg		U			0.00460	0.0132	0.0132	N	Y	1	DRY
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/Kg		U			0.000776	0.00264	0.00264	N	Y	1	DRY
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/Kg		U			0.000801	0.00264	0.00264	N	Y	1	DRY
	Dibromomethane	74-95-3	N	INITIAL	mg/Kg		U			0.000793	0.00529	0.00529	N	Y	1	DRY
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/Kg		U			0.00170	0.00529	0.00529	N	Y	1	DRY
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/Kg		U			0.000434	0.00106	0.00106	N	Y	1	DRY
	Ethylbenzene	100-41-4	N	INITIAL	mg/Kg		U			0.0106	0.0106	0.0106	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.00635	0.0264	0.0264	N	Y	1	DRY
	Isopropylbenzene	98-82-8	N	INITIAL	mg/Kg		U			0.000450	0.00264	0.00264	N	Y	1	DRY
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/Kg		U			0.000370	0.00106	0.00106	N	Y	1	DRY
	Methylene Chloride	75-09-2	N	INITIAL	mg/Kg		U			0.00702	0.0264	0.0264	N	Y	1	DRY
	n-Butylbenzene	104-51-8	N	INITIAL	mg/Kg		U			0.00555	0.0132	0.0132	N	Y	1	DRY
	n-Propylbenzene	103-65-1	N	INITIAL	mg/Kg		U			0.00100	0.00529	0.00529	N	Y	1	DRY
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/Kg		U			0.00270	0.00529	0.00529	N	Y	1	DRY
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/Kg		U			0.00305	0.0132	0.0132	N	Y	1	DRY
	Styrene	100-42-5	N	INITIAL	mg/Kg		U			0.000242	0.0132	0.0132	N	Y	1	DRY
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/Kg		U			0.00206	0.00529	0.00529	N	Y	1	DRY
	Tetrachloroethene	127-18-4	N	INITIAL	mg/Kg		U			0.000948	0.00264	0.00264	N	Y	1	DRY
	Toluene	108-88-3	N	INITIAL	mg/Kg		U			0.0106	0.0106	0.0106	N	Y	1	DRY
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/Kg		U			0.00110	0.00529	0.00529	N	Y	1	DRY
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/Kg		U			0.00121	0.00529	0.00529	N	Y	1	DRY
	Trichloroethene	79-01-6	N	INITIAL	mg/Kg		U			0.000618	0.00106	0.00106	N	Y	1	DRY
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/Kg		U			0.000875	0.00264	0.00264	N	Y	1	DRY
	Vinyl chloride	75-01-4	N	INITIAL	mg/Kg		U			0.00123	0.00264	0.00264	N	Y	1	DRY
	Xylenes, Total	1330-20-7	N	INITIAL	mg/Kg		U			0.106	0.106	0.106	N	Y	1	DRY
	SW8270	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/Kg		U			0.0406	0.343	0.343	N	Y	1
1,2-Dichlorobenzene		95-50-1	N	INITIAL	mg/Kg		U			0.0294	0.343	0.343	N	Y	1	DRY

Lab Sample ID	L1871603-19
Sys Sample Code	GACO0619T172-1CRS013
Sample Name	GACO0619T172-1CRS013
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	2.81

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/Kg		U			0.0298	0.343	0.343	N	Y	1	DRY
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/Kg		U			0.0294	0.343	0.343	N	Y	1	DRY
	2,2-Oxybis(1-Chloropropane)	108-60-1	N	INITIAL	mg/Kg		U			0.0335	0.343	0.343	N	Y	1	DRY
	2,4,6-Trichlorophenol	88-06-2	N	INITIAL	mg/Kg		U			0.0819	0.343	0.343	N	Y	1	DRY
	2,4-Dichlorophenol	120-83-2	N	INITIAL	mg/Kg		U			0.0452	0.343	0.343	N	Y	1	DRY
	2,4-Dimethylphenol	105-67-9	N	INITIAL	mg/Kg		U			0.0711	0.343	0.343	N	Y	1	DRY
	2,4-Dinitrophenol	51-28-5	N	INITIAL	mg/Kg		U			0.131	0.343	0.343	N	Y	1	DRY
	2,4-Dinitrotoluene	121-14-2	N	INITIAL	mg/Kg		U			0.0679	0.343	0.343	N	Y	1	DRY
	2,6-Dinitrotoluene	606-20-2	N	INITIAL	mg/Kg		U			0.0646	0.343	0.343	N	Y	1	DRY
	2-Chloronaphthalene	91-58-7	N	INITIAL	mg/Kg		U			0.00510	0.0343	0.0343	N	Y	1	DRY
	2-Chlorophenol	95-57-8	N	INITIAL	mg/Kg		U			0.0356	0.343	0.343	N	Y	1	DRY
	2-Nitrophenol	88-75-5	N	INITIAL	mg/Kg		U			0.0508	0.343	0.343	N	Y	1	DRY
	3,3-Dichlorobenzidine	91-94-1	N	INITIAL	mg/Kg		U			0.131	0.343	0.343	N	Y	1	DRY
	4,6-Dinitro-2-methylphenol	534-52-1	N	INITIAL	mg/Kg		U			0.105	0.343	0.343	N	Y	1	DRY
	4-Bromophenyl-phenylether	101-55-3	N	INITIAL	mg/Kg		U			0.0489	0.343	0.343	N	Y	1	DRY
	4-Chloro-3-methylphenol	59-50-7	N	INITIAL	mg/Kg		U			0.0535	0.343	0.343	N	Y	1	DRY
	4-Chlorophenyl-phenylether	7005-72-3	N	INITIAL	mg/Kg		U			0.0489	0.343	0.343	N	Y	1	DRY
	4-Nitrophenol	100-02-7	N	INITIAL	mg/Kg		U			0.109	0.343	0.343	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.00583	0.0343	0.0343	N	Y	1	DRY
	Benzidine	92-87-5	N	INITIAL	mg/Kg		R	LC		1.03	1.72	1.72	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.00663	0.0343	0.0343	N	Y	1	DRY
	Benzylbutyl phthalate	85-68-7	N	INITIAL	mg/Kg		U			0.0664	0.343	0.343	N	Y	1	DRY
	Bis(2-chlorethoxy)methane	111-91-1	N	INITIAL	mg/Kg		U			0.0371	0.343	0.343	N	Y	1	DRY
	Bis(2-chloroethyl)ether	111-44-4	N	INITIAL	mg/Kg		U			0.0647	0.343	0.343	N	Y	1	DRY
	Bis(2-ethylhexyl)phthalate	117-81-7	N	INITIAL	mg/Kg		U			0.0676	0.343	0.343	N	Y	1	DRY
	Diethyl phthalate	84-66-2	N	INITIAL	mg/Kg		U			0.0531	0.343	0.343	N	Y	1	DRY
	Dimethyl phthalate	131-11-3	N	INITIAL	mg/Kg		U			0.0460	0.343	0.343	N	Y	1	DRY
	Di-n-butyl phthalate	84-74-2	N	INITIAL	mg/Kg		U			0.0461	0.343	0.343	N	Y	1	DRY
	Di-n-octyl phthalate	117-84-0	N	INITIAL	mg/Kg		U			0.151	0.343	0.343	N	Y	1	DRY
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/Kg		U			0.0543	0.343	0.343	N	Y	1	DRY
	Hexachlorobenzene	118-74-1	N	INITIAL	mg/Kg		U			0.0560	0.343	0.343	N	Y	1	DRY
	Hexachlorocyclopentadiene	77-47-4	N	INITIAL	mg/Kg		U			0.105	0.343	0.343	N	Y	1	DRY
	Hexachloroethane	67-72-1	N	INITIAL	mg/Kg		U			0.0422	0.343	0.343	N	Y	1	DRY

Lab Sample ID	L1871603-19
Sys Sample Code	GACO0619T172-1CRS013
Sample Name	GACO0619T172-1CRS013
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	2.81

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8270	Isophorone	78-59-1	N	INITIAL	mg/Kg		U			0.0431	0.343	0.343	N	Y	1	DRY
	Nitrobenzene	98-95-3	N	INITIAL	mg/Kg		U			0.0463	0.343	0.343	N	Y	1	DRY
	n-Nitrosodimethylamine	62-75-9	N	INITIAL	mg/Kg		U			0.0805	0.343	0.343	N	Y	1	DRY
	n-Nitrosodi-n-propylamine	621-64-7	N	INITIAL	mg/Kg		U			0.0543	0.343	0.343	N	Y	1	DRY
	n-Nitrosodiphenylamine	86-30-6	N	INITIAL	mg/Kg		U			0.0439	0.343	0.343	N	Y	1	DRY
	Pentachlorophenol	87-86-5	N	INITIAL	mg/Kg		U			0.0641	0.343	0.343	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.00377	0.0343	0.0343	N	Y	1	DRY
	Phenol	108-95-2	N	INITIAL	mg/Kg		U			0.0583	0.343	0.343	N	Y	1	DRY
SW8270-SIM	1-Methylnaphthalene	90-12-0	N	INITIAL	mg/Kg		U			0.00309	0.00309	0.00309	N	Y	1	DRY
	2-Methylnaphthalene	91-57-6	N	INITIAL	mg/Kg		U			0.0123	0.0123	0.0123	N	Y	1	DRY
	Acenaphthene	83-32-9	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Acenaphthylene	208-96-8	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Anthracene	120-12-7	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Benzo(a)anthracene	56-55-3	N	INITIAL	mg/Kg		U			0.00617	0.00617	0.00617	N	Y	1	DRY
	Benzo(a)pyrene	50-32-8	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Benzo(b)fluoranthene	205-99-2	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Benzo(g,h,i)perylene	191-24-2	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Benzo(k)fluoranthene	207-08-9	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Chrysene	218-01-9	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Dibenz(a,h)anthracene	53-70-3	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Fluoranthene	206-44-0	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Fluorene	86-73-7	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Indeno(1,2,3-cd)pyrene	193-39-5	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Naphthalene	91-20-3	N	INITIAL	mg/Kg		U			0.00309	0.00309	0.00309	N	Y	1	DRY
	Phenanthrene	85-01-8	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
	Pyrene	129-00-0	N	INITIAL	mg/Kg		U			0.0340	0.0340	0.0340	N	Y	1	DRY
SW9045	pH	10-29-7	N	INITIAL	SU	8.72							Y	Y	1	NA
SW9050	Specific Conductance	10-34-4	N	INITIAL	umhos/cm	592				10.0	10.0	10.0	Y	Y	1	NA
SW9056	Nitrate-Nitrite	NO2-NO3	N	INITIAL	mg/Kg		U			0.624	20.6	20.6	N	Y	1	DRY
WBLACK	TOC By Walkley Black	10-35-5	N	INITIAL	mg/Kg	1190				25.5	100	100	Y	Y	1	NA

Lab Sample ID	L1871603-20
Sys Sample Code	GACO0619T172-1CRT005
Sample Name	GACO0619T172-1CRT005
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	1,1,1,2-Tetrachloroethane	630-20-6	N	INITIAL	mg/L		U			0.000147	0.00100	0.00100	N	Y	1	NA
	1,1,1-Trichloroethane	71-55-6	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,1,2,2-Tetrachloroethane	79-34-5	N	INITIAL	mg/L		U			0.000133	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichloroethane	79-00-5	N	INITIAL	mg/L		U			0.000158	0.00100	0.00100	N	Y	1	NA
	1,1,2-Trichlorotrifluoroethane	76-13-1	N	INITIAL	mg/L		U			0.000180	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethane	75-34-3	N	INITIAL	mg/L		U			0.000100	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloroethene	75-35-4	N	INITIAL	mg/L		U			0.000188	0.00100	0.00100	N	Y	1	NA
	1,1-Dichloropropene	563-58-6	N	INITIAL	mg/L		U			0.000142	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichlorobenzene	87-61-6	N	INITIAL	mg/L		U			0.000230	0.00100	0.00100	N	Y	1	NA
	1,2,3-Trichloropropane	96-18-4	N	INITIAL	mg/L		U			0.000237	0.00250	0.00250	N	Y	1	NA
	1,2,3-Trimethylbenzene	526-73-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trichlorobenzene	120-82-1	N	INITIAL	mg/L		U			0.000481	0.00100	0.00100	N	Y	1	NA
	1,2,4-Trimethylbenzene	95-63-6	N	INITIAL	mg/L		U			0.000322	0.00100	0.00100	N	Y	1	NA
	1,2-Dibromo-3-Chloropropane	96-12-8	N	INITIAL	mg/L		U			0.000276	0.00500	0.00500	N	Y	1	NA
	1,2-Dibromoethane	106-93-4	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	1,2-Dichlorobenzene	95-50-1	N	INITIAL	mg/L		U			0.000107	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloroethane	107-06-2	N	INITIAL	mg/L		U			0.0000819	0.00100	0.00100	N	Y	1	NA
	1,2-Dichloropropane	78-87-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	1,3,5-Trimethylbenzene	108-67-8	N	INITIAL	mg/L		U			0.000104	0.00100	0.00100	N	Y	1	NA
	1,3-Dichlorobenzene	541-73-1	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,3-Dichloropropane	142-28-9	N	INITIAL	mg/L		U			0.000110	0.00100	0.00100	N	Y	1	NA
	1,4-Dichlorobenzene	106-46-7	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	2,2-Dichloropropane	594-20-7	N	INITIAL	mg/L		U			0.000161	0.00100	0.00100	N	Y	1	NA
	2-Butanone (MEK)	78-93-3	N	INITIAL	mg/L		U			0.00119	0.0100	0.0100	N	Y	1	NA
	2-Chlorotoluene	95-49-8	N	INITIAL	mg/L		U			0.000106	0.00100	0.00100	N	Y	1	NA
	4-Chlorotoluene	106-43-4	N	INITIAL	mg/L		U			0.000114	0.00100	0.00100	N	Y	1	NA
	4-Methyl-2-pentanone (MIBK)	108-10-1	N	INITIAL	mg/L		U			0.000478	0.0100	0.0100	N	Y	1	NA
	Acetone	67-64-1	N	INITIAL	mg/L		U			0.0113	0.0500	0.0500	N	Y	1	NA
	Acrolein	107-02-8	N	INITIAL	mg/L		U			0.00254	0.0500	0.0500	N	Y	1	NA
	Acrylonitrile	107-13-1	N	INITIAL	mg/L		U			0.000671	0.0100	0.0100	N	Y	1	NA
	Benzene	71-43-2	N	INITIAL	mg/L		U			0.0000941	0.00100	0.00100	N	Y	1	NA
	Bromobenzene	108-86-1	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
Bromodichloromethane	75-27-4	N	INITIAL	mg/L		U			0.000136	0.00100	0.00100	N	Y	1	NA	

Lab Sample ID	L1871603-20
Sys Sample Code	GACO0619T172-1CRT005
Sample Name	GACO0619T172-1CRT005
Sample Date	6/19/2025 7:00:00 AM
Sample Type	TB
Matrix	WQ
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
SW8260	Bromoform	75-25-2	N	INITIAL	mg/L		U			0.000129	0.00100	0.00100	N	Y	1	NA
	Bromomethane	74-83-9	N	INITIAL	mg/L		U			0.000605	0.00500	0.00500	N	Y	1	NA
	Carbon tetrachloride	56-23-5	N	INITIAL	mg/L		U			0.000128	0.00100	0.00100	N	Y	1	NA
	Chlorobenzene	108-90-7	N	INITIAL	mg/L		U			0.000116	0.00100	0.00100	N	Y	1	NA
	Chlorodibromomethane	124-48-1	N	INITIAL	mg/L		U			0.000140	0.00100	0.00100	N	Y	1	NA
	Chloroethane	75-00-3	N	INITIAL	mg/L		U			0.000192	0.00500	0.00500	N	Y	1	NA
	Chloroform	67-66-3	N	INITIAL	mg/L		U			0.000111	0.00500	0.00500	N	Y	1	NA
	Chloromethane	74-87-3	N	INITIAL	mg/L		U			0.000960	0.00250	0.00250	N	Y	1	NA
	cis-1,2-Dichloroethene	156-59-2	N	INITIAL	mg/L		U			0.000126	0.00100	0.00100	N	Y	1	NA
	cis-1,3-Dichloropropene	10061-01-5	N	INITIAL	mg/L		U			0.000111	0.00100	0.00100	N	Y	1	NA
	Dibromomethane	74-95-3	N	INITIAL	mg/L		U			0.000122	0.00100	0.00100	N	Y	1	NA
	Dichlorodifluoromethane	75-71-8	N	INITIAL	mg/L		U			0.000374	0.00500	0.00500	N	Y	1	NA
	Di-isopropyl ether	108-20-3	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Ethylbenzene	100-41-4	N	INITIAL	mg/L		U			0.000137	0.00100	0.00100	N	Y	1	NA
	Hexachloro-1,3-butadiene	87-68-3	N	INITIAL	mg/L		U			0.000337	0.00100	0.00100	N	Y	1	NA
	Isopropylbenzene	98-82-8	N	INITIAL	mg/L		U			0.000105	0.00100	0.00100	N	Y	1	NA
	Methyl tert-butyl ether	1634-04-4	N	INITIAL	mg/L		U			0.000101	0.00100	0.00100	N	Y	1	NA
	Methylene Chloride	75-09-2	N	INITIAL	mg/L		U			0.000430	0.00500	0.00500	N	Y	1	NA
	Naphthalene	91-20-3	N	INITIAL	mg/L		U			0.00100	0.00500	0.00500	N	Y	1	NA
	n-Butylbenzene	104-51-8	N	INITIAL	mg/L		U			0.000157	0.00100	0.00100	N	Y	1	NA
	n-Propylbenzene	103-65-1	N	INITIAL	mg/L		U			0.0000993	0.00100	0.00100	N	Y	1	NA
	p-Isopropyltoluene	99-87-6	N	INITIAL	mg/L		U			0.000120	0.00100	0.00100	N	Y	1	NA
	sec-Butylbenzene	135-98-8	N	INITIAL	mg/L		U			0.000125	0.00100	0.00100	N	Y	1	NA
	Styrene	100-42-5	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	tert-Butylbenzene	98-06-6	N	INITIAL	mg/L		U			0.000127	0.00100	0.00100	N	Y	1	NA
	Tetrachloroethene	127-18-4	N	INITIAL	mg/L		U			0.000300	0.00100	0.00100	N	Y	1	NA
	Toluene	108-88-3	N	INITIAL	mg/L		U			0.000278	0.00100	0.00100	N	Y	1	NA
	trans-1,2-Dichloroethene	156-60-5	N	INITIAL	mg/L		U			0.000149	0.00100	0.00100	N	Y	1	NA
	trans-1,3-Dichloropropene	10061-02-6	N	INITIAL	mg/L		U			0.000118	0.00100	0.00100	N	Y	1	NA
	Trichloroethene	79-01-6	N	INITIAL	mg/L		U			0.000190	0.00100	0.00100	N	Y	1	NA
	Trichlorofluoromethane	75-69-4	N	INITIAL	mg/L		U			0.000160	0.00500	0.00500	N	Y	1	NA
	Vinyl chloride	75-01-4	N	INITIAL	mg/L		U			0.000234	0.00100	0.00100	N	Y	1	NA
	Xylenes, Total	1330-20-7	N	INITIAL	mg/L		U			0.000174	0.00300	0.00300	N	Y	1	NA

<b>Lab Sample ID</b>	L1871603-21
<b>Sys Sample Code</b>	GACO0619T172-1CRS001
<b>Sample Name</b>	GACO0619T172-1CRS001
<b>Sample Date</b>	6/19/2025 8:10:00 AM
<b>Sample Type</b>	N
<b>Matrix</b>	SO
<b>Parent Sample</b>	
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	0.786			0.271	0.532	0.532	0.532	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.551			0.181	0.291	0.291	0.291	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.755			0.174	0.274	0.274	0.274	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	0.733	U		0.894	1.70	1.70	1.70	N	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	-2.61	U		1.82	3.82	3.82	3.82	N	Y	1	NA

Lab Sample ID	L1871603-22
Sys Sample Code	GACO0619T172-1CRS002
Sample Name	GACO0619T172-1CRS002
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	0.970			0.250	0.369	0.369	0.369	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.768			0.177	0.208	0.208	0.208	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.680			0.154	0.242	0.242	0.242	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	0.845	U		0.677	1.22	1.22	1.22	N	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	0.915	U		0.983	2.03	2.03	2.03	N	Y	1	NA

Lab Sample ID	L1871603-23
Sys Sample Code	GACO0619T172-1CRS003
Sample Name	GACO0619T172-1CRS003
Sample Date	6/19/2025 8:15:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	0.822			0.227	0.390	0.390	0.390	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.531			0.153	0.212	0.212	0.212	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.519			0.228	0.152	0.152	0.152	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.17			0.608	0.965	0.965	0.965	Y	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	0.703	U		0.679	1.49	1.49	1.49	N	Y	1	NA

Lab Sample ID	L1871603-24
Sys Sample Code	GACO0619T172-1CRS004
Sample Name	GACO0619T172-1CRS004
Sample Date	6/19/2025 8:10:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	1.56			0.387	0.459	0.459	0.459	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.982			0.251	0.288	0.288	0.288	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.944			0.203	0.300	0.300	0.300	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.11	U		0.997	1.68	1.68	1.68	N	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	0.417	U		0.799	1.99	1.99	1.99	N	Y	1	NA

<b>Lab Sample ID</b>	L1871603-25
<b>Sys Sample Code</b>	GACO0619T172-1CRC004
<b>Sample Name</b>	GACO0619T172-1CRC004
<b>Sample Date</b>	6/19/2025 8:10:00 AM
<b>Sample Type</b>	FD
<b>Matrix</b>	SO
<b>Parent Sample</b>	GACO0619T172-1CRS004
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	1.30			0.247	0.330	0.330	0.330	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.976			0.164	0.186	0.186	0.186	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.790			0.126	0.168	0.168	0.168	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.26			0.621	0.984	0.984	0.984	Y	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	0.739	U		0.654	1.39	1.39	1.39	N	Y	1	NA

<b>Lab Sample ID</b>	L1871603-26
<b>Sys Sample Code</b>	GACO0619T172-1CRS005
<b>Sample Name</b>	GACO0619T172-1CRS005
<b>Sample Date</b>	6/19/2025 8:35:00 AM
<b>Sample Type</b>	N
<b>Matrix</b>	SO
<b>Parent Sample</b>	
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	1.03			0.233	0.353	0.353	0.353	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.911			0.164	0.177	0.177	0.177	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	1.02			0.180	0.200	0.200	0.200	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.58			0.725	1.25	1.25	1.25	Y	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	0.689	U		1.11	2.42	2.42	2.42	N	Y	1	NA

Lab Sample ID	L1871603-27
Sys Sample Code	GACO0619T172-1CRS006
Sample Name	GACO0619T172-1CRS006
Sample Date	6/19/2025 8:55:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	0.837			0.222	0.400	0.400	0.400	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.918	J	FD	0.187	0.247	0.247	0.247	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	1.26			0.185	0.229	0.229	0.229	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	0.235	UJ	FD	0.784	1.52	1.52	1.52	N	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	-1.66	U		1.44	3.09	3.09	3.09	N	Y	1	NA

<b>Lab Sample ID</b>	L1871603-28
<b>Sys Sample Code</b>	GACO0619T172-1CRC006
<b>Sample Name</b>	GACO0619T172-1CRC006
<b>Sample Date</b>	6/19/2025 8:55:00 AM
<b>Sample Type</b>	FD
<b>Matrix</b>	SO
<b>Parent Sample</b>	GACO0619T172-1CRS006
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	0.808			0.274	0.475	0.475	0.475	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	1.51	J	FD	0.255	0.244	0.244	0.244	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	1.28			0.203	0.261	0.261	0.261	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	2.05	J	FD	0.812	1.32	1.32	1.32	Y	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	1.03	U		1.14	2.29	2.29	2.29	N	Y	1	NA

<b>Lab Sample ID</b>	L1871603-29
<b>Sys Sample Code</b>	GACO0619T172-1CRS007
<b>Sample Name</b>	GACO0619T172-1CRS007
<b>Sample Date</b>	6/19/2025 8:45:00 AM
<b>Sample Type</b>	N
<b>Matrix</b>	SO
<b>Parent Sample</b>	
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	0.980			0.266	0.440	0.440	0.440	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	1.06			0.224	0.244	0.244	0.244	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.701			0.289	0.235	0.235	0.235	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.56			0.754	1.18	1.18	1.18	Y	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	0.677	U		0.834	1.83	1.83	1.83	N	Y	1	NA

<b>Lab Sample ID</b>	L1871603-30
<b>Sys Sample Code</b>	GACO0619T172-1CRS008
<b>Sample Name</b>	GACO0619T172-1CRS008
<b>Sample Date</b>	6/19/2025 8:25:00 AM
<b>Sample Type</b>	N
<b>Matrix</b>	SO
<b>Parent Sample</b>	
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	1.07			0.361	0.598	0.598	0.598	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	1.03			0.300	0.391	0.391	0.391	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.784			0.224	0.384	0.384	0.384	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.12	U		1.09	1.84	1.84	1.84	N	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	1.04	U		0.915	2.26	2.26	2.26	N	Y	1	NA

<b>Lab Sample ID</b>	L1871603-31
<b>Sys Sample Code</b>	GACO0619T172-1CRS009
<b>Sample Name</b>	GACO0619T172-1CRS009
<b>Sample Date</b>	6/19/2025 8:45:00 AM
<b>Sample Type</b>	N
<b>Matrix</b>	SO
<b>Parent Sample</b>	
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	1.19			0.314	0.509	0.509	0.509	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.672			0.238	0.375	0.375	0.375	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.705			0.188	0.312	0.312	0.312	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.38	U		0.908	1.60	1.60	1.60	N	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	2.33			1.25	2.25	2.25	2.25	Y	Y	1	NA

<b>Lab Sample ID</b>	L1871603-32
<b>Sys Sample Code</b>	GACO0619T172-1CRS010
<b>Sample Name</b>	GACO0619T172-1CRS010
<b>Sample Date</b>	6/19/2025 8:35:00 AM
<b>Sample Type</b>	N
<b>Matrix</b>	SO
<b>Parent Sample</b>	
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	1.17			0.263	0.377	0.377	0.377	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	1.03			0.184	0.190	0.190	0.190	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.873			0.147	0.207	0.207	0.207	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.23			0.704	1.13	1.13	1.13	Y	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	1.61	U		0.874	1.61	1.61	1.61	N	Y	1	NA

<b>Lab Sample ID</b>	L1871603-33
<b>Sys Sample Code</b>	GACO0619T172-1CRS011
<b>Sample Name</b>	GACO0619T172-1CRS011
<b>Sample Date</b>	6/19/2025 8:30:00 AM
<b>Sample Type</b>	N
<b>Matrix</b>	SO
<b>Parent Sample</b>	
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	0.953			0.330	0.665	0.665	0.665	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.791			0.209	0.301	0.301	0.301	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.694			0.171	0.285	0.285	0.285	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.18	U		0.910	1.54	1.54	1.54	N	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	0.730	U		1.30	2.88	2.88	2.88	N	Y	1	NA

<b>Lab Sample ID</b>	L1871603-34
<b>Sys Sample Code</b>	GACO0619T172-1CRS012
<b>Sample Name</b>	GACO0619T172-1CRS012
<b>Sample Date</b>	6/19/2025 8:40:00 AM
<b>Sample Type</b>	N
<b>Matrix</b>	SO
<b>Parent Sample</b>	
<b>% Moisture</b>	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	1.09			0.242	0.393	0.393	0.393	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.840			0.164	0.201	0.201	0.201	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	1.06			0.180	0.191	0.191	0.191	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.11	U		0.717	1.29	1.29	1.29	N	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	0.762	U		1.14	2.44	2.44	2.44	N	Y	1	NA

Lab Sample ID	L1871603-35
Sys Sample Code	GACO0619T172-1CRS013
Sample Name	GACO0619T172-1CRS013
Sample Date	6/19/2025 8:25:00 AM
Sample Type	N
Matrix	SO
Parent Sample	
% Moisture	

Analytic Method	Chemical Name	CAS Rn	Fraction	Test Type	Result Unit	Final Result	Final Qual	Reason code	Uncertainty	Final MDL	Final RL	Final QL	Final Detect	Final Report	DF	Basis
E901.1	Actinium-228 (Ra-228)	14331-83-0	N	INITIAL	pCi/g	0.892			0.269	0.534	0.534	0.534	Y	Y	1	NA
	Bismuth-214 (Ra-226)	14733-03-0	N	INITIAL	pCi/g	0.566			0.166	0.246	0.246	0.246	Y	Y	1	NA
	Lead-214	15067-28-4	N	INITIAL	pCi/g	0.731			0.157	0.253	0.253	0.253	Y	Y	1	NA
	Radium-226 (186 KeV)	13982-63-3	N	INITIAL	pCi/g	1.06	U		0.739	1.31	1.31	1.31	N	Y	1	NA
	Thorium-234 (U-238)	15065-10-8	N	INITIAL	pCi/g	1.42	U		0.906	1.92	1.92	1.92	N	Y	1	NA