



05-Dec-2024

Annette Garrigues
Williams Midstream
2717 County Road 215
Parachute, CO 81635

Re: **WPO188995**

Work Order: **24110559**

Dear Annette,

ALS Environmental received 10 samples on 19-Nov-2024 09:00 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental - Holland and for only the analyses requested.

Sample results are compliant with industry accepted practices and Quality Control results achieved laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 40.

If you have any questions regarding this report, please feel free to contact me:

ADDRESS: 3352 128th Avenue, Holland, MI, USA
PHONE: +1 (616) 399-6070 FAX: +1 (616) 399-6185

Sincerely,

Electronically approved by: Chad Whelton

Chad Whelton
Project Manager

Report of Laboratory Analysis

Certificate No: FL E871106

ALS GROUP USA, CORP Part of the ALS Laboratory Group A Campbell Brothers Limited Company

Client: Williams Midstream
Project: WPO188995
Work Order: 24110559

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
24110559-01	MU01@3.0'-3.5'	Soil		11/15/2024 10:10	11/19/2024 09:00	☐
24110559-02	MU02@2.0'-2.5'	Soil		11/15/2024 10:35	11/19/2024 09:00	☐
24110559-03	MU03@3.0'-3.5'	Soil		11/15/2024 12:35	11/19/2024 09:00	☐
24110559-04	MU04@3.0'-3.5'	Soil		11/15/2024 12:50	11/19/2024 09:00	☐
24110559-05	MU05@2.0'-2.5'	Soil		11/15/2024 13:50	11/19/2024 09:00	☐
24110559-06	MU06@3.0'-3.5'	Soil		11/15/2024 14:20	11/19/2024 09:00	☐
24110559-07	MU07@3.0'-3.5'	Soil		11/15/2024 14:30	11/19/2024 09:00	☐
24110559-08	MU08@3.0'-3.5'	Soil		11/15/2024 14:40	11/19/2024 09:00	☐
24110559-09	MU09@3.0'-3.5'	Soil		11/15/2024 14:50	11/19/2024 09:00	☐
24110559-10	MU10@3.0'-3.5'	Soil		11/15/2024 15:30	11/19/2024 09:00	☐

Client: Williams Midstream
Project: WPO188995
Work Order: 24110559

Case Narrative

The attached "Sample Receipt Checklist" documents the date of receipt, status of custody seals, container integrity, preservation, and temperature compliance.

Samples were analyzed according to the analytical methodology previously transmitted in the "Work Order Acknowledgement". Methodologies are also documented in the "Analytical Result" section for each sample. Quality control results are listed in the "QC Report" section. A copy of the laboratory's scope of accreditation is available upon request.

Sample association for the reported quality control is located at the end of each batch summary. If applicable, results are appropriately qualified in the Analytical Result and QC Report sections. The "Qualifiers" section documents the various qualifiers, units, and acronyms utilized in reporting.

Any flags on MS/MSD samples not addressed in this narrative are unrelated to samples in this report.

With the following exceptions, all sample analyses achieved analytical criteria.

Batch 249888, Method USDA Method 20B, Sample 24110559-01A DUP: The RPD between the sample and its duplicate was out of control. The corresponding sample result should be considered estimated for this analyte. pH

Client: Williams Midstream
Project: WPO188995
WorkOrder: 24110559

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
**	Estimated Value
a	Analyte is non-accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
Hr	BOD/CBOD - Sample was reset outside Hold Time, value should be considered estimated.
J	Analyte is present at an estimated concentration between the MDL and Report Limit
n	Analyte accreditation is not offered
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL
X	Analyte was detected in the Method Blank between the MDL and Reporting Limit, sample results may exhibit background or reagent contamination at the observed level.

<u>Acronym</u>	<u>Description</u>
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
LOD	Limit of Detection (see MDL)
LOQ	Limit of Quantitation (see PQL)
MBLK	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PQL	Practical Quantitation Limit
RPD	Relative Percent Difference
TDL	Target Detection Limit
TNTC	Too Numerous To Count
A	APHA Standard Methods
D	ASTM
E	EPA
SW	SW-846 Update III

<u>Units Reported</u>	<u>Description</u>
% of sample	Percent of Sample
µg/Kg-dry	Micrograms per Kilogram Dry Weight
mg/Kg-dry	Milligrams per Kilogram Dry Weight
mg/L	Milligrams per Liter
mmhos/cm @25°C	Millimhos-Centimeter at 25 Degrees Celcius
none	

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU01@3.0'-3.5'
Collection Date: 11/15/2024 10:10 AM

Work Order: 24110559
Lab ID: 24110559-01
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	6.2	J	2.8	21	mg/Kg-dry	1	11/26/2024 17:42
Surr: 4-Terphenyl-d14	44.3			10-131	%REC	1	11/26/2024 17:42
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		6,200	6,700	µg/Kg-dry	1	11/21/2024 01:00
Surr: Toluene-d8	97.0			75-120	%REC	1	11/21/2024 01:00
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	29		2.5	5.0	mg/L	10	12/3/2024 19:22
Magnesium	6.9		0.50	2.0	mg/L	10	12/3/2024 19:22
Sodium	3.6		1.8	2.0	mg/L	10	12/4/2024 14:11
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.42		0.016	0.41	mg/Kg-dry	10	12/2/2024 15:26
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.16		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.90	4.4	µg/Kg-dry	1	11/27/2024 05:20
2-Methylnaphthalene	U		1.0	4.4	µg/Kg-dry	1	11/27/2024 05:20
Acenaphthene	U		1.7	4.4	µg/Kg-dry	1	11/27/2024 05:20
Anthracene	U		0.80	4.4	µg/Kg-dry	1	11/27/2024 05:20
Benzo(a)anthracene	U		3.2	4.4	µg/Kg-dry	1	11/27/2024 05:20
Benzo(a)pyrene	U		3.0	4.4	µg/Kg-dry	1	11/27/2024 05:20
Benzo(b)fluoranthene	U		2.6	4.4	µg/Kg-dry	1	11/27/2024 05:20
Benzo(k)fluoranthene	U		0.66	4.4	µg/Kg-dry	1	11/27/2024 05:20
Chrysene	U		2.9	4.4	µg/Kg-dry	1	11/27/2024 05:20
Dibenzo(a,h)anthracene	U		2.5	4.4	µg/Kg-dry	1	11/27/2024 05:20
Fluoranthene	U		2.2	4.4	µg/Kg-dry	1	11/27/2024 05:20
Fluorene	U		1.1	4.4	µg/Kg-dry	1	11/27/2024 05:20
Indeno(1,2,3-cd)pyrene	U		3.0	4.4	µg/Kg-dry	1	11/27/2024 05:20
Naphthalene	U		0.83	4.4	µg/Kg-dry	1	11/27/2024 05:20
Pyrene	U		2.8	4.4	µg/Kg-dry	1	11/27/2024 05:20
Surr: 2-Fluorobiphenyl	76.8			44-132	%REC	1	11/27/2024 05:20
Surr: 4-Terphenyl-d14	90.2			35-133	%REC	1	11/27/2024 05:20
Surr: Nitrobenzene-d5	113			30-133	%REC	1	11/27/2024 05:20
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU01@3.0'-3.5'
Collection Date: 11/15/2024 10:10 AM

Work Order: 24110559
Lab ID: 24110559-01
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		2.0	5.4	µg/Kg-dry	1.02	11/28/2024 00:18
1,3,5-Trimethylbenzene	U		1.7	5.4	µg/Kg-dry	1.02	11/28/2024 00:18
Benzene	U		0.56	5.4	µg/Kg-dry	1.02	11/28/2024 00:18
Ethylbenzene	U		0.94	5.4	µg/Kg-dry	1.02	11/28/2024 00:18
m,p-Xylene	U		2.4	2.7	µg/Kg-dry	1.02	11/28/2024 00:18
o-Xylene	U		1.3	2.7	µg/Kg-dry	1.02	11/28/2024 00:18
Toluene	U		1.9	5.4	µg/Kg-dry	1.02	11/28/2024 00:18
Xylenes, Total	U		2.4	5.4	µg/Kg-dry	1.02	11/28/2024 00:18
Surr: 1,2-Dichloroethane-d4	105			83-132	%REC	1.02	11/28/2024 00:18
Surr: 4-Bromofluorobenzene	102			83-111	%REC	1.02	11/28/2024 00:18
Surr: Dibromofluoromethane	104			77-125	%REC	1.02	11/28/2024 00:18
Surr: Toluene-d8	93.4			86-108	%REC	1.02	11/28/2024 00:18
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	0.37		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	6.0		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	5.28		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU02@2.0'-2.5'
Collection Date: 11/15/2024 10:35 AM

Work Order: 24110559
Lab ID: 24110559-02
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	U		2.7	21	mg/Kg-dry	1	11/26/2024 18:06
Surr: 4-Terphenyl-d14	44.3			10-131	%REC	1	11/26/2024 18:06
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		5,300	5,700	µg/Kg-dry	1	11/21/2024 00:38
Surr: Toluene-d8	99.8			75-120	%REC	1	11/21/2024 00:38
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	29		2.5	5.0	mg/L	10	12/3/2024 19:28
Magnesium	12		0.50	2.0	mg/L	10	12/3/2024 19:28
Sodium	11		1.8	2.0	mg/L	10	12/3/2024 19:28
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.15	J	0.016	0.41	mg/Kg-dry	10	12/2/2024 15:28
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.43		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.89	4.3	µg/Kg-dry	1	11/27/2024 05:36
2-Methylnaphthalene	U		1.0	4.3	µg/Kg-dry	1	11/27/2024 05:36
Acenaphthene	U		1.7	4.3	µg/Kg-dry	1	11/27/2024 05:36
Anthracene	U		0.79	4.3	µg/Kg-dry	1	11/27/2024 05:36
Benzo(a)anthracene	U		3.1	4.3	µg/Kg-dry	1	11/27/2024 05:36
Benzo(a)pyrene	U		2.9	4.3	µg/Kg-dry	1	11/27/2024 05:36
Benzo(b)fluoranthene	U		2.6	4.3	µg/Kg-dry	1	11/27/2024 05:36
Benzo(k)fluoranthene	U		0.65	4.3	µg/Kg-dry	1	11/27/2024 05:36
Chrysene	U		2.9	4.3	µg/Kg-dry	1	11/27/2024 05:36
Dibenzo(a,h)anthracene	U		2.5	4.3	µg/Kg-dry	1	11/27/2024 05:36
Fluoranthene	U		2.2	4.3	µg/Kg-dry	1	11/27/2024 05:36
Fluorene	U		1.1	4.3	µg/Kg-dry	1	11/27/2024 05:36
Indeno(1,2,3-cd)pyrene	U		3.0	4.3	µg/Kg-dry	1	11/27/2024 05:36
Naphthalene	U		0.82	4.3	µg/Kg-dry	1	11/27/2024 05:36
Pyrene	U		2.8	4.3	µg/Kg-dry	1	11/27/2024 05:36
Surr: 2-Fluorobiphenyl	81.3			44-132	%REC	1	11/27/2024 05:36
Surr: 4-Terphenyl-d14	78.0			35-133	%REC	1	11/27/2024 05:36
Surr: Nitrobenzene-d5	102			30-133	%REC	1	11/27/2024 05:36
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU02@2.0'-2.5'
Collection Date: 11/15/2024 10:35 AM

Work Order: 24110559
Lab ID: 24110559-02
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		1.9	5.2	µg/Kg-dry	0.993	11/28/2024 00:34
1,3,5-Trimethylbenzene	U		1.7	5.2	µg/Kg-dry	0.993	11/28/2024 00:34
Benzene	U		0.54	5.2	µg/Kg-dry	0.993	11/28/2024 00:34
Ethylbenzene	U		0.91	5.2	µg/Kg-dry	0.993	11/28/2024 00:34
m,p-Xylene	U		2.3	2.6	µg/Kg-dry	0.993	11/28/2024 00:34
o-Xylene	U		1.3	2.6	µg/Kg-dry	0.993	11/28/2024 00:34
Toluene	U		1.8	5.2	µg/Kg-dry	0.993	11/28/2024 00:34
Xylenes, Total	U		2.3	5.2	µg/Kg-dry	0.993	11/28/2024 00:34
Surr: 1,2-Dichloroethane-d4	104			83-132	%REC	0.993	11/28/2024 00:34
Surr: 4-Bromofluorobenzene	100			83-111	%REC	0.993	11/28/2024 00:34
Surr: Dibromofluoromethane	102			77-125	%REC	0.993	11/28/2024 00:34
Surr: Toluene-d8	93.2			86-108	%REC	0.993	11/28/2024 00:34
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	0.57		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	5.0		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	3.61		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU03@3.0'-3.5'
Collection Date: 11/15/2024 12:35 PM

Work Order: 24110559
Lab ID: 24110559-03
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	4.4	J	2.9	22	mg/Kg-dry	1	11/26/2024 18:29
Surr: 4-Terphenyl-d14	42.3			10-131	%REC	1	11/26/2024 18:29
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		5,500	5,800	µg/Kg-dry	1	11/21/2024 00:15
Surr: Toluene-d8	97.7			75-120	%REC	1	11/21/2024 00:15
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	54		2.5	5.0	mg/L	10	12/3/2024 19:30
Magnesium	10		0.50	2.0	mg/L	10	12/3/2024 19:30
Sodium	14		1.8	2.0	mg/L	10	12/3/2024 19:30
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.18	J	0.017	0.43	mg/Kg-dry	10	12/2/2024 15:29
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.45		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.93	4.6	µg/Kg-dry	1	11/27/2024 05:51
2-Methylnaphthalene	U		1.1	4.6	µg/Kg-dry	1	11/27/2024 05:51
Acenaphthene	U		1.8	4.6	µg/Kg-dry	1	11/27/2024 05:51
Anthracene	U		0.83	4.6	µg/Kg-dry	1	11/27/2024 05:51
Benzo(a)anthracene	U		3.3	4.6	µg/Kg-dry	1	11/27/2024 05:51
Benzo(a)pyrene	U		3.1	4.6	µg/Kg-dry	1	11/27/2024 05:51
Benzo(b)fluoranthene	U		2.8	4.6	µg/Kg-dry	1	11/27/2024 05:51
Benzo(k)fluoranthene	U		0.69	4.6	µg/Kg-dry	1	11/27/2024 05:51
Chrysene	U		3.0	4.6	µg/Kg-dry	1	11/27/2024 05:51
Dibenzo(a,h)anthracene	U		2.7	4.6	µg/Kg-dry	1	11/27/2024 05:51
Fluoranthene	U		2.3	4.6	µg/Kg-dry	1	11/27/2024 05:51
Fluorene	U		1.1	4.6	µg/Kg-dry	1	11/27/2024 05:51
Indeno(1,2,3-cd)pyrene	U		3.2	4.6	µg/Kg-dry	1	11/27/2024 05:51
Naphthalene	U		0.86	4.6	µg/Kg-dry	1	11/27/2024 05:51
Pyrene	U		2.9	4.6	µg/Kg-dry	1	11/27/2024 05:51
Surr: 2-Fluorobiphenyl	96.3			44-132	%REC	1	11/27/2024 05:51
Surr: 4-Terphenyl-d14	84.3			35-133	%REC	1	11/27/2024 05:51
Surr: Nitrobenzene-d5	96.0			30-133	%REC	1	11/27/2024 05:51
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU03@3.0'-3.5'
Collection Date: 11/15/2024 12:35 PM

Work Order: 24110559
Lab ID: 24110559-03
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		0.98	2.7	µg/Kg-dry	0.498	11/28/2024 00:50
1,3,5-Trimethylbenzene	U		0.88	2.7	µg/Kg-dry	0.498	11/28/2024 00:50
Benzene	U		0.28	2.7	µg/Kg-dry	0.498	11/28/2024 00:50
Ethylbenzene	U		0.48	2.7	µg/Kg-dry	0.498	11/28/2024 00:50
m,p-Xylene	U		1.2	1.4	µg/Kg-dry	0.498	11/28/2024 00:50
o-Xylene	U		0.66	1.4	µg/Kg-dry	0.498	11/28/2024 00:50
Toluene	U		0.95	2.7	µg/Kg-dry	0.498	11/28/2024 00:50
Xylenes, Total	U		1.2	2.7	µg/Kg-dry	0.498	11/28/2024 00:50
Surr: 1,2-Dichloroethane-d4	108			83-132	%REC	0.498	11/28/2024 00:50
Surr: 4-Bromofluorobenzene	101			83-111	%REC	0.498	11/28/2024 00:50
Surr: Dibromofluoromethane	107			77-125	%REC	0.498	11/28/2024 00:50
Surr: Toluene-d8	92.0			86-108	%REC	0.498	11/28/2024 00:50
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	0.58		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	9.0		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	7.10		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU04@3.0'-3.5'
Collection Date: 11/15/2024 12:50 PM

Work Order: 24110559
Lab ID: 24110559-04
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	3.6	J	2.8	21	mg/Kg-dry	1	11/26/2024 18:53
Surr: 4-Terphenyl-d14	44.3			10-131	%REC	1	11/26/2024 18:53
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		5,800	6,200	µg/Kg-dry	1	11/20/2024 23:53
Surr: Toluene-d8	97.5			75-120	%REC	1	11/20/2024 23:53
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	29		2.5	5.0	mg/L	10	12/3/2024 19:32
Magnesium	6.4		0.50	2.0	mg/L	10	12/3/2024 19:32
Sodium	15		1.8	2.0	mg/L	10	12/3/2024 19:32
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.21	J	0.016	0.41	mg/Kg-dry	10	12/2/2024 15:31
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.64		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.90	4.4	µg/Kg-dry	1	11/27/2024 05:04
2-Methylnaphthalene	U		1.0	4.4	µg/Kg-dry	1	11/27/2024 05:04
Acenaphthene	U		1.7	4.4	µg/Kg-dry	1	11/27/2024 05:04
Anthracene	U		0.81	4.4	µg/Kg-dry	1	11/27/2024 05:04
Benzo(a)anthracene	U		3.2	4.4	µg/Kg-dry	1	11/27/2024 05:04
Benzo(a)pyrene	U		3.0	4.4	µg/Kg-dry	1	11/27/2024 05:04
Benzo(b)fluoranthene	U		2.7	4.4	µg/Kg-dry	1	11/27/2024 05:04
Benzo(k)fluoranthene	U		0.66	4.4	µg/Kg-dry	1	11/27/2024 05:04
Chrysene	U		2.9	4.4	µg/Kg-dry	1	11/27/2024 05:04
Dibenzo(a,h)anthracene	U		2.6	4.4	µg/Kg-dry	1	11/27/2024 05:04
Fluoranthene	U		2.2	4.4	µg/Kg-dry	1	11/27/2024 05:04
Fluorene	U		1.1	4.4	µg/Kg-dry	1	11/27/2024 05:04
Indeno(1,2,3-cd)pyrene	U		3.1	4.4	µg/Kg-dry	1	11/27/2024 05:04
Naphthalene	U		0.84	4.4	µg/Kg-dry	1	11/27/2024 05:04
Pyrene	U		2.8	4.4	µg/Kg-dry	1	11/27/2024 05:04
Surr: 2-Fluorobiphenyl	88.3			44-132	%REC	1	11/27/2024 05:04
Surr: 4-Terphenyl-d14	66.9			35-133	%REC	1	11/27/2024 05:04
Surr: Nitrobenzene-d5	119			30-133	%REC	1	11/27/2024 05:04
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU04@3.0'-3.5'
Collection Date: 11/15/2024 12:50 PM

Work Order: 24110559
Lab ID: 24110559-04
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		2.2	6.0	µg/Kg-dry	1.13	11/28/2024 01:06
1,3,5-Trimethylbenzene	U		1.9	6.0	µg/Kg-dry	1.13	11/28/2024 01:06
Benzene	U		0.62	6.0	µg/Kg-dry	1.13	11/28/2024 01:06
Ethylbenzene	U		1.0	6.0	µg/Kg-dry	1.13	11/28/2024 01:06
m,p-Xylene	U		2.6	3.0	µg/Kg-dry	1.13	11/28/2024 01:06
o-Xylene	U		1.4	3.0	µg/Kg-dry	1.13	11/28/2024 01:06
Toluene	U		2.1	6.0	µg/Kg-dry	1.13	11/28/2024 01:06
Xylenes, Total	U		2.6	6.0	µg/Kg-dry	1.13	11/28/2024 01:06
Surr: 1,2-Dichloroethane-d4	107			83-132	%REC	1.13	11/28/2024 01:06
Surr: 4-Bromofluorobenzene	99.4			83-111	%REC	1.13	11/28/2024 01:06
Surr: Dibromofluoromethane	104			77-125	%REC	1.13	11/28/2024 01:06
Surr: Toluene-d8	91.2			86-108	%REC	1.13	11/28/2024 01:06
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	0.41		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	5.5		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	5.01		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU05@2.0'-2.5'
Collection Date: 11/15/2024 01:50 PM

Work Order: 24110559
Lab ID: 24110559-05
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	20	J	2.8	21	mg/Kg-dry	1	11/26/2024 20:50
Surr: 4-Terphenyl-d14	54.3			10-131	%REC	1	11/26/2024 20:50
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		5,700	6,100	µg/Kg-dry	1	11/20/2024 20:32
Surr: Toluene-d8	95.6			75-120	%REC	1	11/20/2024 20:32
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	22		2.5	5.0	mg/L	10	12/3/2024 19:33
Magnesium	5.4		0.50	2.0	mg/L	10	12/3/2024 19:33
Sodium	6.8		1.8	2.0	mg/L	10	12/3/2024 19:33
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.18	J	0.017	0.42	mg/Kg-dry	10	12/2/2024 15:33
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.34		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.90	4.4	µg/Kg-dry	1	11/27/2024 06:07
2-Methylnaphthalene	U		1.0	4.4	µg/Kg-dry	1	11/27/2024 06:07
Acenaphthene	U		1.7	4.4	µg/Kg-dry	1	11/27/2024 06:07
Anthracene	U		0.81	4.4	µg/Kg-dry	1	11/27/2024 06:07
Benzo(a)anthracene	U		3.2	4.4	µg/Kg-dry	1	11/27/2024 06:07
Benzo(a)pyrene	U		3.0	4.4	µg/Kg-dry	1	11/27/2024 06:07
Benzo(b)fluoranthene	U		2.7	4.4	µg/Kg-dry	1	11/27/2024 06:07
Benzo(k)fluoranthene	U		0.66	4.4	µg/Kg-dry	1	11/27/2024 06:07
Chrysene	U		2.9	4.4	µg/Kg-dry	1	11/27/2024 06:07
Dibenzo(a,h)anthracene	U		2.6	4.4	µg/Kg-dry	1	11/27/2024 06:07
Fluoranthene	U		2.2	4.4	µg/Kg-dry	1	11/27/2024 06:07
Fluorene	U		1.1	4.4	µg/Kg-dry	1	11/27/2024 06:07
Indeno(1,2,3-cd)pyrene	U		3.1	4.4	µg/Kg-dry	1	11/27/2024 06:07
Naphthalene	U		0.84	4.4	µg/Kg-dry	1	11/27/2024 06:07
Pyrene	U		2.8	4.4	µg/Kg-dry	1	11/27/2024 06:07
Surr: 2-Fluorobiphenyl	81.1			44-132	%REC	1	11/27/2024 06:07
Surr: 4-Terphenyl-d14	86.3			35-133	%REC	1	11/27/2024 06:07
Surr: Nitrobenzene-d5	95.6			30-133	%REC	1	11/27/2024 06:07
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU05@2.0'-2.5'
Collection Date: 11/15/2024 01:50 PM

Work Order: 24110559
Lab ID: 24110559-05
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		2.1	5.8	µg/Kg-dry	1.09	11/28/2024 01:22
1,3,5-Trimethylbenzene	U		1.8	5.8	µg/Kg-dry	1.09	11/28/2024 01:22
Benzene	U		0.60	5.8	µg/Kg-dry	1.09	11/28/2024 01:22
Ethylbenzene	U		1.0	5.8	µg/Kg-dry	1.09	11/28/2024 01:22
m,p-Xylene	U		2.5	2.9	µg/Kg-dry	1.09	11/28/2024 01:22
o-Xylene	U		1.4	2.9	µg/Kg-dry	1.09	11/28/2024 01:22
Toluene	U		2.0	5.8	µg/Kg-dry	1.09	11/28/2024 01:22
Xylenes, Total	U		2.5	5.8	µg/Kg-dry	1.09	11/28/2024 01:22
Surr: 1,2-Dichloroethane-d4	106			83-132	%REC	1.09	11/28/2024 01:22
Surr: 4-Bromofluorobenzene	99.3			83-111	%REC	1.09	11/28/2024 01:22
Surr: Dibromofluoromethane	101			77-125	%REC	1.09	11/28/2024 01:22
Surr: Toluene-d8	93.2			86-108	%REC	1.09	11/28/2024 01:22
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	1.4		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	5.7		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	2.80		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU06@3.0'-3.5'
Collection Date: 11/15/2024 02:20 PM

Work Order: 24110559
Lab ID: 24110559-06
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	U		2.8	21	mg/Kg-dry	1	11/26/2024 21:13
Surr: 4-Terphenyl-d14	42.3			10-131	%REC	1	11/26/2024 21:13
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		5,700	6,100	µg/Kg-dry	1	11/20/2024 20:10
Surr: Toluene-d8	95.2			75-120	%REC	1	11/20/2024 20:10
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	16		2.5	5.0	mg/L	10	12/3/2024 19:35
Magnesium	4.4		0.50	2.0	mg/L	10	12/3/2024 19:35
Sodium	6.7		1.8	2.0	mg/L	10	12/3/2024 19:35
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.18	J	0.017	0.42	mg/Kg-dry	10	12/2/2024 15:34
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.39		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.90	4.4	µg/Kg-dry	1	11/27/2024 06:22
2-Methylnaphthalene	U		1.0	4.4	µg/Kg-dry	1	11/27/2024 06:22
Acenaphthene	U		1.7	4.4	µg/Kg-dry	1	11/27/2024 06:22
Anthracene	U		0.81	4.4	µg/Kg-dry	1	11/27/2024 06:22
Benzo(a)anthracene	U		3.2	4.4	µg/Kg-dry	1	11/27/2024 06:22
Benzo(a)pyrene	U		3.0	4.4	µg/Kg-dry	1	11/27/2024 06:22
Benzo(b)fluoranthene	U		2.7	4.4	µg/Kg-dry	1	11/27/2024 06:22
Benzo(k)fluoranthene	U		0.66	4.4	µg/Kg-dry	1	11/27/2024 06:22
Chrysene	U		2.9	4.4	µg/Kg-dry	1	11/27/2024 06:22
Dibenzo(a,h)anthracene	U		2.6	4.4	µg/Kg-dry	1	11/27/2024 06:22
Fluoranthene	U		2.2	4.4	µg/Kg-dry	1	11/27/2024 06:22
Fluorene	U		1.1	4.4	µg/Kg-dry	1	11/27/2024 06:22
Indeno(1,2,3-cd)pyrene	U		3.1	4.4	µg/Kg-dry	1	11/27/2024 06:22
Naphthalene	U		0.84	4.4	µg/Kg-dry	1	11/27/2024 06:22
Pyrene	U		2.8	4.4	µg/Kg-dry	1	11/27/2024 06:22
Surr: 2-Fluorobiphenyl	81.8			44-132	%REC	1	11/27/2024 06:22
Surr: 4-Terphenyl-d14	70.7			35-133	%REC	1	11/27/2024 06:22
Surr: Nitrobenzene-d5	96.7			30-133	%REC	1	11/27/2024 06:22
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU06@3.0'-3.5'
Collection Date: 11/15/2024 02:20 PM

Work Order: 24110559
Lab ID: 24110559-06
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		2.2	6.0	µg/Kg-dry	1.13	11/28/2024 01:39
1,3,5-Trimethylbenzene	U		1.9	6.0	µg/Kg-dry	1.13	11/28/2024 01:39
Benzene	U		0.62	6.0	µg/Kg-dry	1.13	11/28/2024 01:39
Ethylbenzene	U		1.0	6.0	µg/Kg-dry	1.13	11/28/2024 01:39
m,p-Xylene	U		2.6	3.0	µg/Kg-dry	1.13	11/28/2024 01:39
o-Xylene	U		1.4	3.0	µg/Kg-dry	1.13	11/28/2024 01:39
Toluene	U		2.1	6.0	µg/Kg-dry	1.13	11/28/2024 01:39
Xylenes, Total	U		2.6	6.0	µg/Kg-dry	1.13	11/28/2024 01:39
Surr: 1,2-Dichloroethane-d4	101			83-132	%REC	1.13	11/28/2024 01:39
Surr: 4-Bromofluorobenzene	102			83-111	%REC	1.13	11/28/2024 01:39
Surr: Dibromofluoromethane	105			77-125	%REC	1.13	11/28/2024 01:39
Surr: Toluene-d8	93.6			86-108	%REC	1.13	11/28/2024 01:39
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	0.84		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	5.6		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	3.04		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU07@3.0'-3.5'
Collection Date: 11/15/2024 02:30 PM

Work Order: 24110559
Lab ID: 24110559-07
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	U		2.9	22	mg/Kg-dry	1	11/26/2024 21:37
Surr: 4-Terphenyl-d14	40.3			10-131	%REC	1	11/26/2024 21:37
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		6,300	6,700	µg/Kg-dry	1	11/20/2024 19:47
Surr: Toluene-d8	97.5			75-120	%REC	1	11/20/2024 19:47
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	35		2.5	5.0	mg/L	10	12/3/2024 19:36
Magnesium	8.8		0.50	2.0	mg/L	10	12/3/2024 19:36
Sodium	9.2		1.8	2.0	mg/L	10	12/3/2024 19:36
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.26	J	0.017	0.43	mg/Kg-dry	10	12/2/2024 15:36
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.36		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.93	4.5	µg/Kg-dry	1	11/27/2024 06:38
2-Methylnaphthalene	U		1.1	4.5	µg/Kg-dry	1	11/27/2024 06:38
Acenaphthene	U		1.7	4.5	µg/Kg-dry	1	11/27/2024 06:38
Anthracene	U		0.83	4.5	µg/Kg-dry	1	11/27/2024 06:38
Benzo(a)anthracene	U		3.3	4.5	µg/Kg-dry	1	11/27/2024 06:38
Benzo(a)pyrene	U		3.1	4.5	µg/Kg-dry	1	11/27/2024 06:38
Benzo(b)fluoranthene	U		2.7	4.5	µg/Kg-dry	1	11/27/2024 06:38
Benzo(k)fluoranthene	U		0.68	4.5	µg/Kg-dry	1	11/27/2024 06:38
Chrysene	U		3.0	4.5	µg/Kg-dry	1	11/27/2024 06:38
Dibenzo(a,h)anthracene	U		2.6	4.5	µg/Kg-dry	1	11/27/2024 06:38
Fluoranthene	U		2.3	4.5	µg/Kg-dry	1	11/27/2024 06:38
Fluorene	U		1.1	4.5	µg/Kg-dry	1	11/27/2024 06:38
Indeno(1,2,3-cd)pyrene	U		3.2	4.5	µg/Kg-dry	1	11/27/2024 06:38
Naphthalene	U		0.86	4.5	µg/Kg-dry	1	11/27/2024 06:38
Pyrene	U		2.9	4.5	µg/Kg-dry	1	11/27/2024 06:38
Surr: 2-Fluorobiphenyl	93.7			44-132	%REC	1	11/27/2024 06:38
Surr: 4-Terphenyl-d14	77.1			35-133	%REC	1	11/27/2024 06:38
Surr: Nitrobenzene-d5	90.7			30-133	%REC	1	11/27/2024 06:38
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU07@3.0'-3.5'
Collection Date: 11/15/2024 02:30 PM

Work Order: 24110559
Lab ID: 24110559-07
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		1.9	5.2	µg/Kg-dry	0.963	11/28/2024 07:51
1,3,5-Trimethylbenzene	U		1.7	5.2	µg/Kg-dry	0.963	11/28/2024 07:51
Benzene	U		0.55	5.2	µg/Kg-dry	0.963	11/28/2024 07:51
Ethylbenzene	U		0.91	5.2	µg/Kg-dry	0.963	11/28/2024 07:51
m,p-Xylene	U		2.3	2.6	µg/Kg-dry	0.963	11/28/2024 07:51
o-Xylene	U		1.3	2.6	µg/Kg-dry	0.963	11/28/2024 07:51
Toluene	U		1.8	5.2	µg/Kg-dry	0.963	11/28/2024 07:51
Xylenes, Total	U		2.3	5.2	µg/Kg-dry	0.963	11/28/2024 07:51
Surr: 1,2-Dichloroethane-d4	103			83-132	%REC	0.963	11/28/2024 07:51
Surr: 4-Bromofluorobenzene	101			83-111	%REC	0.963	11/28/2024 07:51
Surr: Dibromofluoromethane	102			77-125	%REC	0.963	11/28/2024 07:51
Surr: Toluene-d8	95.7			86-108	%REC	0.963	11/28/2024 07:51
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	0.62		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	8.2		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	3.96		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU08@3.0'-3.5'
Collection Date: 11/15/2024 02:40 PM

Work Order: 24110559
Lab ID: 24110559-08
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	U		2.9	22	mg/Kg-dry	1	11/26/2024 22:00
Surr: 4-Terphenyl-d14	42.3			10-131	%REC	1	11/26/2024 22:00
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		5,800	6,200	µg/Kg-dry	1	11/20/2024 19:25
Surr: Toluene-d8	96.3			75-120	%REC	1	11/20/2024 19:25
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	43		2.5	5.0	mg/L	10	12/3/2024 19:38
Magnesium	8.8		0.50	2.0	mg/L	10	12/3/2024 19:38
Sodium	13		1.8	2.0	mg/L	10	12/3/2024 19:38
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.26	J	0.018	0.45	mg/Kg-dry	10	12/2/2024 15:38
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.48		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.93	4.5	µg/Kg-dry	1	11/27/2024 06:53
2-Methylnaphthalene	U		1.1	4.5	µg/Kg-dry	1	11/27/2024 06:53
Acenaphthene	U		1.7	4.5	µg/Kg-dry	1	11/27/2024 06:53
Anthracene	U		0.83	4.5	µg/Kg-dry	1	11/27/2024 06:53
Benzo(a)anthracene	U		3.3	4.5	µg/Kg-dry	1	11/27/2024 06:53
Benzo(a)pyrene	U		3.1	4.5	µg/Kg-dry	1	11/27/2024 06:53
Benzo(b)fluoranthene	U		2.7	4.5	µg/Kg-dry	1	11/27/2024 06:53
Benzo(k)fluoranthene	U		0.68	4.5	µg/Kg-dry	1	11/27/2024 06:53
Chrysene	U		3.0	4.5	µg/Kg-dry	1	11/27/2024 06:53
Dibenzo(a,h)anthracene	U		2.6	4.5	µg/Kg-dry	1	11/27/2024 06:53
Fluoranthene	U		2.3	4.5	µg/Kg-dry	1	11/27/2024 06:53
Fluorene	U		1.1	4.5	µg/Kg-dry	1	11/27/2024 06:53
Indeno(1,2,3-cd)pyrene	U		3.1	4.5	µg/Kg-dry	1	11/27/2024 06:53
Naphthalene	U		0.86	4.5	µg/Kg-dry	1	11/27/2024 06:53
Pyrene	U		2.9	4.5	µg/Kg-dry	1	11/27/2024 06:53
Surr: 2-Fluorobiphenyl	81.2			44-132	%REC	1	11/27/2024 06:53
Surr: 4-Terphenyl-d14	79.2			35-133	%REC	1	11/27/2024 06:53
Surr: Nitrobenzene-d5	102			30-133	%REC	1	11/27/2024 06:53
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU08@3.0'-3.5'
Collection Date: 11/15/2024 02:40 PM

Work Order: 24110559
Lab ID: 24110559-08
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		2.4	6.5	µg/Kg-dry	1.16	11/28/2024 08:07
1,3,5-Trimethylbenzene	U		2.1	6.5	µg/Kg-dry	1.16	11/28/2024 08:07
Benzene	U		0.68	6.5	µg/Kg-dry	1.16	11/28/2024 08:07
Ethylbenzene	U		1.1	6.5	µg/Kg-dry	1.16	11/28/2024 08:07
m,p-Xylene	U		2.9	3.3	µg/Kg-dry	1.16	11/28/2024 08:07
o-Xylene	U		1.6	3.3	µg/Kg-dry	1.16	11/28/2024 08:07
Toluene	U		2.3	6.5	µg/Kg-dry	1.16	11/28/2024 08:07
Xylenes, Total	U		2.9	6.5	µg/Kg-dry	1.16	11/28/2024 08:07
Surr: 1,2-Dichloroethane-d4	110			83-132	%REC	1.16	11/28/2024 08:07
Surr: 4-Bromofluorobenzene	99.4			83-111	%REC	1.16	11/28/2024 08:07
Surr: Dibromofluoromethane	103			77-125	%REC	1.16	11/28/2024 08:07
Surr: Toluene-d8	93.8			86-108	%REC	1.16	11/28/2024 08:07
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	0.43		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	11		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	7.68		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU09@3.0'-3.5'
Collection Date: 11/15/2024 02:50 PM

Work Order: 24110559
Lab ID: 24110559-09
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	7.7	J	2.8	21	mg/Kg-dry	1	11/26/2024 22:24
Surr: 4-Terphenyl-d14	40.3			10-131	%REC	1	11/26/2024 22:24
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		6,400	6,900	µg/Kg-dry	1	11/20/2024 19:03
Surr: Toluene-d8	96.5			75-120	%REC	1	11/20/2024 19:03
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	40		2.5	5.0	mg/L	10	12/3/2024 19:40
Magnesium	11		0.50	2.0	mg/L	10	12/3/2024 19:40
Sodium	6.2		1.8	2.0	mg/L	10	12/3/2024 19:40
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.26	J	0.017	0.41	mg/Kg-dry	10	12/2/2024 15:43
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.22		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.90	4.4	µg/Kg-dry	1	11/27/2024 07:09
2-Methylnaphthalene	U		1.0	4.4	µg/Kg-dry	1	11/27/2024 07:09
Acenaphthene	U		1.7	4.4	µg/Kg-dry	1	11/27/2024 07:09
Anthracene	U		0.80	4.4	µg/Kg-dry	1	11/27/2024 07:09
Benzo(a)anthracene	U		3.2	4.4	µg/Kg-dry	1	11/27/2024 07:09
Benzo(a)pyrene	U		3.0	4.4	µg/Kg-dry	1	11/27/2024 07:09
Benzo(b)fluoranthene	U		2.7	4.4	µg/Kg-dry	1	11/27/2024 07:09
Benzo(k)fluoranthene	U		0.66	4.4	µg/Kg-dry	1	11/27/2024 07:09
Chrysene	U		2.9	4.4	µg/Kg-dry	1	11/27/2024 07:09
Dibenzo(a,h)anthracene	U		2.6	4.4	µg/Kg-dry	1	11/27/2024 07:09
Fluoranthene	U		2.2	4.4	µg/Kg-dry	1	11/27/2024 07:09
Fluorene	U		1.1	4.4	µg/Kg-dry	1	11/27/2024 07:09
Indeno(1,2,3-cd)pyrene	U		3.1	4.4	µg/Kg-dry	1	11/27/2024 07:09
Naphthalene	U		0.83	4.4	µg/Kg-dry	1	11/27/2024 07:09
Pyrene	U		2.8	4.4	µg/Kg-dry	1	11/27/2024 07:09
Surr: 2-Fluorobiphenyl	80.9			44-132	%REC	1	11/27/2024 07:09
Surr: 4-Terphenyl-d14	72.1			35-133	%REC	1	11/27/2024 07:09
Surr: Nitrobenzene-d5	91.8			30-133	%REC	1	11/27/2024 07:09
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU09@3.0'-3.5'
Collection Date: 11/15/2024 02:50 PM

Work Order: 24110559
Lab ID: 24110559-09
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		2.0	5.5	µg/Kg-dry	1.02	11/28/2024 08:23
1,3,5-Trimethylbenzene	U		1.8	5.5	µg/Kg-dry	1.02	11/28/2024 08:23
Benzene	4.2	J	0.57	5.5	µg/Kg-dry	1.02	11/28/2024 08:23
Ethylbenzene	U		0.95	5.5	µg/Kg-dry	1.02	11/28/2024 08:23
m,p-Xylene	U		2.4	2.7	µg/Kg-dry	1.02	11/28/2024 08:23
o-Xylene	U		1.3	2.7	µg/Kg-dry	1.02	11/28/2024 08:23
Toluene	2.9	J	1.9	5.5	µg/Kg-dry	1.02	11/28/2024 08:23
Xylenes, Total	U		2.4	5.5	µg/Kg-dry	1.02	11/28/2024 08:23
Surr: 1,2-Dichloroethane-d4	104			83-132	%REC	1.02	11/28/2024 08:23
Surr: 4-Bromofluorobenzene	98.8			83-111	%REC	1.02	11/28/2024 08:23
Surr: Dibromofluoromethane	101			77-125	%REC	1.02	11/28/2024 08:23
Surr: Toluene-d8	95.6			86-108	%REC	1.02	11/28/2024 08:23
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	0.67		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	6.9		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	4.67		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU10@3.0'-3.5'
Collection Date: 11/15/2024 03:30 PM

Work Order: 24110559
Lab ID: 24110559-10
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
DIESEL RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW3546 / 11/25/24		Analyst: QNG
ERO (C10-C36)	U		2.7	20	mg/Kg-dry	1	11/26/2024 22:47
Surr: 4-Terphenyl-d14	42.3			10-131	%REC	1	11/26/2024 22:47
GASOLINE RANGE ORGANICS BY GC-FID							
			Method: SW8015C		Prep: SW5035A / 11/20/24		Analyst: QNG
GRO (C6-C10)	U		5,900	6,300	µg/Kg-dry	1	11/20/2024 23:30
Surr: Toluene-d8	97.5			75-120	%REC	1	11/20/2024 23:30
SOLUBLE CATIONS FOR SAR							
			Method: SW6020B		Prep: USDA Method 20B / 12/2/24		Analyst: STP
Calcium	20		2.5	5.0	mg/L	10	12/3/2024 19:41
Magnesium	4.9		0.50	2.0	mg/L	10	12/3/2024 19:41
Sodium	3.9		1.8	2.0	mg/L	10	12/3/2024 19:41
HOT WATER SOLUBLE BORON BY ICP-MS							
			Method: SW6020B		Prep: EXTRACT / 11/26/24		Analyst: MTK
Boron (Hot Water Soluble)	0.27	J	0.017	0.42	mg/Kg-dry	10	12/2/2024 15:45
SODIUM ADSORPTION RATIO							
			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: DSC
Sodium Adsorption Ratio	0.20		0.010	0.010	none	1	12/3/2024
POLYNUCLEAR AROMATIC HYDROCARBONS (SIM)							
			Method: SW8270E		Prep: SW3546 / 11/25/24		Analyst: SMT
1-Methylnaphthalene	U		0.88	4.3	µg/Kg-dry	1	11/27/2024 07:24
2-Methylnaphthalene	U		1.0	4.3	µg/Kg-dry	1	11/27/2024 07:24
Acenaphthene	U		1.6	4.3	µg/Kg-dry	1	11/27/2024 07:24
Anthracene	U		0.78	4.3	µg/Kg-dry	1	11/27/2024 07:24
Benzo(a)anthracene	U		3.1	4.3	µg/Kg-dry	1	11/27/2024 07:24
Benzo(a)pyrene	U		2.9	4.3	µg/Kg-dry	1	11/27/2024 07:24
Benzo(b)fluoranthene	U		2.6	4.3	µg/Kg-dry	1	11/27/2024 07:24
Benzo(k)fluoranthene	U		0.64	4.3	µg/Kg-dry	1	11/27/2024 07:24
Chrysene	U		2.8	4.3	µg/Kg-dry	1	11/27/2024 07:24
Dibenzo(a,h)anthracene	U		2.5	4.3	µg/Kg-dry	1	11/27/2024 07:24
Fluoranthene	U		2.1	4.3	µg/Kg-dry	1	11/27/2024 07:24
Fluorene	U		1.1	4.3	µg/Kg-dry	1	11/27/2024 07:24
Indeno(1,2,3-cd)pyrene	U		3.0	4.3	µg/Kg-dry	1	11/27/2024 07:24
Naphthalene	U		0.81	4.3	µg/Kg-dry	1	11/27/2024 07:24
Pyrene	U		2.7	4.3	µg/Kg-dry	1	11/27/2024 07:24
Surr: 2-Fluorobiphenyl	82.7			44-132	%REC	1	11/27/2024 07:24
Surr: 4-Terphenyl-d14	84.2			35-133	%REC	1	11/27/2024 07:24
Surr: Nitrobenzene-d5	102			30-133	%REC	1	11/27/2024 07:24
VOLATILE ORGANIC COMPOUNDS - LOW LEVEL							
			Method: SW8260D				Analyst: NTJ

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 05-Dec-24

Client: Williams Midstream
Project: WPO188995
Sample ID: MU10@3.0'-3.5'
Collection Date: 11/15/2024 03:30 PM

Work Order: 24110559
Lab ID: 24110559-10
Matrix: SOIL

Analyses	Result	Qual	MDL	Report Limit	Units	Dilution Factor	Date Analyzed
1,2,4-Trimethylbenzene	U		2.2	6.1	µg/Kg-dry	1.16	11/28/2024 08:40
1,3,5-Trimethylbenzene	U		1.9	6.1	µg/Kg-dry	1.16	11/28/2024 08:40
Benzene	U		0.63	6.1	µg/Kg-dry	1.16	11/28/2024 08:40
Ethylbenzene	U		1.1	6.1	µg/Kg-dry	1.16	11/28/2024 08:40
m,p-Xylene	U		2.7	3.0	µg/Kg-dry	1.16	11/28/2024 08:40
o-Xylene	U		1.5	3.0	µg/Kg-dry	1.16	11/28/2024 08:40
Toluene	U		2.1	6.1	µg/Kg-dry	1.16	11/28/2024 08:40
Xylenes, Total	U		2.7	6.1	µg/Kg-dry	1.16	11/28/2024 08:40
Surr: 1,2-Dichloroethane-d4	107			83-132	%REC	1.16	11/28/2024 08:40
Surr: 4-Bromofluorobenzene	101			83-111	%REC	1.16	11/28/2024 08:40
Surr: Dibromofluoromethane	101			77-125	%REC	1.16	11/28/2024 08:40
Surr: Toluene-d8	94.6			86-108	%REC	1.16	11/28/2024 08:40
ELECTRICAL CONDUCTIVITY (SAR)			Method: USDA H60 METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
Electrical Conductivity @ Saturation	0.67		0.011	0.10	mmhos/cm @25°C	20	12/4/2024 09:55
MOISTURE			Method: SW3550C				Analyst: ETC
Moisture	4.8		0.10	0.10	% of sample	1	11/20/2024 20:45
PH MEASURED IN SOIL PASTE			Method: USDA METHOD 20B		Prep: USDA Method 20B / 12/2/24		Analyst: JB
pH @ Saturation	3.31		0.11	0.11	s.u.-dry	1	12/4/2024 09:25

Note: See Qualifiers page for a list of qualifiers and their definitions.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: 249674 Instrument ID GC8 Method: SW8015C

MBLK				Sample ID: MBLK-249674-249674		Units: mg/Kg		Analysis Date: 11/26/2024 04:31 PM		
Client ID:		Run ID: GC8_241126A		SeqNo: 11280596		Prep Date: 11/25/2024		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
ERO (C10-C36)	U	20								
Surr: 4-Terphenyl-d14	0.35	0	0.828	0	42.3	10-131	0			

LCS				Sample ID: LCS-249674-249674		Units: mg/Kg		Analysis Date: 11/26/2024 04:55 PM		
Client ID:		Run ID: GC8_241126A		SeqNo: 11280597		Prep Date: 11/25/2024		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
ERO (C10-C36)	687.5	20	833	0	82.5	54-114	0			
Surr: 4-Terphenyl-d14	0.7333	0	0.828	0	88.6	10-131	0			

MS				Sample ID: 24110559-01B MS		Units: mg/Kg		Analysis Date: 11/26/2024 07:17 PM		
Client ID: MU01@3.0'-3.5'		Run ID: GC8_241126A		SeqNo: 11280603		Prep Date: 11/25/2024		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
ERO (C10-C36)	730.2	20	826.7	5.79	87.6	54-114	0			
Surr: 4-Terphenyl-d14	0.7278	0	0.8217	0	88.6	10-131	0			

MSD				Sample ID: 24110559-01B MSD		Units: mg/Kg		Analysis Date: 11/26/2024 07:40 PM		
Client ID: MU01@3.0'-3.5'		Run ID: GC8_241126A		SeqNo: 11280604		Prep Date: 11/25/2024		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
ERO (C10-C36)	705	19	801.1	5.79	87.3	54-114	730.2	3.5	30	
Surr: 4-Terphenyl-d14	0.7373	0	0.7963	0	92.6	10-131	0.7278	1.3	30	

The following samples were analyzed in this batch:

24110559-01B	24110559-02B	24110559-03B
24110559-04B	24110559-05B	24110559-06B
24110559-07B	24110559-08B	24110559-09B
24110559-10B		

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: **249503** Instrument ID **GC9** Method: **SW8015C**

MBLK		Sample ID: MBLK-249503-249503				Units: µg/Kg-dry		Analysis Date: 11/20/2024 06:40 PM		
Client ID:		Run ID: GC9_241120A				SeqNo: 11268247		Prep Date: 11/20/2024		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
GRO (C6-C10)	U	5,000	0	0	0	0	0			
Surr: Toluene-d8	4972	0	5000	0	99.4	75-120	0			

LCS		Sample ID: LCS-249503-249503				Units: µg/Kg-dry		Analysis Date: 11/20/2024 05:56 PM		
Client ID:		Run ID: GC9_241120A				SeqNo: 11268246		Prep Date: 11/20/2024		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
GRO (C6-C10)	216000	5,000	250000	0	86.4	63-126	0			
Surr: Toluene-d8	4890	0	5000	0	97.8	75-120	0			

MS		Sample ID: 24110559-10D MS				Units: µg/Kg-dry		Analysis Date: 11/21/2024 01:22 AM		
Client ID: MU10@3.0'-3.5'		Run ID: GC9_241120A				SeqNo: 11268261		Prep Date: 11/20/2024		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
GRO (C6-C10)	303600	6,300	313800	0	96.8	63-126	0			
Surr: Toluene-d8	6241	0	6275	0	99.5	75-120	0			

MSD		Sample ID: 24110559-10D MSD				Units: µg/Kg-dry		Analysis Date: 11/21/2024 01:45 AM		
Client ID: MU10@3.0'-3.5'		Run ID: GC9_241120A				SeqNo: 11268262		Prep Date: 11/20/2024		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
GRO (C6-C10)	310500	6,300	313800	0	99	63-126	303600	2.27	30	
Surr: Toluene-d8	6445	0	6275	0	103	75-120	6241	3.22	30	

The following samples were analyzed in this batch:

24110559-01D	24110559-02D	24110559-03D
24110559-04D	24110559-05D	24110559-06D
24110559-07D	24110559-08D	24110559-09D
24110559-10D		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: 249778 Instrument ID ICPMS4 Method: SW6020B

MBLK		Sample ID: MBLK-249778-249778				Units: mg/Kg		Analysis Date: 12/2/2024 03:23 PM		
Client ID:		Run ID: ICPMS4_241202A				SeqNo: 11285883		Prep Date: 11/26/2024		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Boron (Hot Water Soluble) 0.003318 0.040 J

LCS		Sample ID: LCS-249778-249778				Units: mg/Kg		Analysis Date: 12/2/2024 03:24 PM		
Client ID:		Run ID: ICPMS4_241202A				SeqNo: 11285884		Prep Date: 11/26/2024		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual

Boron (Hot Water Soluble) 0.8761 0.040 1 0 87.6 80-120 0

The following samples were analyzed in this batch:	24110559-01B	24110559-02B	24110559-03B
	24110559-04B	24110559-05B	24110559-06B
	24110559-07B	24110559-08B	24110559-09B
	24110559-10B		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: 249888 Instrument ID ICPMS3 Method: SW6020B

DUP				Sample ID: 24110559-01ADUP			Units: mg/L		Analysis Date: 12/3/2024 07:23 PM		
Client ID: MU01@3.0'-3.5'				Run ID: ICPMS3_241203A			SeqNo: 11289198		Prep Date: 12/2/2024		DF: 10
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Calcium	39.39	5.0	0	0	0	0-0	28.69	31.4			
Magnesium	9.153	2.0	0	0	0	0-0	6.947	27.4			

DUP						Sample ID: 24110559-01ADUP		Units: mg/L		Analysis Date: 12/4/2024 02:13 PM	
Client ID: MU01@3.0'-3.5'				Run ID: ICPMS3_241204A		SeqNo: 11291977		Prep Date: 12/2/2024		DF: 10	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Sodium	4.844	2.0	0	0	0	0-0	3.595	29.6			

The following samples were analyzed in this batch:

24110559-01A	24110559-02A	24110559-03A
24110559-04A	24110559-05A	24110559-06A
24110559-07A	24110559-08A	24110559-09A
24110559-10A		

Batch ID: 249888 Instrument ID SAR Method: USDA H60 Metho

DUP				Sample ID: 24110559-01ADUP				Units: none		Analysis Date: 12/3/2024	
Client ID: MU01@3.0'-3.5'			Run ID: SAR_241203A		SeqNo: 11292122		Prep Date: 12/2/2024		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
Sodium Adsorption Ratio	0.1807	0.010	0	0	0		0.1562	14.5	50		

The following samples were analyzed in this batch:

24110559-01A	24110559-02A	24110559-03A
24110559-04A	24110559-05A	24110559-06A
24110559-07A	24110559-08A	24110559-09A
24110559-10A		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: **249673** Instrument ID **SVMS7** Method: **SW8270E**

MBLK				Sample ID: MBLK-249673-249673			Units: µg/Kg		Analysis Date: 11/27/2024 04:02 AM		
Client ID:			Run ID: SVMS7_241126A			SeqNo: 11280277		Prep Date: 11/25/2024		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1-Methylnaphthalene	U	4.2									
2-Methylnaphthalene	U	4.2									
Acenaphthene	U	4.2									
Anthracene	U	4.2									
Benzo(a)anthracene	U	4.2									
Benzo(a)pyrene	U	4.2									
Benzo(b)fluoranthene	U	4.2									
Benzo(k)fluoranthene	U	4.2									
Chrysene	U	4.2									
Dibenzo(a,h)anthracene	U	4.2									
Fluoranthene	U	4.2									
Fluorene	U	4.2									
Indeno(1,2,3-cd)pyrene	U	4.2									
Naphthalene	U	4.2									
Pyrene	U	4.2									
Surr: 2-Fluorobiphenyl	535.1	0	666.6	0	80.3	44-132		0			
Surr: 4-Terphenyl-d14	604.8	0	666.6	0	90.7	35-133		0			
Surr: Nitrobenzene-d5	797.9	0	666.6	0	120	30-133		0			

LCS				Sample ID: LCS-249673-249673		Units: µg/Kg		Analysis Date: 11/27/2024 04:17 AM		
Client ID:		Run ID: SVMS7_241126A			SeqNo: 11280278		Prep Date: 11/25/2024		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1-Methylnaphthalene	585.4	4.2	666.6	0	87.8	39-165	0			
2-Methylnaphthalene	527.5	4.2	666.6	0	79.1	32-158	0			
Acenaphthene	586	4.2	666.6	0	87.9	42-155	0			
Anthracene	614	4.2	666.6	0	92.1	41-155	0			
Benzo(a)anthracene	622.6	4.2	666.6	0	93.4	39-155	0			
Benzo(a)pyrene	569.4	4.2	666.6	0	85.4	36-158	0			
Benzo(b)fluoranthene	547.7	4.2	666.6	0	82.2	36-146	0			
Benzo(k)fluoranthene	507.7	4.2	666.6	0	76.2	36-150	0			
Chrysene	531.1	4.2	666.6	0	79.7	41-162	0			
Dibenzo(a,h)anthracene	548.3	4.2	666.6	0	82.3	27-167	0			
Fluoranthene	633.3	4.2	666.6	0	95	39-156	0			
Fluorene	562.6	4.2	666.6	0	84.4	37-153	0			
Indeno(1,2,3-cd)pyrene	580.5	4.2	666.6	0	87.1	24-171	0			
Naphthalene	570.4	4.2	666.6	0	85.6	43-156	0			
Pyrene	535	4.2	666.6	0	80.3	32-147	0			
Surr: 2-Fluorobiphenyl	564.9	0	666.6	0	84.7	44-132	0			
Surr: 4-Terphenyl-d14	519.3	0	666.6	0	77.9	35-133	0			
Surr: Nitrobenzene-d5	748	0	666.6	0	112	30-133	0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: 249673 Instrument ID SVMS7 Method: SW8270E

MS				Sample ID: 24110559-04B MS			Units: µg/Kg		Analysis Date: 11/27/2024 04:33 AM		
Client ID: MU04@3.0'-3.5'			Run ID: SVMS7_241126A			SeqNo: 11280279		Prep Date: 11/25/2024		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1-Methylnaphthalene	661.8	4.0	646	0	102	39-165	0				
2-Methylnaphthalene	600.5	4.0	646	0	93	32-158	0				
Acenaphthene	549.2	4.0	646	0	85	42-155	0				
Anthracene	611.9	4.0	646	0	94.7	41-155	0				
Benzo(a)anthracene	584.2	4.0	646	0	90.4	39-155	0				
Benzo(a)pyrene	583.7	4.0	646	0	90.4	36-158	0				
Benzo(b)fluoranthene	547.7	4.0	646	0	84.8	36-146	0				
Benzo(k)fluoranthene	588.8	4.0	646	0	91.1	36-150	0				
Chrysene	568	4.0	646	0	87.9	41-162	0				
Dibenzo(a,h)anthracene	605.9	4.0	646	0	93.8	27-167	0				
Fluoranthene	491.2	4.0	646	0	76	39-156	0				
Fluorene	593.4	4.0	646	0	91.9	37-153	0				
Indeno(1,2,3-cd)pyrene	633	4.0	646	0	98	24-171	0				
Naphthalene	580.4	4.0	646	0	89.8	43-156	0				
Pyrene	587.5	4.0	646	0	91	32-147	0				
Surr: 2-Fluorobiphenyl	488.1	0	646	0	75.6	44-132	0				
Surr: 4-Terphenyl-d14	566	0	646	0	87.6	35-133	0				
Surr: Nitrobenzene-d5	832.8	0	646	0	129	30-133	0				

MSD				Sample ID: 24110559-04B MSD			Units: µg/Kg		Analysis Date: 11/27/2024 04:49 AM		
Client ID: MU04@3.0'-3.5'			Run ID: SVMS7_241126A			SeqNo: 11280280		Prep Date: 11/25/2024		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1-Methylnaphthalene	613.6	4.1	659.8	0	93	39-165	661.8	7.56	30		
2-Methylnaphthalene	572.7	4.1	659.8	0	86.8	32-158	600.5	4.74	30		
Acenaphthene	567.6	4.1	659.8	0	86	42-155	549.2	3.3	30		
Anthracene	646.2	4.1	659.8	0	97.9	41-155	611.9	5.44	30		
Benzo(a)anthracene	639.5	4.1	659.8	0	96.9	39-155	584.2	9.05	30		
Benzo(a)pyrene	574.2	4.1	659.8	0	87	36-158	583.7	1.64	30		
Benzo(b)fluoranthene	498.6	4.1	659.8	0	75.6	36-146	547.7	9.4	30		
Benzo(k)fluoranthene	538.1	4.1	659.8	0	81.6	36-150	588.8	8.99	30		
Chrysene	619.5	4.1	659.8	0	93.9	41-162	568	8.67	30		
Dibenzo(a,h)anthracene	527.3	4.1	659.8	0	79.9	27-167	605.9	13.9	30		
Fluoranthene	530.8	4.1	659.8	0	80.5	39-156	491.2	7.76	30		
Fluorene	687.2	4.1	659.8	0	104	37-153	593.4	14.6	30		
Indeno(1,2,3-cd)pyrene	538.5	4.1	659.8	0	81.6	24-171	633	16.1	30		
Naphthalene	594.9	4.1	659.8	0	90.2	43-156	580.4	2.47	30		
Pyrene	622.6	4.1	659.8	0	94.4	32-147	587.5	5.81	30		
Surr: 2-Fluorobiphenyl	516.5	0	659.8	0	78.3	44-132	488.1	5.66	30		
Surr: 4-Terphenyl-d14	603.1	0	659.8	0	91.4	35-133	566	6.34	30		
Surr: Nitrobenzene-d5	805	0	659.8	0	122	30-133	832.8	3.39	30		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: **249673** Instrument ID **SVMS7** Method: **SW8270E**

The following samples were analyzed in this batch:

24110559-01B	24110559-02B	24110559-03B
24110559-04B	24110559-05B	24110559-06B
24110559-07B	24110559-08B	24110559-09B
24110559-10B		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: **R415435** Instrument ID **VMS9** Method: **SW8260D**

MBLK				Sample ID: 9V-BLKS1-241127-R415435				Units: µg/Kg			Analysis Date: 11/27/2024 08:00 PM		
Client ID:			Run ID: VMS9_241127A				SeqNo: 11283310			Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual			
1,2,4-Trimethylbenzene	U	5.0											
1,3,5-Trimethylbenzene	U	5.0											
Benzene	U	5.0											
Ethylbenzene	U	5.0											
m,p-Xylene	U	2.5											
o-Xylene	U	2.5											
Toluene	U	5.0											
Xylenes, Total	U	5.0											
Surr: 1,2-Dichloroethane-d4	19.6	0	20	0	98	83-132		0					
Surr: 4-Bromofluorobenzene	19.34	0	20	0	96.7	83-111		0					
Surr: Dibromofluoromethane	19.3	0	20	0	96.5	77-125		0					
Surr: Toluene-d8	19.68	0	20	0	98.4	86-108		0					

LCS				Sample ID: 9V-LCSS1-241127-R415435			Units: µg/Kg		Analysis Date: 11/27/2024 07:11 PM		
Client ID:		Run ID: VMS9_241127A			SeqNo: 11283308		Prep Date:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	20.33	5.0	20	0	102	71-133		0			
1,3,5-Trimethylbenzene	19.77	5.0	20	0	98.8	71-139		0			
Benzene	20.42	5.0	20	0	102	77-133		0			
Ethylbenzene	20.47	5.0	20	0	102	75-133		0			
m,p-Xylene	38.07	2.5	40	0	95.2	75-134		0			
o-Xylene	20.06	2.5	20	0	100	76-130		0			
Toluene	19.65	5.0	20	0	98.2	76-130		0			
Xylenes, Total	58.13	5.0	60	0	96.9	75-132		0			
Surr: 1,2-Dichloroethane-d4	19.84	0	20	0	99.2	83-132		0			
Surr: 4-Bromofluorobenzene	20.2	0	20	0	101	83-111		0			
Surr: Dibromofluoromethane	20.77	0	20	0	104	77-125		0			
Surr: Toluene-d8	19.92	0	20	0	99.6	86-108		0			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: R415435 Instrument ID VMS9 Method: SW8260D

MS					Sample ID: HN2409281-001 MS		Units: µg/Kg		Analysis Date: 11/28/2024 01:55 AM		
Client ID:			Run ID: VMS9_241127A			SeqNo: 11283332		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	12.57	5.0	20	0	62.8	71-133	0			S	
1,3,5-Trimethylbenzene	13.1	5.0	20	0	65.5	71-139	0			S	
Benzene	15.55	5.0	20	0	77.8	77-133	0				
Ethylbenzene	14.2	5.0	20	0	71	75-133	0			S	
m,p-Xylene	26.15	2.5	40	0	65.4	75-134	0			S	
o-Xylene	13.91	2.5	20	0	69.6	76-130	0			S	
Toluene	14	5.0	20	0	70	76-130	0			S	
Xylenes, Total	40.06	5.0	60	0	66.8	75-132	0			S	
Surr: 1,2-Dichloroethane-d4	20.53	0	20	0	103	83-132	0				
Surr: 4-Bromofluorobenzene	19.66	0	20	0	98.3	83-111	0				
Surr: Dibromofluoromethane	20.56	0	20	0	103	77-125	0				
Surr: Toluene-d8	18.79	0	20	0	94	86-108	0				

MSD					Sample ID: HN2409281-001 MSD		Units: µg/Kg		Analysis Date: 11/28/2024 02:11 AM		
Client ID:			Run ID: VMS9_241127A			SeqNo: 11283333		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	12.69	5.0	20	0	63.4	71-133	12.57	0.95	30	S	
1,3,5-Trimethylbenzene	13.04	5.0	20	0	65.2	71-139	13.1	0.459	30	S	
Benzene	15.12	5.0	20	0	75.6	77-133	15.55	2.8	30	S	
Ethylbenzene	13.77	5.0	20	0	68.8	75-133	14.2	3.07	30	S	
m,p-Xylene	25.61	2.5	40	0	64	75-134	26.15	2.09	30	S	
o-Xylene	13.72	2.5	20	0	68.6	76-130	13.91	1.38	30	S	
Toluene	13.59	5.0	20	0	68	76-130	14	2.97	30	S	
Xylenes, Total	39.33	5.0	60	0	65.6	75-132	40.06	1.84	30	S	
Surr: 1,2-Dichloroethane-d4	19.67	0	20	0	98.4	83-132	20.53	4.28	30		
Surr: 4-Bromofluorobenzene	19.64	0	20	0	98.2	83-111	19.66	0.102	30		
Surr: Dibromofluoromethane	21.13	0	20	0	106	77-125	20.56	2.73	30		
Surr: Toluene-d8	18.85	0	20	0	94.2	86-108	18.79	0.319	30		

The following samples were analyzed in this batch:

24110559-01D	24110559-02D	24110559-03D
24110559-04D	24110559-05D	24110559-06D

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: **R415437** Instrument ID **VMS9** Method: **SW8260D**

MBLK				Sample ID: 9V-BLKS3-241127-R415437				Units: µg/Kg			Analysis Date: 11/28/2024 04:36 AM		
Client ID:			Run ID: VMS9_241127B			SeqNo: 11283347		Prep Date:		DF: 1			
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual			
1,2,4-Trimethylbenzene	U	5.0											
1,3,5-Trimethylbenzene	U	5.0											
Benzene	U	5.0											
Ethylbenzene	U	5.0											
m,p-Xylene	U	2.5											
o-Xylene	U	2.5											
Toluene	U	5.0											
Xylenes, Total	U	5.0											
Surr: 1,2-Dichloroethane-d4	17.16	0	20	0	85.8	83-132		0					
Surr: 4-Bromofluorobenzene	19.09	0	20	0	95.4	83-111		0					
Surr: Dibromofluoromethane	19.01	0	20	0	95	77-125		0					
Surr: Toluene-d8	19.36	0	20	0	96.8	86-108		0					

LCS				Sample ID: 9V-LCSS3-241127-R415437				Units: µg/Kg		Analysis Date: 11/28/2024 03:48 AM		
Client ID:			Run ID: VMS9_241127B			SeqNo: 11283345		Prep Date:		DF: 1		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual		
1,2,4-Trimethylbenzene	19.57	5.0	20	0	97.8	71-133	0					
1,3,5-Trimethylbenzene	19.06	5.0	20	0	95.3	71-139	0					
Benzene	20.06	5.0	20	0	100	77-133	0					
Ethylbenzene	19.66	5.0	20	0	98.3	75-133	0					
m,p-Xylene	36.1	2.5	40	0	90.2	75-134	0					
o-Xylene	20.35	2.5	20	0	102	76-130	0					
Toluene	19.14	5.0	20	0	95.7	76-130	0					
Xylenes, Total	56.45	5.0	60	0	94.1	75-132	0					
Surr: 1,2-Dichloroethane-d4	19.28	0	20	0	96.4	83-132	0					
Surr: 4-Bromofluorobenzene	19.72	0	20	0	98.6	83-111	0					
Surr: Dibromofluoromethane	19.9	0	20	0	99.5	77-125	0					
Surr: Toluene-d8	19.01	0	20	0	95	86-108	0					

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: R415437 Instrument ID VMS9 Method: SW8260D

MS				Sample ID: HN2409434-003 MS			Units: µg/Kg		Analysis Date: 11/28/2024 09:45 AM		
Client ID:		Run ID: VMS9_241127B			SeqNo: 11283366		Prep Date:		DF: 0.998		
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
1,2,4-Trimethylbenzene	7.814	5.0	19.96	0	39.2	71-133	0			S	
1,3,5-Trimethylbenzene	8.194	5.0	19.96	0	41	71-139	0			S	
Benzene	14.05	5.0	19.96	0	70.4	77-133	0			S	
Ethylbenzene	10.55	5.0	19.96	0	52.9	75-133	0			S	
m,p-Xylene	19.27	2.5	39.92	0	48.3	75-134	0			S	
o-Xylene	10.39	2.5	19.96	0	52.1	76-130	0			S	
Toluene	11.37	5.0	19.96	0	56.9	76-130	0			S	
Xylenes, Total	29.66	5.0	59.88	0	49.5	75-132	0			S	
Surr: 1,2-Dichloroethane-d4	20.45	0	19.96	0	102	83-132	0				
Surr: 4-Bromofluorobenzene	19.87	0	19.96	0	99.6	83-111	0				
Surr: Dibromofluoromethane	20.64	0	19.96	0	103	77-125	0				
Surr: Toluene-d8	19.47	0	19.96	0	97.6	86-108	0				

Sample ID: HN2408434-003 MSD					Units: µg/Kg		Analysis Date: 11/28/2024 10:01 AM			
Client ID:		Run ID: VMS9_241127B			SeqNo: 11283367		Prep Date:		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
1,2,4-Trimethylbenzene	7.82	5.0	20	0	39.1	71-133	0			S
1,3,5-Trimethylbenzene	8.72	5.0	20	0	43.6	71-139	0			S
Benzene	14.49	5.0	20	0	72.4	77-133	0			S
Ethylbenzene	11.31	5.0	20	0	56.6	75-133	0			S
m,p-Xylene	20.16	2.5	40	0	50.4	75-134	0			S
o-Xylene	11.21	2.5	20	0	56	76-130	0			S
Toluene	12.28	5.0	20	0	61.4	76-130	0			S
Xylenes, Total	31.37	5.0	60	0	52.3	75-132	0			S
<i>Surr: 1,2-Dichloroethane-d4</i>	<i>20.49</i>	<i>0</i>	<i>20</i>	<i>0</i>	<i>102</i>	<i>83-132</i>	<i>0</i>			
<i>Surr: 4-Bromofluorobenzene</i>	<i>20</i>	<i>0</i>	<i>20</i>	<i>0</i>	<i>100</i>	<i>83-111</i>	<i>0</i>			
<i>Surr: Dibromofluoromethane</i>	<i>20.15</i>	<i>0</i>	<i>20</i>	<i>0</i>	<i>101</i>	<i>77-125</i>	<i>0</i>			
<i>Surr: Toluene-d8</i>	<i>19.31</i>	<i>0</i>	<i>20</i>	<i>0</i>	<i>96.6</i>	<i>86-108</i>	<i>0</i>			

The following samples were analyzed in this batch:

24110559-07D	24110559-08D	24110559-09D
24110559-10D		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: 249888 Instrument ID WETCHEM Method: USDA Method 20

DUP		Sample ID: 24110559-01A DUP				Units: s.u.		Analysis Date: 12/4/2024 09:25 AM			
Client ID: MU01@3.0'-3.5'			Run ID: WETCHEM_241204B			SeqNo: 11290034		Prep Date: 12/2/2024		DF: 1	
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual	
pH @ Saturation	2.69	0.10	0	0	0	0-0	4.96	59.3	20	R	

The following samples were analyzed in this batch:	24110559-01A	24110559-02A	24110559-03A
	24110559-04A	24110559-05A	24110559-06A
	24110559-07A	24110559-08A	24110559-09A
	24110559-10A		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Williams Midstream
Work Order: 24110559
Project: WPO188995

QC BATCH REPORT

Batch ID: **R415065** Instrument ID **MOIST** Method: **SW3550C**

MBLK		Sample ID: MBLK-R415065				Units: % of sample		Analysis Date: 11/20/2024 08:45 PM		
Client ID:		Run ID: MOIST_241120B				SeqNo: 11268445		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Moisture	U	0.10								

LCS		Sample ID: LCS-R415065				Units: % of sample		Analysis Date: 11/20/2024 08:45 PM		
Client ID:		Run ID: MOIST_241120B				SeqNo: 11268444		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Moisture	100	0.10	100	0	100	98-102	0			

DUP		Sample ID: 24110559-04C DUP				Units: % of sample		Analysis Date: 11/20/2024 08:45 PM		
Client ID: MU04@3.0'-3.5'		Run ID: MOIST_241120B				SeqNo: 11268426		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Moisture	5.97	0.10	0	0	0	0-0	5.52	7.83	10	

DUP		Sample ID: 24110593-01A DUP				Units: % of sample		Analysis Date: 11/20/2024 08:45 PM		
Client ID:		Run ID: MOIST_241120B				SeqNo: 11268437		Prep Date:		DF: 1
Analyte	Result	PQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
Moisture	10.12	0.10	0	0	0	0-0	9.33	8.12	10	

The following samples were analyzed in this batch:

24110559-01C	24110559-02C	24110559-03C
24110559-04C	24110559-05C	24110559-06C
24110559-07C	24110559-08C	24110559-09C
24110559-10C		

Note: See Qualifiers Page for a list of Qualifiers and their explanation.



ALS Environmental

ALS Environmental
3352 128th Avenue
Holland, Michigan 49424
(Tel) 616.399.6070
(Fax) 616.399.6185

Chain-of-Custody

Turnaround time for samples received after 2 p.m. will be calculated beginning from the next business day.

Turnaround time for samples received Saturday will be calculated beginning from the next business day.

ALS WORKORDER #

PAGE 1 of 1
DISPOSAL BY LAB or RETURN

PROJECT NAME	SITE ID	TURNAROUND TIME	Normal	SAMPLER	Adam Varns
PROJECT No.	EDD FORMAT	PARAMETER/METHOD REQUEST FOR ANALYSIS			
	PURCHASE ORDER	A ERO C10-C36			
COMPANY NAME	BILL TO COMPANY	B GRO C6-C10			
SEND REPORT TO	Annette Garrigues	C EC			
ADDRESS		D SAR			
CITY / STATE / ZIP		E pH (USDA method)			
PHONE		F Hot water soluble Boron			
FAX		G BTEX/TMBs			
E-MAIL	Annette.Garrigues@Williams.com	H Table 915-1 PAHs			
		I			
		J			

24110559

WILLIAMSMIDSTREAM: Williams Midstream
Project:



LAB ID	FIELD ID	MATRIX	SAMPLE DATE	SAMPLE TIME	# OF BOTTLES	PRESERVATIVE	QC	A	B	C	D	E	F	G	H	I	J	SEE NOTES SECTION
	MU01@3.0'-3.5'	s	11/15/24	10:10	6	Yes		X	X	X	X	X	X	X	X			
	MU02@2.0'-2.5'	s	11/15/24	1635	6	Yes		X	X	X	X	X	X	X	X			
	MU03@3.0'-3.5'	s	11/15/24	1233	6	Yes		X	X	X	X	X	X	X	X			
	MU04@3.0'-3.5'	s	11/15/24	1250	6	Yes		X	X	X	X	X	X	X	X			
	MU05@2.0'-2.5'	s	11/15/24	1358	6	Yes		X	X	X	X	X	X	X	X			
	MU06@3.0'-3.5'	s	11/15/24	1420	6	Yes		X	X	X	X	X	X	X	X			
	MU07@3.0'-3.5'	s	11/15/24	1430	6	Yes		X	X	X	X	X	X	X	X			
	MU08@3.0'-3.5'	s	11/15/24	1440	6	Yes		X	X	X	X	X	X	X	X			
	MU09@3.0'-3.5'	s	11/15/24	1450	6	Yes		X	X	X	X	X	X	X	X			
	MU10@3.0'-3.5'	s	11/15/24	15130	6	Yes		X	X	X	X	X	X	X	X			

*Time Zone (Circle): EST CST MST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

Logged BH 11/20/24 0950 DF2 5.1c	NOTES
PRESERVATION KEY	1-HCl 2-HNO3 3-H2SO4 4-NaOH 5-NaOH/ZnAcetate 6-NaHSO4 7-4°C 8-Other
REPORT LEVEL / QC REQUIRED	Summary (Standard QC) LEVEL II (Standard QC) LEVEL III (Std QC + forms) LEVEL IV (Std QC + forms + raw data)

Form 202r9	SIGNATURE	PRINTED NAME	DATE	TIME
RELINQUISHED BY	Adam Varns	Becky Sirotek		
RECEIVED BY	Adam Varns	Adam Varns	11-18-24	1560
RELINQUISHED BY	Fed ex		11/19/24	0900
RECEIVED BY	Brittany Hayward	Brittany Hayward	11/19/24	0900

Sample Receipt Checklist

Client Name: **WILLIAMSMIDSTREAM**

Date/Time Received: **19-Nov-24 09:00**

Work Order: **24110559**

Received by: **BYH**

Checklist completed by **Brittany Hayward**

20-Nov-24

Reviewed by: **Chad Whelton**

20-Nov-24

eSignature

Date

eSignature

Date

Matrices: **Soil**

Carrier name: **FedEx**

Shipping container/cooler in good condition?

Yes ☒

No ☐

Not Present ☐

Custody seals intact on shipping container/cooler?

Yes ☐

No ☐

Not Present ☒

Custody seals intact on sample bottles?

Yes ☐

No ☐

Not Present ☒

Chain of custody present?

Yes ☒

No ☐

Chain of custody signed when relinquished and received?

Yes ☒

No ☐

Chain of custody agrees with sample labels?

Yes ☒

No ☐

Samples in proper container/bottle?

Yes ☒

No ☐

Sample containers intact?

Yes ☒

No ☐

Sufficient sample volume for indicated test?

Yes ☒

No ☐

All samples received within holding time?

Yes ☒

No ☐

Container/Temp Blank temperature in compliance?

Yes ☒

No ☐

Sample(s) received on ice?

Yes ☒

No ☐

Temperature(s)/Thermometer(s):

5.1/5.1 C

DF2

Cooler(s)/Kit(s):

Date/Time sample(s) sent to storage:

11/20/2024 9:50:46 AM

Water - VOA vials have zero headspace?

Yes ☐

No ☐

No VOA vials submitted ☒

Water - pH acceptable upon receipt?

Yes ☐

No ☐

N/A ☒

pH adjusted?

Yes ☐

No ☐

N/A ☒

pH adjusted by:

-

Login Notes:

Client Contacted:

Date Contacted:

Person Contacted:

Contacted By:

Regarding:

Comments:

CorrectiveAction: