


# Data Collection Report

Gauge Information	
Serial Number	252429
Model	3KPSIXP2I
Message Store	Mechanical Integrity Test
Units	PSI

Run Info	
Start Time	10/14/25 10:11:06 AM
Stop Time	10/14/25 10:51:58 AM
Logging Interval	60

Well Name: GP-21 API #05-083-06687-00



Serial Number 252429  
 Model 3KPSIXP2I  
 Units PSI  
 Firmware Version D0018 Message Store -----  
 Run Index GP-21 MIT casing pres  
 Logging Type Actual  
 Logging Interval 60  
 Start Time 10/14/2025 10:11  
 Stop Time 10/14/2025 10:51  
 Time Reading

Event Event Data  
 Battery OK  
 Logging Interval, 60  
 Tare, 1.4

0	0.2
60	23.7
120	32
180	31.7
240	205.2
300	308.7
360	411.9
420	492.8
480	392
540	391.9
600	391.8 Start test
660	391.8
720	391.7
780	391.6
840	391.6
900	391.6
960	391.5
1020	391.5
1080	391.5
1140	391.4
1200	391.4
1260	391.4
1320	391.4
1380	391.4
1440	391.4
1500	391.3 End test
1560	391.3
1620	391.3
1680	265.6
1740	213.9
1800	168.3
1860	128.2
1920	93.5
1980	64.6
2040	40.3
2100	22.8
2160	9.6
2220	2.5
2280	0.1
2340	0

2400

0


# Data Collection Report

Gauge Information	
Serial Number	563535
Model	3KPSIXP2I
Message Store	Mechanical Integrity Test
Units	PSI

Run Info	
Start Time	10/14/25 10:11:22 AM
Stop Time	10/14/25 10:52:15 AM
Logging Interval	60

Well Name: GP-21 API# 05-083-06687-00

### GP-21 MIT: Bradenhead Pressure vs. Time



Serial Number 563535  
Model 3KPSIXP2I  
Units PSI  
Firmware Version R0224 Message Store -----  
Run Index GP-21 MIT BH pres  
Logging Type Actual  
Logging Interval 60  
Start Time 10/14/2025 10:11  
Stop Time 10/14/2025 10:52  
Time Reading

Event Event Data  
Battery OK  
Logging Interval, 60  
Tare, -2.6

0	-0.1
60	-0.1
120	-0.1
180	-0.1
240	-0.1
300	-0.1
360	-0.1
420	-0.1
480	-0.1
540	-0.1
600	-0.1 Start test
660	-0.1
720	-0.1
780	-0.1
840	-0.1
900	-0.1
960	-0.1
1020	-0.1
1080	-0.1
1140	-0.1
1200	-0.1
1260	-0.1
1320	-0.1
1380	-0.1
1440	-0.1
1500	-0.1 End test
1560	-0.1
1620	-0.1
1680	-0.1
1740	-0.1
1800	-0.1
1860	-0.1
1920	-0.1
1980	-0.1
2040	-0.1
2100	-0.1
2160	-0.1
2220	-0.1
2280	-0.1
2340	-0.1

2400

-0.1