

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
404101824
Receive Date:
04/17/2025

Report taken by:
Kari Brown

Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by ECMC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

OPERATOR INFORMATION

| | | |
|--|---|------------------------------|
| Name of Operator: <u>KERR MCGEE OIL & GAS ONSHORE LP</u> | Operator No: <u>47120</u> | Phone Numbers |
| Address: <u>P O BOX 173779</u> | | Phone: <u>(720) 929-4306</u> |
| City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-3779</u> | | Mobile: <u>()</u> |
| Contact Person: <u>Erik Mickelson</u> | Email: <u>DJRemediation_Forms@oxy.com</u> | |

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 28966 Initial Form 27 Document #: 403361328

PURPOSE INFORMATION

- Rule 913.c.(1): Pit or Cuttings Trench closure.
- Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- Rule 913.g: Changes of Operator.
- Rule 915.b: Request to leave elevated inorganics in situ.
- Other: _____

SITE INFORMATION

Yes Multiple Facilities

| | | | |
|--|----------------------------|-------------------------------|---|
| Facility Type: <u>TANK BATTERY</u> | Facility ID: <u>470881</u> | API #: _____ | County Name: <u>WELD</u> |
| Facility Name: <u>UPRR 42 PanAm R True 1 battery</u> | Latitude: <u>40.128609</u> | Longitude: <u>-104.785728</u> | |
| ** correct Lat/Long if needed: Latitude: _____ | | Longitude: _____ | |
| QtrQtr: <u>NENW</u> | Sec: <u>21</u> | Twp: <u>2N</u> | Range: <u>66W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u> |

| | | | |
|--|----------------------------|-------------------------------|---|
| Facility Type: <u>SPILL OR RELEASE</u> | Facility ID: <u>486008</u> | API #: _____ | County Name: <u>WELD</u> |
| Facility Name: <u>Mullet 6-21A/UP42 O SA</u> | Latitude: <u>40.128609</u> | Longitude: <u>-104.785728</u> | |
| ** correct Lat/Long if needed: Latitude: _____ | | Longitude: _____ | |
| QtrQtr: <u>NENW</u> | Sec: <u>21</u> | Twp: <u>2N</u> | Range: <u>66W</u> Meridian: <u>6</u> Sensitive Area? <u>Yes</u> |

SITE CONDITIONS

General soil type - USCS Classifications SC

Most Sensitive Adjacent Land Use crop land

Is domestic water well within 1/4 mile? Yes

Is surface water within 1/4 mile? Yes

Is groundwater less than 20 feet below ground surface? Yes

Other Potential Receptors within 1/4 mile

Domestic water well: multiple domestic wells within 1/4 mile
Surface water: multiple surface water features within 1/4 mile
Wetland: none
Spring: none
Livestock: none
Occupied Building: multiple occupied buildings within 1/4 mile
High Priority Habitats: none

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- E&P Waste Other E&P Waste Non-E&P Waste
- Produced Water Workover Fluids
- Oil Tank Bottoms
- Condensate Pigging Waste
- Drilling Fluids Rig Wash
- Drill Cuttings Spent Filters
- Pit Bottoms
- Other (as described by EPA) _____

DESCRIPTION OF IMPACT

| Impacted? | Impacted Media | Extent of Impact | How Determined |
|-----------|----------------|------------------|---|
| Yes | GROUNDWATER | TBD | Groundwater samples/laboratory analytical results |
| Yes | SOILS | TBD | Inspection/soil samples/laboratory analytical results |

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

Facility decommissioning activities were completed at the Mullet 6-21A, UP42 O SA location on August 4, 2023, as summarized in the approved Form 27-Supplemental Document #403991202. Laboratory analytical results indicated that soil samples AST-B01@3", DL-B12@5', REC Waste Characterization-01@1' and REC Waste Characterization-02@1' contained TPH, naph., TMBs, pH, SAR, 1 and 2 methylnaphthalene, arsenic, barium, and/or lead concentrations exceeding the applicable ECMC Table 915-1 standards and/or background concentrations, and the ECMC issued Spill/Release Point ID 486008 for this release.

From August 4, 2023, through August 22, 2024, confirmation and verification soil samples were collected from the base and sidewalls of the final excavation extents ranging at depths of approximately 4' to 20' bgs. Based on waste characterization results (REC Waste Characterization-02@1' and DL-B12@5'), soil samples were submitted for laboratory analysis of BTEX, TPH, naphthalene, TMBs, pH, SAR, boron, PAHs, and/or ECMC Table 915-1 metals using ECMC approved methods, as previously approved in Form 27-Supplemental Document #403749350, approved on 4/18/24. Analytical results indicated that organic and inorganic soil impacts remained within the excavation areas. However, due to the presence of groundwater, excavation activities were unable to safely continue.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

To delineate and characterize remaining impacts, 30 soil borings were advanced in and around the final excavation extents to total depths of approximately 19' - 25' bgs. Monitoring wells were installed in each boring location. Soil samples were collected based on the interval exhibiting the highest PID and/or from the interval above the observed water table. Based on the observed depth to water (~5-8' bgs), all soil samples collected deeper than approximately 5' bgs were saturated soil samples, are assumed to be groundwater impacts, and will be remediated as such. The soil samples were submitted for analysis of the full Table 915-1 analytical suite using ECMC-approved methods. Final analytical results for the soil samples collected during monitoring well installation are pending and will be summarized in the next Form 27-Supplemental. Based on final analytical results, additional soil borings may be advanced to further delineate any remaining impacts.

Proposed Groundwater Sampling

Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Depth to groundwater was observed at approximately 5' - 8' bgs within the 19 monitoring wells that have been gauged and sampled. On 12/26/24, groundwater samples (MW-01 - MW-19) were collected and submitted for laboratory analysis of Table 915-1 organic and inorganic compounds in groundwater. Analytical results indicate that 1,2,4-TMB, 1,3,5-TMB, 1-methylnaphthalene, and/or 2-methylnaphthalene concentrations in groundwater samples MW-14 and MW-15 exceeded the ECMC Table 915-1 standards. Step-out wells MW-26 and MW-27 were installed near MW-14 to further delineate impacts. Additional step-out wells will be installed in the vicinity of MW-15. The full network of monitoring wells will be gauged, surveyed, and sampled during the First Quarter of 2025. Following receipt of these results, an upgradient background monitoring well will be established to calculate local background limits for inorganic parameters, and results will be included in a forthcoming Form 27-Supplemental update.

Proposed Surface Water Sampling

Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

Additional alternative investigative actions described in attached Site Investigation Plan (summary):

The soil boring and monitoring well sample locations are illustrated on Figures 1 and 2. The soil analytical results are summarized in Tables 2 - 5. The groundwater analytical results are summarized on Tables 6 and 7. The Fourth Quarter 2024 and First Quarter 2025 laboratory analytical results are attached. The field notes and a photographic log are provided as Attachment A. The soil boring logs are provided as Attachment B.

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

| Soil | NA / ND |
|---|---|
| Number of soil samples collected <u>184</u> | -- Highest concentration of TPH (mg/kg) <u>6560</u> |
| Number of soil samples exceeding 915-1 <u>175</u> | -- Highest concentration of SAR <u>59.8</u> |
| Was the areal and vertical extent of soil contamination delineated? <u>No</u> | BTEX > 915-1 <u>Yes</u> |
| Approximate areal extent (square feet) <u>36000</u> | Vertical Extent > 915-1 (in feet) <u>20</u> |
| Groundwater | |
| Number of groundwater samples collected <u>24</u> | -- Highest concentration of Benzene (µg/l) <u>1.49</u> |
| Was extent of groundwater contaminated delineated? <u>No</u> | -- Highest concentration of Toluene (µg/l) <u>3.58</u> |
| Depth to groundwater (below ground surface, in feet) <u>6</u> | -- Highest concentration of Ethylbenzene (µg/l) <u>37.1</u> |
| Number of groundwater monitoring wells installed <u>30</u> | -- Highest concentration of Xylene (µg/l) <u>437</u> |
| Number of groundwater samples exceeding 915-1 <u>19</u> | NA Highest concentration of Methane (mg/l) _____ |
| Surface Water | |
| <u>0</u> Number of surface water samples collected | |
| _____ Number of surface water samples exceeding 915-1 | |
| If surface water is impacted, other agency notification may be required. | |

OTHER INVESTIGATION INFORMATION

Were impacts to adjacent property or offsite impacts identified?

Were background samples collected as part of this site investigation?

Background soil samples PW-BG01, PW-BG03-PW-BG15, REC-BG01, and AST-BG01 were collected from native material within non-impacted areas near the facility from depths ranging from approximately 0.25 - 20' bgs. The background soil samples were submitted for laboratory analysis of the Soil Suitability for Reclamation Parameters and ECMC Table 915-1 metals using standard methods appropriate for detecting target analytes in Table 915-1. Preliminary analytical results for the background soil samples are presented in Tables 3 and 5; final results are pending and will be included in the next Form 27-Supplemental update. Background sample locations are illustrated on Figure 1.

Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) _____ Volume of liquid waste (barrels) _____

Is further site investigation required?

Final analytical results for the soil samples collected during monitoring well installation are pending and will be summarized in the next Form 27-Supplemental. Based on final analytical results, additional soil borings may be advanced to further delineate any remaining impacts. The full network of monitoring wells will be gauged, surveyed, and sampled during the First Quarter of 2025. Following receipt of these results, an upgradient background monitoring well will be established to calculate local background limits for inorganic parameters, and results will be included in a forthcoming Form 27-Supplemental update. Based on the remaining soil impacts in the former excavation areas, groundwater monitoring wells will be sampled on a quarterly basis and submitted for laboratory analysis of the ECMC Table 915-1 groundwater analytical suite, as well as 1 and 2 methylnaphthalene, benzo (a)anthracene, and dissolved metals (As, Ba, Ca, Lb, Ni, and Se), as approved in the previous Form 27-Supplemental (Document #403991202).

REMEDIAL ACTION PLAN

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? No

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

Between August 4, 2023 and August 22, 2024, approximately 27,680 cubic yards of impacted material were excavated and transported to the Front Range Landfill located in Erie, Colorado for disposal. Approximately 303 cubic yards of impacted slurry were removed from the excavation area via vacuum truck and transported to the Kerr-McGee Aggregate Recycle Facility for recycling. Approximately 2,480 barrels of impacted groundwater were removed from the excavation area via vacuum truck and transported to the Kerr-McGee Aggregate Recycle Facility for recycling. Laboratory analytical results indicate that organic and inorganic soil impacts exceeding ECMC Table 915-1 standards and site-specific background limits remain at the site. However, Kerr-McGee has received Director's approval to delineate remaining soil impacts during monitoring well installation activities and assess groundwater compliance through quarterly groundwater monitoring in the previous Form 27-Supplemental (Document #403991202, approved on 1/30/25). Following receipt of final analytical data from delineation activities, KMOG will propose a remedial plan in a forthcoming Form 27-Supplemental Update. The excavation areas have been backfilled and contoured to match pre-existing conditions.

REMEDICATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Laboratory analytical results indicate that organic and inorganic soil impacts exceeding ECMC Table 915-1 standards and site-specific background limits remain at the site. However, Kerr-McGee has received Director's approval to delineate remaining soil impacts during monitoring well installation activities and assess groundwater compliance through quarterly groundwater monitoring in the previous Form 27-Supplemental (Document #403991202, approved on 1/30/25). Following receipt of final analytical data from delineation activities, KMOG will propose a remedial plan in a forthcoming Form 27-Supplemental Update. Estimated time to attain NFA is TBD based on the groundwater concentrations, the extent of impacted groundwater, and the efficacy of the selected remedial technologies.

Soil Remediation Summary

| | |
|---|---|
| <input type="checkbox"/> In Situ <input type="checkbox"/> Bioremediation (or enhanced bioremediation) <input type="checkbox"/> Chemical oxidation <input type="checkbox"/> Air sparge / Soil vapor extraction <input type="checkbox"/> Natural Attenuation <input type="checkbox"/> Other _____ | <input checked="" type="checkbox"/> Ex Situ <input type="checkbox"/> Yes Excavate and offsite disposal <input type="checkbox"/> If Yes: Estimated Volume (Cubic Yards) <u> 27983 </u> <input type="checkbox"/> Name of Licensed Disposal Facility or ECMC Facility ID # <u> 434766 </u> <input type="checkbox"/> Excavate and onsite remediation <input type="checkbox"/> Land Treatment <input type="checkbox"/> Bioremediation (or enhanced bioremediation) <input type="checkbox"/> Chemical oxidation <input type="checkbox"/> Other _____ |
|---|---|

Groundwater Remediation Summary

 No Bioremediation (or enhanced bioremediation)
 No Chemical oxidation
 No Air sparge / Soil vapor extraction
 Yes Natural Attenuation
 Yes Other Groundwater removal

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

On 12/16/24 - 2/7/24, 30 temporary groundwater monitoring wells (MW-01 - MW-30) were installed at the site to delineate remaining soil impacts and to monitor groundwater conditions. Analytical results indicated that 1,2,4-TMB, 1,3,5-TMB, 1-methylnaphthalene, and/or 2-methylnaphthalene concentrations in groundwater samples MW-014 and MW-15 exceeded the ECMC Table 915-1 standards. As such, additional step-out groundwater monitoring wells (MW-26 and MW-27) were installed in the vicinity of MW-14. Additional step-out wells will be installed in the vicinity of MW-15. The full network of monitoring wells will be gauged, surveyed, and sampled during the First Quarter of 2025. Following receipt of these results, an upgradient background monitoring well will be established to calculate local background limits for inorganic parameters, and results will be included in a forthcoming Form 27-Supplemental update.

REMEDATION PROGRESS UPDATE

PERIODIC REPORTING

Approved Reporting Schedule:

Quarterly Semi-Annually Annually Other _____

Request Alternative Reporting Schedule:

Semi-Annually Annually Other _____

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

Report Type: Groundwater Monitoring Land Treatment Progress Report O&M Report
 Other _____

Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

KMOG has sufficient insurance and bonding to fully address the anticipated costs of remediation, including the remaining estimated costs for this project. KMOG currently has over 40 million in bonds with the Colorado Oil and Gas Conservation Commission. The cost for remediation is a preliminary estimate only, costs may change upwards or downward based on site-specific information. KMOG makes no representation or guarantees as to the accuracy of the preliminary estimate.

Operator anticipates the remaining cost for this project to be: \$ 25000 _____

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? Yes _____

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Approximately 303 cubic yards of impacted slurry were removed from the excavation area via vacuum truck and transported to the Kerr-McGee Aggregate Recycle Facility for recycling. Approximately 2,480 barrels of impacted groundwater were removed from the excavation area via vacuum truck and transported to the Kerr-McGee Aggregate Recycle Facility for recycling.

Volume of E&P Waste (solid) in cubic yards _____ 27983

E&P waste (solid) description impacted soil _____

ECMC Disposal Facility ID #, if applicable: _____

Non-ECMC Disposal Facility: Front Range Landfill located in Erie, Colorado _____

Volume of E&P Waste (liquid) in barrels _____ 2480

E&P waste (liquid) description groundwater _____

ECMC Disposal Facility ID #, if applicable: _____ 434766

Non-ECMC Disposal Facility: _____

REMEDATION COMPLETION REPORT

REMEDATION COMPLETION SUMMARY

Is this a Final Closure Request for this Remediation Project? No _____

If YES:

Compliant with Rule 913.h.(1).

Compliant with Rule 913.h.(2).

Compliant with Rule 913.h.(3).

Do all soils meet Table 915-1 standards? _____

Does the previous reply indicate consideration of background concentrations? _____

Does Groundwater meet Table 915-1 standards? _____

Is additional groundwater monitoring to be conducted? _____

Operator shall comply with the ECMC 1000-Series Reclamation Requirements for all impacted and disturbed areas.

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

The site will be reclaimed in accordance with ECMC 1000 Series Reclamation Rules.

Is the described reclamation complete? _____

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

Interim

Final

Did the Surface Owner provide the seed mix? _____

If YES, does the seed mix comply with local soil conservation district recommendations? _____

Did the local soil conservation district provide the seed mix? _____

SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. _____

Proposed date of completion of Reclamation. _____

IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

PRIOR DATES

Date of Surface Owner notification/consultation, if required. 07/28/2022

Actual Spill or Release date, or date of discovery. 02/02/2024

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 08/04/2023

Proposed site investigation commencement. 08/04/2023

Proposed completion of site investigation. 03/31/2026

REMEDIAL ACTION DATES

Proposed start date of Remediation. 02/02/2023

Proposed date of completion of Remediation. 03/31/2026

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

OPERATOR COMMENT

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Erik Mickelson

Title: Environmental Lead

Submit Date: 04/17/2025

Email: DJRemediation_Forms@oxy.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Kari Brown

Date: 10/21/2025

Remediation Project Number: 28966

COA Type

Description

| <u>COA Type</u> | <u>Description</u> |
|-----------------|--------------------|
| 0 COA | |

ATTACHMENT LIST

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

| <u>Att Doc Num</u> | <u>Name</u> |
|---------------------------|--|
| 404101824 | INVESTIGATION/REMEDATION WORKPLAN (SUPPLEMENTAL) |
| 404105258 | LOGS |
| 404105276 | PHOTO DOCUMENTATION |
| 404105277 | SOIL SAMPLE LOCATION MAP |
| 404105278 | GROUND WATER SAMPLE LOCATION |
| 404105280 | LABORATORY ANALYTICAL REPORT |
| 404105282 | LABORATORY ANALYTICAL REPORT |
| 404105285 | LABORATORY ANALYTICAL REPORT |
| 404105287 | LABORATORY ANALYTICAL REPORT |
| 404105291 | LABORATORY ANALYTICAL REPORT |
| 404105293 | LABORATORY ANALYTICAL REPORT |
| 404105294 | LABORATORY ANALYTICAL REPORT |
| 404105295 | LABORATORY ANALYTICAL REPORT |
| 404105296 | LABORATORY ANALYTICAL REPORT |
| 404105297 | LABORATORY ANALYTICAL REPORT |
| 404105298 | LABORATORY ANALYTICAL REPORT |
| 404105299 | LABORATORY ANALYTICAL REPORT |
| 404105301 | LABORATORY ANALYTICAL REPORT |
| 404105303 | LABORATORY ANALYTICAL REPORT |
| 404105304 | LABORATORY ANALYTICAL REPORT |
| 404105319 | ANALYTICAL DATA SUMMARY TABLE(S) |
| 404398432 | FORM 27-SUPPLEMENTAL-SUBMITTED |

Total Attach: 22 Files

General Comments

User Group

Comment

Comment Date

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|--------------------------|-----------------------|----------------------------|
| | | Stamp Upon Approval |

Total: 0 comment(s)