

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

OFFICE OF STATE OIL INSPECTOR
Oil and Gas Conservation
Department

Locate
Well
Correctly

File

LOG OF OIL AND GAS WELL



Company Taylor Oil Company Address P. O. Box 118, Denver, Colo.
State or Patented patented Field Wildcat State Colorado
Well No. Cole #1 Sec. 14 T. 9N R. 55W Meridian _____ County Logan
Location 330 Ft. (S) of N Line and 330 Ft. (W) of E line of 14 Elevation _____
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Date April 11, 1952 Signed Olds Oil Corp. Contractors
Title Wm. Olds Vice President

The summary on this page is for the condition of the well as above date.
Commenced drilling March 4, 1952 Finished Drilling March 29 1952

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

| Size | Weight per ft. | Threads per inch | Make | Amount | Kind of Shoe | Cut & Pulled from | Perforated From | to | Purpose |
|---------|----------------|------------------|-------|--------|--------------|-------------------|-----------------|----|---------|
| 10 3/4" | 32.75 | 8 | Nat'l | 131' | Plain | None | | | |
| | | | | | | | | | |
| | | | | | | | | | |

MUDDING AND CEMENTING RECORD

| Size | Where Set | No. Sacks of Cement | Methods used | Mud Gravity | Amount of Mud Used |
|---------|-----------|---------------------|--------------|-------------|--------------------|
| 10 3/4" | 131' | 75 | Halliburton | | |
| | | | | | |
| | | | | | |

PLUGS AND ADAPTERS

Heaving plug-Material _____ Length _____ Depth Set _____
Adapters-Material _____ Size _____

SHOOTING RECORD

| Size | Shell Used | Explosive Used | Quantity | Date | Depth Shot | Depth Cleaned Out |
|------|------------|----------------|----------|------|------------|-------------------|
| | | NONE | | | | |

TOOLS USED

Rotary Tools used from 0 ft. to 5931 ft. and from _____ ft. to _____ ft.
Cable tools were used from _____ ft. to _____ ft. and from _____ ft. to _____ ft.

DATES

_____ 19 _____ Put to producing _____ 19 _____
The production for the first 24 hours was _____ barrels of fluid of which
_____ % was oil, _____ % emulsion; _____ % sediment. Gravity Be, _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft.
of gas _____ Rock Pressure, lbs. per sq. in _____

EMPLOYES

M. V. Leslie Driller Ralph Dreiling, Driller
J. A. Waggoner Driller _____, Driller

FORMATION RECORD

| From | To | Total Feet | Formation |
|------|------|------------|---------------------------------------|
| 0 | 271 | 271 | shale |
| 271 | 2329 | 2058 | shale |
| 2329 | 3019 | 690 | shale |
| 3019 | 3108 | 89 | shale, lime & shell streaks |
| 3108 | 3169 | 61 | shale |
| 3169 | 3290 | 121 | broken shale, shell streaks |
| 3290 | 3585 | 295 | black shale, sand streaks, grey, firm |
| 3585 | 4525 | 940 | shale & shells |

| | | | |
|------|------|-----|---|
| 4525 | 4585 | 60 | shale |
| 4585 | 4665 | 80 | shale, sandy shale, brown streaks, lime |
| 4665 | 5044 | 379 | shale & lime |
| 5044 | 5050 | 6 | shale, lime, chert. streaks |
| 5050 | 5275 | 225 | shale |
| 5275 | 5315 | 40 | shale |
| 5315 | 5344 | 29 | shale coring |
| 5344 | 5350 | 6 | sand coring |
| 5350 | 5355 | 5 | shale coring |
| 5355 | 5400 | 45 | shale & sand |
| 5400 | 5440 | 40 | shale |
| 5440 | 5493 | 53 | coring "J" sand |
| 5493 | 5520 | 27 | sand |
| 5520 | 5541 | 21 | bentonite shale & sand |
| 5541 | 5560 | 19 | sandy shale |
| 5560 | 5706 | 146 | sandy shale w/streaks bentonite |
| 5706 | 5720 | 14 | sand |
| 5720 | 5765 | 45 | sandy shale |
| 5765 | 5785 | 20 | sand |
| 5785 | 5815 | 30 | sandy shale |
| 5815 | 5831 | 16 | sandy shale - colored |
| 5831 | 5856 | 25 | sandy shale |
| 5856 | 5885 | 29 | shale & sand |
| 5885 | 5931 | 46 | shale - sandy streaks |

5931

total depth

DRY HOLE