

TABLE 1
THIRD QUARTER 2025
SUMMARY OF GROUNDWATER ELEVATION DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO

Location	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event ⁽¹⁾ (feet)
BH01R	11/5/2024	8.68	-	-	15.83	4,805.57	4,796.89	-0.13
BH01R	2/20/2025	8.72	-	-	15.83	4,805.57	4,796.85	-0.04
BH01R	5/8/2025	8.56	-	-	16.08	4,805.57	4,797.01	0.16
BH01R	8/14/2025	8.50	-	-	15.77	4,805.57	4,797.07	0.06
BH02	11/5/2024	10.71	-	-	18.45	4,807.70	4,796.99	-0.10
BH02	2/20/2025	10.55	-	-	18.45	4,807.70	4,797.15	0.16
BH02	5/8/2025	10.40	-	-	18.40	4,807.70	4,797.30	0.15
BH02	8/14/2025	10.68	-	-	18.40	4,807.70	4,797.02	-0.28
BH03	11/5/2024	7.43	-	-	16.27	4,804.31	4,796.88	-0.10
BH03	2/20/2025	7.25	-	-	16.27	4,804.31	4,797.06	0.18
BH03	5/8/2025	7.12	-	-	16.27	4,804.31	4,797.19	0.13
BH03	8/14/2025	7.39	-	-	16.27	4,804.31	4,796.92	-0.27
BH04	11/5/2024	9.55	-	-	16.03	4,806.95	4,797.40	-0.10
BH04	2/20/2025	9.37	-	-	16.03	4,806.95	4,797.58	0.18
BH04	5/8/2025	9.24	-	-	16.02	4,806.95	4,797.71	0.13
BH04	8/14/2025	9.50	-	-	16.02	4,806.95	4,797.45	-0.26
BH05	11/5/2024	9.26	-	-	15.81	4,806.51	4,797.25	1.01
BH05	2/20/2025	9.08	-	-	15.81	4,806.51	4,797.43	0.18
BH05	5/8/2025	8.95	-	-	15.80	4,806.51	4,797.56	0.13
BH05	8/14/2025	9.21	-	-	15.80	4,806.51	4,797.30	-0.26
BH06	11/5/2024	9.48	-	-	16.14	4,806.46	4,796.98	-0.10
BH06	2/20/2025	9.28	-	-	16.14	4,806.46	4,797.18	0.20
BH06	5/8/2025	9.40	-	-	16.34	4,806.46	4,797.06	-0.12
BH06	8/14/2025	9.70	-	-	16.38	4,806.46	4,796.76	-0.30
BH07	11/5/2024	8.94	-	-	15.14	4,806.01	4,797.07	0.86
BH07	2/20/2025	8.77	-	-	15.14	4,806.01	4,797.24	0.17
BH07	5/8/2025	8.63	-	-	15.15	4,806.01	4,797.38	0.14
BH07	8/14/2025	8.88	-	-	15.15	4,806.01	4,797.13	-0.25
BH08	11/5/2024	7.05	-	-	15.12	4,803.78	4,796.73	-0.12
BH08	2/20/2025	6.91	-	-	15.12	4,803.78	4,796.87	0.14
BH08	5/8/2025	6.79	-	-	15.12	4,803.78	4,796.99	0.12
BH08	8/14/2025	7.02	-	-	15.12	4,803.78	4,796.76	-0.23
BH09	11/5/2024	7.26	-	-	15.25	4,804.08	4,796.82	-0.10
BH09	2/20/2025	7.10	-	-	15.25	4,804.08	4,796.98	0.16
BH09	5/8/2025	6.98	-	-	15.25	4,804.08	4,797.10	0.12
BH09	8/14/2025	7.25	-	-	15.25	4,804.08	4,796.83	-0.27
BH10	11/5/2024	8.20	-	-	14.85	4,805.37	4,797.17	-0.10
BH10	2/20/2025	8.02	-	-	14.85	4,805.37	4,797.35	0.18
BH10	5/8/2025	7.88	-	-	14.88	4,805.37	4,797.49	0.14
BH10	8/14/2025	8.19	-	-	14.88	4,805.37	4,797.18	-0.31
BH11	11/5/2024	7.97	-	-	14.33	4,804.97	4,797.00	-0.11
BH11	2/20/2025	8.80	-	-	14.33	4,804.97	4,796.17	-0.83
BH11	5/8/2025	7.69	-	-	14.30	4,804.97	4,797.28	1.11
BH11	8/14/2025	7.98	-	-	14.28	4,804.97	4,796.99	-0.29
BH12	11/5/2024	8.29	-	-	14.85	4,805.13	4,796.84	-0.12
BH12	2/20/2025	8.12	-	-	14.85	4,805.13	4,797.01	0.17
BH12	5/8/2025	7.99	-	-	14.84	4,805.13	4,797.14	0.13
BH12	8/14/2025	8.28	-	-	14.84	4,805.13	4,796.85	-0.16
Average change in groundwater elevation (5/8/2025 to 8/14/2025)								-0.24

Notes:

1- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected during the most recent monitoring event.

amsl = feet above mean sea level

TOC = top of casing

Groundwater elevation = (TOC Elevation - Measured Depth to Water)

TABLE 2
THIRD QUARTER 2025
SUMMARY OF VOLATILE ORGANIC COMPOUND CONCENTRATIONS IN GROUNDWATER
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	
BH01R	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	
BH02	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	
BH03	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	
BH04	8/14/2025	<1.00	<1.00	3.02	<3.00	35.6	<1.00	<5.00	
BH05	8/14/2025	1.77	<1.00	6.27	<3.00	25.4	<1.00	16.4	
BH06	8/14/2025	<10.0*	<10.0	615	2,440	299	88.6	90.2	
BH07	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	
BH08	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	
BH09	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	
BH10	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	
BH11	8/14/2025	<1.00	<1.00	24.3	<3.00	48.9	5.46	<5.00	
BH12	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	

Notes:

1). The environmental cleanup standards for groundwater that are applicable to this site are the Colorado Energy & Carbon Management Commission (ECMC) standards for contaminants in groundwater according Table 915-1 of the ECMC 900 Series Rule for E&P Waste Management.

Bold red values indicate an exceedance of the ECMC groundwater standards for the Site.

µg/L = micrograms per liter.

*Compound falls within ECMC Table 915-1 footnote 9.

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
MT-4	6/17/2008	0.095	ND	0.0051	0.0680	-	-	-	-	-	-	
MT-4	7/7/2009	0.044	ND	0.0021	0.0280	-	-	-	-	-	-	
MT-4	6/1/2010	0.073	ND	0.0045	0.0450	-	-	-	-	-	-	
MT-4	7/26/2011	0.024	ND	ND	0.0056	-	-	-	-	-	-	
MT-4	8/23/2012	0.015	<0.005	<0.005	<0.015	-	-	-	-	-	-	
MT-4	8/8/2013	0.045	0.0012	<0.0010	0.015	-	-	-	-	-	-	
MT-4	6/11/2014	0.110	<0.001	0.0083	0.045	-	-	-	-	-	-	
MT-4 (Duplicate)	6/11/2014	0.070	<0.001	0.0056	0.031	-	-	-	-	-	-	Duplicate Sample Collected
MT-4	10/7/2014	0.031	<0.001	<0.001	0.014	-	-	-	-	-	-	
MT-4 (Duplicate)	10/7/2014	0.051	<0.001	0.0016	0.017	-	-	-	-	-	-	Duplicate Sample Collected
BH01	2/19/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH01R	11/12/2015	82	<1.0	7.5	3.8	-	-	-	-	-	-	
BH01R	2/23/2016	35	<1.0	3.7	1.5	-	-	-	-	-	-	
BH01R	5/27/2016	4.2	<1.0	2.0	<1.0	-	-	-	-	-	-	
BH01R	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	11/9/2016	<1.0	<1.0	3.4	<1.0	-	-	-	-	-	-	
BH01R	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH01R	8/28/2018	<1.0	<1.0	3.4	<2.0	-	-	-	-	-	-	
BH01R	11/15/2018	<1.0	<1.0	5.2	<2.0	-	-	-	-	-	-	
BH01R	2/14/2019	1.2	<1.0	2.2	<2.0	-	-	-	-	-	-	
BH01R	5/28/2019	<1.0	<1.0	7.3	<1.0	-	-	-	-	-	-	
BH01R	8/20/2019	<1.0	<1.0	3.42	<1.0	-	-	-	-	-	-	
BH01R	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	2/28/2020	<1.0	<1.0	2.13	<1.0	-	-	-	-	-	-	
BH01R	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	8/13/2020	<1.0	<1.0	2.83	<1.0	-	-	-	-	-	-	
BH01R	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH01R	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH01R	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH01R	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH01R	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH01R	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	2.93	-	-	-	
BH01R	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH01R	8/23/2023	<1.00	<1.00	8.35	6.54	<2.00	<2.00	<2.00	-	-	-	
BH01R	11/6/2023	<1.00	<1.00	6.79	5.89	2.34	<2.00	<2.00	-	-	-	
BH01R	2/14/2024	<1.00	<1.00	6.09	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	5/8/2024	<1.00	<1.00	4.34	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	8/7/2024	<1.00	<1.00	8.17	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	2/20/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH01R	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH01R	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH02	2/19/2015	<1.0	1.7	<1.0	1.1	-	-	-	-	-	-	
BH02	11/12/2015	<1.0	1.6	<1.0	4.5	-	-	-	-	-	-	
BH02	2/23/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	5/27/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	2/1/2017	<1.0	<1.0	1.9	<1.0	-	-	-	-	-	-	
BH02	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH02	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH02	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH02	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH02	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH02	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH02	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH02	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH02	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH02	5/8/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH02	8/7/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH02	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH02	2/20/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH02	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH02	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH03	2/19/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH03	11/12/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH03	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH03	5/27/2016	53	65	100	700	-	-	-	-	-	-	
BH03	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	8/2/2017	1.1	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH03	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH03	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH03	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH03	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH03	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH03	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH03	8/23/2023	23.9	<1.00	<1.00	40.6	<2.00	<2.00	44.5	-	-	-	
BH03	11/6/2023	<1.00	<1.00	<1.00	<1.00	10.1	<2.00	<2.00	-	-	-	
BH03	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH03	5/8/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH03	8/7/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH03	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH03	2/20/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH03	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH03	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH04	11/12/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH04	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH04	5/27/2016	120	490	560	2,600	-	-	-	-	-	-	
BH04	8/17/2016	28	73	140	840	-	-	-	-	-	-	LNAPL
BH04	11/9/2016	120	590	1,800	5,500	-	-	-	-	-	-	LNAPL
BH04	2/1/2017	3.9	46	220	560	-	-	-	-	-	-	
BH04	5/1/2017	1.0	13	83	280	-	-	-	-	-	-	
BH04	8/2/2017	<1.0	8.6	190	390	-	-	-	-	-	-	
BH04	11/28/2017	<1.0	3.7	140	440	-	-	-	-	-	-	
BH04	2/15/2018	<1.0	2.7	200	520	-	-	-	-	-	-	
BH04	5/3/2018	<1.0	<1.0	180	350	-	-	-	-	-	-	
BH04	8/28/2018	<1.0	1.0	160	370	-	-	-	-	-	-	
BH04	11/15/2018	2.2	1.2	350	730	-	-	-	-	-	-	
BH04	2/14/2019	<1.0	<1.0	330	740	-	-	-	-	-	-	
BH04	5/28/2019	<1.0	<1.0	265	608	-	-	-	-	-	-	
BH04	8/20/2019	<4.0	<4.0	163	441	-	-	-	-	-	-	
BH04	11/15/2019	<4.0	<4.0	267	622	-	-	-	-	-	-	
BH04	2/28/2020	<4.0	<4.0	248	601	-	-	-	-	-	-	
BH04	5/14/2020	<1.0	<1.0	247	550	-	-	-	-	-	-	
BH04	8/13/2020	<4.0	<4.0	139	329	-	-	-	-	-	-	
BH04	11/19/2020	<4.0	<4.0	147	338	-	-	-	-	-	-	
BH04	3/29/2021	<1.0	<1.0	100	200	75	5.3	30	483	15.0	15.0	
BH04	6/2/2021	<4.0	<4.0	70.0	159	104	9.04	25.0	-	-	-	
BH04	8/16/2021	<1.0	<1.0	121	193	160	11.3	32.0	-	-	-	
BH04	11/11/2021	<4.00	<4.00	81.0	<4.00	137	19.4	25.4	-	-	-	
BH04	2/15/2022	<1.00	<1.00	59.4	101	150	18.8	26.7	-	-	-	
BH04	5/16/2022	<1.00	<1.00	59.1	86.0	197	36.1	26.1	-	-	-	
BH04	8/19/2022	<1.00	<1.00	48.6	66.6	177	38.9	43.1	-	-	-	
BH04	11/16/2022	<1.00	<1.00	47.9	61.2	<2.00	54.8	37.1	-	-	-	
BH04	2/16/2023	<1.00	<1.00	31.5	46.3	137	40.9	23.3	-	-	-	
BH04	5/11/2023	<1.00	<1.00	39.9	41.5	115	134	30.0	-	-	-	
BH04	8/23/2023	<1.00	2.12	11.6	27.7	175	8.56	23.7	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH04	11/6/2023	<1.00	<1.00	1.32	<1.00	8.36	2.52	<2.00	-	-	-	
BH04	2/14/2024	<10.0	<10.0	<10.0	<30.0	70.5	<10.00	<50.00	-	-	-	
BH04	5/8/2024	<1.00	<1.00	6.31	9.40	74.2	<1.00	10.4	-	-	-	
BH04	8/7/2024	<1.00	<1.00	8.33	8.22	129	<1.00	15.0	-	-	-	
BH04	11/5/2024	<1.00	<1.00	5.10	6.26	84.6	<1.00	10.6	-	-	-	
BH04	2/20/2025	<1.00	<1.00	3.28	2.92 J	41.1	0.290 J	3.05 J	-	-	-	
BH04	5/8/2025	<1.00	<1.00	3.81	1.66 J	56.5	<1.00	2.66 C3 J J3	-	-	-	
BH04	8/14/2025	<1.00	<1.00	3.02	<3.00	35.6	<1.00	<5.00	-	-	-	
BH05	11/12/2015	6,700	590	610	2,300	-	-	-	-	-	-	
BH05	2/23/2016	2,900	180	540	1,500	-	-	-	-	-	-	
BH05	5/27/2016	2,300	130	610	2,900	-	-	-	-	-	-	
BH05	8/17/2016	1,800	30	100	1,100	-	-	-	-	-	-	
BH05	11/9/2016	19,000	2,000	3,500	15,000	-	-	-	-	-	-	
BH05	2/1/2017	2,300	95	450	1,800	-	-	-	-	-	-	
BH05	5/1/2017	1,500	17	210	1,000	-	-	-	-	-	-	
BH05	8/2/2017	1,700	<1.0	230	1,400	-	-	-	-	-	-	
BH05	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH05	2/15/2018	1.6	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH05	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH05	8/28/2018	7.6	<1.0	3.6	7.3	-	-	-	-	-	-	
BH05	11/15/2018	18	<1.0	3.6	7.2	-	-	-	-	-	-	
BH05	2/14/2019	11	<1.0	2.4	4.1	-	-	-	-	-	-	
BH05	5/28/2019	39	<1.0	13	10.3	-	-	-	-	-	-	
BH05	8/20/2019	46.3	<1.0	12.6	5.59	-	-	-	-	-	-	
BH05	11/15/2019	54.7	<1.0	47.7	9.12	-	-	-	-	-	-	
BH05	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH05	5/14/2020	24.7	<1.0	22.7	17.6	-	-	-	-	-	-	
BH05	8/13/2020	90.6	<1.0	107	53.7	-	-	-	-	-	-	
BH05	11/19/2020	<1.0	<1.0	10.6	7.49	-	-	-	-	-	-	
BH05	3/29/2021	<1.0	<1.0	<1.0	14	<1.0	<1.0	<1.0	-	-	-	
BH05	6/2/2021	12.4	<1.0	54.7	29.1	<1.0	<1.0	19.0	-	-	-	
BH05	8/16/2021	106	<1.0	160	23.6	15.9	<1.0	21.7	-	-	-	
BH05	11/11/2021	122	<1.00	114	<1.00	18	4.8	17.6	-	-	-	
BH05	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH05	5/16/2022	40.6	<1.00	108	8.61	22.7	5.04	17.8	-	-	-	
BH05	8/19/2022	14.1	<1.00	10.2	7.79	27.6	6.74	48.3	-	-	-	
BH05	11/16/2022	9.92	<1.00	80.9	3.49	24.9	5.07	15.2	-	-	-	
BH05	2/16/2023	2.95	<1.00	<1.00	<1.00	5.88	<2.00	<2.00	-	-	-	
BH05	5/11/2023	81.1	<1.00	2.01	<1.00	12.5	<2.00	7.10	-	-	-	
BH05	8/23/2023	198	<1.00	172	59	37.6	4.83	35.60	-	-	-	
BH05	11/6/2023	51.6	<1.00	219	107	63.2	7.06	48.1	-	-	-	
BH05	2/14/2024	17.7	<1.00	115	46.4	64.7	7.88	45.8	-	-	-	
BH05	5/8/2024	32.8	<1.00	18.6	14.5	32.3	3.62	20.5	-	-	-	
BH05	8/7/2024	30.8	<1.00	10.4	9.86	54.2	6.41	35.2	-	-	-	
BH05	11/5/2024	3.99	<1.00	3.80	5.35	80.8	3.29	59.8	-	-	-	
BH05	2/20/2025	7.58	<1.00	1.01	1.05 J	40.1	0.452 J	20.7	-	-	-	
BH05	5/8/2025	2.31	<1.00	4.26	3.07	34.0	0.962 J	14.9 C3 J3	-	-	-	
BH05	8/14/2025	1.77	<1.00	6.27	<3.00	25.4	<1.00	16.4	-	-	-	
BH06	11/12/2015	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH06	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH06	5/27/2016	6,500	6,200	2,500	14,000	-	-	-	-	-	-	
BH06	8/17/2016	5,400	3,100	1,400	7,600	-	-	-	-	-	-	
BH06	11/9/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH06	2/1/2017	2,000	800	510	2,100	-	-	-	-	-	-	LNAPL
BH06	5/1/2017	1,100	620	260	1,900	-	-	-	-	-	-	LNAPL
BH06	8/2/2017	3,000	2,600	570	4,100	-	-	-	-	-	-	
BH06	11/28/2017	1,400	770	190	1,900	-	-	-	-	-	-	
BH06	2/15/2018	1,300	340	1.7	2,100	-	-	-	-	-	-	
BH06	5/3/2018	690	500	230	2,200	-	-	-	-	-	-	
BH06	8/28/2018	370	17	560	2,000	-	-	-	-	-	-	
BH06	11/15/2018	230	10	620	2,400	-	-	-	-	-	-	
BH06	2/14/2019	140	1.9	580	2,100	-	-	-	-	-	-	
BH06	5/28/2019	84	4.0	638	2,480	-	-	-	-	-	-	
BH06	8/20/2019	19	<10.0	436	1,810	-	-	-	-	-	-	
BH06	11/15/2019	16.9	<10.0	574	2,170	-	-	-	-	-	-	
BH06	2/28/2020	9.4	20.1	576	2,280	-	-	-	-	-	-	
BH06	5/14/2020	8.18	43.0	647	2,700	-	-	-	-	-	-	
BH06	8/13/2020	<4.0	21.3	546	2,340	-	-	-	-	-	-	
BH06	11/19/2020	<4.0	16.2	482	2,080	-	-	-	-	-	-	
BH06	3/29/2021	<1.0	140	210	1,100	130	56	55	446	15.7	7.6	
BH06	6/2/2021	<4.0	273	518	1,910	290	71.3	79.0	-	-	-	
BH06	8/16/2021	<2.0	256	490	2,510	312	60.8	107	-	-	-	
BH06	11/11/2021	<4.00	497	596	<4.00	306	79.5	78.3	-	-	-	
BH06	2/15/2022	<1.00	280	123	2,080	210	48.9	35.5	-	-	-	
BH06	5/16/2022	<1.00	460	715	3,100	335	77.5	63.5	-	-	-	
BH06	8/19/2022	<1.00	280	251	2,070	255	92.9	147	-	-	-	
BH06	11/16/2022	<1.00	339	<1.00	<2.00	110	112	112	-	-	-	
BH06	2/16/2023	<1.00	208	641	2,730	335	79.2	122	-	-	-	
BH06	5/11/2023	<1.00	73.2	576	1,730	288	55.2	60.0	-	-	-	
BH06	8/23/2023	<1.00	1.04	441	1,440	222	51.1	77.0	-	-	-	
BH06	11/6/2023	<1.00	2.14	572	2,320	262	71.9	69.4	-	-	-	
BH06	2/14/2024	<1.00	1.54	584	2,050	250	45.6	29.7	-	-	-	
BH06	5/8/2024	<20.0*	<20.0	447	1,450	190	26.1	<100	-	-	-	
BH06	8/7/2024	<1.00	2.47	499	1,670	225	47.7	61.6	-	-	-	
BH06	11/5/2024	<10.0*	<10.0	498	1,970	251	56.8	71.8	-	-	-	
BH06	2/20/2025	<5.00	3.36 J	709	2,750	394	82.2	78.6	-	-	-	
BH06	5/8/2025	<50.0*	<50.0	649	2,460	303	82.0	<250* C3 J3	-	-	-	
BH06	8/14/2025	<10.0*	<10.0	615	2,440	299	88.6	90.2	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH07	11/12/2015	1,600	1,000	290	1,000	-	-	-	-	-	-	
BH07	2/23/2016	130	70	170	110	-	-	-	-	-	-	
BH07	5/27/2016	3,100	1,500	500	2,700	-	-	-	-	-	-	
BH07	8/17/2016	2,500	170	550	2,600	-	-	-	-	-	-	
BH07	11/9/2016	790	71	510	2,400	-	-	-	-	-	-	
BH07	2/1/2017	240	30	410	2,000	-	-	-	-	-	-	
BH07	5/1/2017	56	9.3	300	1,400	-	-	-	-	-	-	
BH07	8/2/2017	26	5.3	130	1,600	-	-	-	-	-	-	
BH07	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	11/15/2018	<1.0	<1.0	<1.0	3.5	-	-	-	-	-	-	
BH07	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH07	5/28/2019	<1.0	<1.0	7.7	13.1	-	-	-	-	-	-	
BH07	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH07	11/19/2020	<4.0	<4.0	<4.0	<4.0	-	-	-	-	-	-	
BH07	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH07	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH07	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH07	11/11/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH07	2/15/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH07	5/16/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH07	8/19/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH07	11/16/2022	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH07	2/16/2023	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH07	5/11/2023	<1.0	<1.0	<1.0	<1.0	<2.0	<2.0	<2.0	-	-	-	
BH07	8/23/2023	<1.0	<1.0	1.57	4.34	<2.0	<2.0	2.3	-	-	-	
BH07	11/6/2023	<1.0	<1.0	1.81	4.57	2.77	<2.0	3.02	-	-	-	
BH07	2/14/2024	<1.0	<1.0	2.64	10.7	4.77	1.27	<5.00	-	-	-	
BH07	5/8/2024	<1.0	<1.0	<1.0	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH07	8/7/2024	<1.0	<1.0	<1.0	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH07	11/5/2024	<1.0	<1.0	<1.0	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH07	2/20/2025	<1.0	<1.0	0.576 J	1.56 J	2.02	0.344 J	1.32 J	-	-	-	
BH07	5/8/2025	<1.0	<1.0	<1.0	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH07	8/14/2025	<1.0	<1.0	<1.0	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH08	11/12/2015	160	16	11	40	-	-	-	-	-	-	
BH08	2/23/2016	150	37	15	74	-	-	-	-	-	-	
BH08	5/27/2016	60	10	19	110	-	-	-	-	-	-	
BH08	8/17/2016	5.1	6.2	20	320	-	-	-	-	-	-	
BH08	11/9/2016	<1.0	<1.0	<1.0	9.1	-	-	-	-	-	-	
BH08	2/1/2017	4.6	<1.0	11	32	-	-	-	-	-	-	
BH08	5/1/2017	<1.0	<1.0	4.7	6.8	-	-	-	-	-	-	
BH08	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH08	11/28/2017	1.6	<1.0	7.5	41	-	-	-	-	-	-	
BH08	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH08	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH08	8/28/2018	<1.0	<1.0	9.7	<2.0	-	-	-	-	-	-	
BH08	11/15/2018	<1.0	<1.0	11	5.1	-	-	-	-	-	-	
BH08	2/14/2019	<1.0	<1.0	7.3	<2.0	-	-	-	-	-	-	
BH08	5/28/2019	<1.0	<1.0	5.6	<1.0	-	-	-	-	-	-	
BH08	8/20/2019	<1.0	<1.0	5.43	<1.0	-	-	-	-	-	-	
BH08	11/15/2019	<1.0	<1.0	3.66	<1.0	-	-	-	-	-	-	
BH08	2/28/2020	<1.0	<1.0	<1.0	3.24	-	-	-	-	-	-	
BH08	5/14/2020	<1.0	<1.0	<1.0	3.71	-	-	-	-	-	-	
BH08	8/13/2020	<1.0	<1.0	3.73	2.82	-	-	-	-	-	-	
BH08	11/19/2020	<1.0	<1.0	2.49	3.38	-	-	-	-	-	-	
BH08	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH08	6/2/2021	<1.0	<1.0	1.89	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH08	8/16/2021	<1.0	<1.0	1.82	1.05	<1.0	1.24	<4.0	-	-	-	
BH08	11/11/2021	<1.0	<1.0	<1.0	<1.0	<1.00	<1.00	<4.00	-	-	-	
BH08	2/15/2022	<1.0	<1.0	<1.0	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH08	5/16/2022	<1.0	<1.0	20.6	<1.00	11.0	<2.00	2.26	-	-	-	
BH08	8/19/2022	<1.0	<1.0	<1.0	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH08	11/16/2022	<1.0	<1.0	<1.0	<1.00	2.62	6.42	<2.00	-	-	-	
BH08	2/16/2023	<1.0	<1.0	<1.0	<1.00	2.40	<2.00	<2.00	-	-	-	
BH08	5/11/2023	<1.0	<1.0	<1.0	<1.00	3.00	<2.00	<2.00	-	-	-	
BH08	8/23/2023	<1.0	<1.0	1.60	2.45	3.88	<2.00	<2.00	-	-	-	
BH08	11/6/2023	<1.0	<1.0	2.57	2.47	12.0	13.4	<2.00	-	-	-	
BH08	2/14/2024	<1.0	<1.0	2.49	<3.00	22.7	<1.00	<5.00	-	-	-	
BH08	5/8/2024	<1.0	<1.0	1.21	<3.00	11.9	<1.00	<5.00	-	-	-	
BH08	8/7/2024	<1.0	<1.0	<1.0	<3.00	1.57	<1.00	<5.00	-	-	-	
BH08	11/5/2024	<1.0	<1.0	<1.0	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH08	2/20/2025	<1.0	<1.0	0.465 J	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH08	5/8/2025	<1.0	<1.0	0.530 J	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH08	8/14/2025	<1.0	<1.0	<1.0	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH09	11/12/2015	610	46	18	80	-	-	-	-	-	-	
BH09	2/23/2016	23	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	5/27/2016	8.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH09	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH09	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH09	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	1,100	51.4	548	
BH09	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH09	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH09	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH09	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH09	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	5/8/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	8/7/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	2/20/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH09	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH09	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH10	11/12/2015	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	2/23/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	5/27/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	8/28/2018	<1.0	9.5	540	380	-	-	-	-	-	-	
BH10	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH10	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH10	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH10	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH10	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH10	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH10	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH10	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	5/8/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	8/7/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	2/20/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH10	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH10	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
BH11	11/12/2015	2,100	1,800	200	840	-	-	-	-	-	-	
BH11	2/23/2016	NS	NS	NS	NS	-	-	-	-	-	-	LNAPL
BH11	5/27/2016	2,100	180	600	1,900	-	-	-	-	-	-	
BH11	8/17/2016	1,100	3.5	34	770	-	-	-	-	-	-	
BH11	11/9/2016	27	<1.0	100	260	-	-	-	-	-	-	
BH11	2/1/2017	2.0	<1.0	290	330	-	-	-	-	-	-	
BH11	5/1/2017	<1.0	<1.0	160	14	-	-	-	-	-	-	
BH11	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	

**TABLE 3
HISTORICAL GROUNDWATER ANALYTICAL DATA
DCP OPERATING COMPANY, LP - TAMPA COMPRESSOR STATION
WELD COUNTY, COLORADO**

Location Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	1,2,4-Trimethylbenzene (µg/l)	1,3,5-Trimethylbenzene (µg/l)	Naphthalene (µg/l)	Total Dissolved Solids (mg/l)	Chloride (mg/l)	Sulfate (mg/l)	Comments
ECMC Standards (µg/L)		5	560	700	1,400	67	67	140	<1.25 x local background)	(250 mg/l or <1.25 x local background)	(250 mg/l or <1.25 x local background)	
BH11	11/28/2017	<1.0	22	370	430	-	-	-	-	-	-	
BH11	2/15/2018	<1.0	32	210	440	-	-	-	-	-	-	
BH11	5/3/2018	<1.0	9.4	30	310	-	-	-	-	-	-	
BH11	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH11	11/15/2018	<1.0	6.1	770	640	-	-	-	-	-	-	
BH11	2/14/2019	<1.0	2.7	790	700	-	-	-	-	-	-	
BH11	5/28/2019	<1.0	<1.0	689	582	-	-	-	-	-	-	
BH11	8/20/2019	<4.0	<4.0	781	651	-	-	-	-	-	-	
BH11	11/15/2019	<4.0	<4.0	670	794	-	-	-	-	-	-	
BH11	2/28/2020	<1.0	<1.0	514	685	-	-	-	-	-	-	
BH11	5/14/2020	<1.0	<1.0	546	736	-	-	-	-	-	-	
BH11	8/13/2020	<4.0	<4.0	439	623	-	-	-	-	-	-	
BH11	11/19/2020	<1.0	<1.0	31.1	40.0	-	-	-	-	-	-	
BH11	3/29/2021	<1.0	<1.0	200	310	95	3.8	63	-	-	-	
BH11	6/2/2021	<4.0	<4.0	183	327	121	6.16	57.1	-	-	-	
BH11	8/16/2021	<2.0	<2.0	355	310	155	33.0	71.6	-	-	-	
BH11	11/11/2021	<4.00	<4.00	4.6	<4.00	137	21.6	50.4	-	-	-	
BH11	2/15/2022	<1.00	<1.00	<1.00	106	53.7	7.86	9.21	-	-	-	
BH11	5/16/2022	<1.00	1.02	84.4	142	120	8.65	21.2	-	-	-	
BH11	8/19/2022	<1.00	<1.00	<1.00	323	153	21.4	75.0	-	-	-	
BH11	11/16/2022	<1.00	<1.00	272	429	191	41.2	89.7	-	-	-	
BH11	2/16/2023	<1.00	1.18	210	334	143	43.8	69.8	-	-	-	
BH11	5/11/2023	<1.00	<1.00	171	235	117	65.2	86.9	-	-	-	
BH11	8/23/2023	<1.00	<1.00	153	263	122	61.4	104	-	-	-	
BH11	11/6/2023	<1.00	<1.00	18.0	16.4	134	46.0	73.3	-	-	-	
BH11	2/14/2024	<1.00	<1.00	78.4	53.0	76.5	16.5	19.6	-	-	-	
BH11	5/8/2024	<1.00	<1.00	89.8	54.9	83.5	16.0	27.6	-	-	-	
BH11	8/7/2024	<1.00	<1.00	112	54.2	159	39.2	57.1	-	-	-	
BH11	11/5/2024	<10.0*	<10.0	68.5	<30.0	61.4	12.1	<50.0	-	-	-	
BH11	2/20/2025	<1.00	<1.00	55.9	16.1	91.8	16.6	34.7	-	-	-	
BH11	5/8/2025	<1.00	<1.00	34.8	6.92	61.3	8.82	21.2 C3 J3	-	-	-	
BH11	8/14/2025	<1.00	<1.00	24.3	<3.00	48.9	5.46	<5.00	-	-	-	
BH12	11/12/2015	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	2/23/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	5/27/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	8/17/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	11/9/2016	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	2/1/2017	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	5/1/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	8/2/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	11/28/2017	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	2/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	5/3/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	8/28/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	11/15/2018	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	2/14/2019	<1.0	<1.0	<1.0	<2.0	-	-	-	-	-	-	
BH12	5/28/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	8/20/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	11/15/2019	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	2/28/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	5/14/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	8/13/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	11/19/2020	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
BH12	3/29/2021	<1.0	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	-	-	-	
BH12	6/2/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH12	8/16/2021	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<4.0	-	-	-	
BH12	11/11/2021	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<4.00	-	-	-	
BH12	2/15/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	5/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	8/19/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	11/16/2022	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	2/16/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	5/11/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	8/23/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	11/6/2023	<1.00	<1.00	<1.00	<1.00	<2.00	<2.00	<2.00	-	-	-	
BH12	2/14/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH12	5/8/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH12	8/7/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH12	11/5/2024	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00	-	-	-	
BH12	2/20/2025	<1.00	<1.00	<1.00	<3.00	0.327 J	<1.00	<5.00	-	-	-	
BH12	5/8/2025	<1.00	<1.00	<1.00	<3.00	<1.00	<1.00	<5.00 C3 J3	-	-	-	
BH12	8/14/2025	<1.00	<1.00	<1.00	<3.00	<2.00	<1.00	<5.00	-	-	-	
W Bldg GW	9/25/2020	<1.0	<1.0	<1.0	4.96	-	-	-	-	-	-	

Notes:

1). The environmental cleanup standards for groundwater that are applicable to this site are the Colorado Energy & Carbon Management Commission (ECMC) standards for contaminants in groundwater according to Table 910-1 (Prior to January 15th, 2021) and Table 915-1. **Red bold** values indicate an exceedance of the ECMC groundwater standards for the Site.

NS = Not sampled.

µg/L = micrograms per liter.

LNAPL - Light non-aqueous phase liquid

*Compound falls within ECMC Table 915-1 Footnote 9.

J - The identification of the analyte is acceptable; the reported value is an estimate

J3 - The associated batch QC was outside the established quality control range for precision.

C3 - The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.