

TABLE 1
THIRD QUARTER 2025
SUMMARY OF GROUNDWATER ELEVATION DATA
DCP OPERATING CO, LP - MEWBOURN GAS PLANT
WELD COUNTY, COLORADO

| Location | Date | Depth to Groundwater (feet) | Depth to Product (feet) | Free Phase Hydrocarbon Thickness (feet) | Total Depth (feet) | TOC Elevation (feet amsl) | Groundwater Elevation (feet amsl) | Change in Groundwater Elevation Since Previous Event ¹ (feet) |
|----------|------------|-----------------------------|-------------------------|---|--------------------|---------------------------|-----------------------------------|--|
| MW01 | 12/17/2024 | 11.76 | - | - | 21.83 | 4820.52 | 4,808.76 | 0.78 |
| MW01 | 3/18/2025 | 11.77 | - | - | 22.09 | 4820.52 | 4,808.75 | -0.01 |
| MW01 | 6/17/2025 | 9.34 | - | - | 21.85 | 4820.52 | 4,811.18 | 2.43 |
| MW01 | 9/15/2025 | 13.18 | - | - | 21.85 | 4820.52 | 4,807.34 | -3.84 |
| MW02 | 12/17/2024 | 12.28 | - | - | 22.50 | 4820.71 | 4,808.43 | 0.64 |
| MW02 | 3/18/2025 | 13.31 | - | - | 22.40 | 4820.71 | 4,807.40 | -1.03 |
| MW02 | 6/17/2025 | 9.71 | - | - | 22.68 | 4820.71 | 4,811.00 | 3.60 |
| MW02 | 9/15/2025 | 13.51 | - | - | 22.68 | 4820.71 | 4,807.20 | -3.80 |
| MW03 | 12/17/2024 | 13.01 | - | - | 23.14 | 4820.59 | 4,807.58 | 0.40 |
| MW03 | 3/18/2025 | 13.03 | - | - | 22.88 | 4820.59 | 4,807.56 | -0.02 |
| MW03 | 6/17/2025 | 10.53 | - | - | 22.81 | 4820.59 | 4,810.06 | 2.50 |
| MW03 | 9/15/2025 | 14.10 | - | - | 22.81 | 4820.59 | 4,806.49 | -3.57 |
| MW04 | 12/17/2024 | 17.72 | - | - | 25.90 | 4826.13 | 4,808.41 | 0.60 |
| MW04 | 3/18/2025 | 17.77 | - | - | 26.01 | 4826.13 | 4,808.36 | -0.05 |
| MW04 | 6/17/2025 | 15.73 | - | - | 25.92 | 4826.13 | 4,810.40 | 2.04 |
| MW04 | 9/15/2025 | 18.97 | - | - | 25.92 | 4826.13 | 4,807.16 | -3.24 |
| MW05 | 12/17/2024 | 11.40 | - | - | 21.62 | 4818.18 | 4,806.78 | 0.40 |
| MW05 | 3/18/2025 | 11.53 | - | - | 21.86 | 4818.18 | 4,806.65 | -0.13 |
| MW05 | 6/17/2025 | 9.16 | - | - | 21.51 | 4818.18 | 4,809.02 | 2.37 |
| MW05 | 9/15/2025 | 12.44 | - | - | 21.51 | 4818.18 | 4,805.74 | -3.28 |
| MW06 | 12/17/2024 | 10.34 | - | - | 20.71 | 4817.73 | 4,807.39 | 0.64 |
| MW06 | 3/18/2025 | 10.53 | - | - | 20.83 | 4817.73 | 4,807.20 | -0.19 |
| MW06 | 6/17/2025 | 8.31 | - | - | 20.59 | 4817.73 | 4,809.42 | 2.22 |
| MW06 | 9/15/2025 | 11.64 | - | - | 20.59 | 4817.73 | 4,806.09 | -3.33 |
| MW07 | 12/17/2024 | 16.87 | - | - | 25.21 | 4,826.34 | 4,809.47 | 1.14 |
| MW07 | 3/18/2025 | 17.06 | - | - | 25.37 | 4,826.34 | 4,809.28 | -0.19 |
| MW07 | 6/17/2025 | 15.06 | - | - | 25.03 | 4,826.34 | 4,811.28 | 2.00 |
| MW07 | 9/15/2025 | 18.55 | - | - | 25.03 | 4,826.34 | 4,807.79 | -3.49 |
| MW08 | 12/17/2024 | 13.17 | - | - | 22.20 | 4,821.00 | 4,807.83 | 1.65 |
| MW08 | 3/18/2025 | 13.12 | - | - | 22.30 | 4,821.00 | 4,807.88 | 0.05 |
| MW08 | 6/17/2025 | 10.67 | - | - | 21.79 | 4,821.00 | 4,810.33 | 2.45 |
| MW08 | 9/15/2025 | 14.50 | - | - | 21.79 | 4,821.00 | 4,806.50 | -3.83 |
| MW09 | 12/17/2024 | 17.62 | - | - | 24.92 | 4,830.54 | 4,812.92 | 0.14 |
| MW09 | 3/18/2025 | 17.82 | - | - | 25.01 | 4,830.54 | 4,812.72 | -0.20 |
| MW09 | 6/17/2025 | 17.16 | - | - | 24.97 | 4,830.54 | 4,813.38 | 0.66 |
| MW09 | 9/15/2025 | 18.80 | - | - | 24.97 | 4,830.54 | 4,811.74 | -1.64 |
| MW10 | 12/17/2024 | 10.43 | - | - | 21.11 | 4,821.54 | 4,811.11 | 0.89 |
| MW10 | 3/18/2025 | 10.65 | - | - | 21.82 | 4,821.54 | 4,810.89 | -0.22 |
| MW10 | 6/17/2025 | 9.28 | - | - | 21.09 | 4,821.54 | 4,812.26 | 1.37 |
| MW10 | 9/15/2025 | 11.98 | - | - | 21.09 | 4,821.54 | 4,809.56 | -2.70 |
| MW11 | 12/17/2024 | 13.18 | - | - | 21.10 | 4,821.50 | 4,808.32 | 1.00 |
| MW11 | 3/18/2025 | 13.18 | - | - | 21.12 | 4,821.50 | 4,808.32 | 0.00 |
| MW11 | 6/17/2025 | 10.60 | - | - | 20.86 | 4,821.50 | 4,810.90 | 2.58 |
| MW11 | 9/15/2025 | 14.79 | - | - | 20.86 | 4,821.50 | 4,806.71 | -4.19 |
| MW12 | 12/17/2024 | 16.41 | - | - | 24.24 | 4,827.43 | 4,811.02 | 0.49 |
| MW12 | 3/18/2025 | 16.69 | - | - | 23.85 | 4,827.43 | 4,810.74 | -0.28 |
| MW12 | 6/17/2025 | 14.94 | - | - | 23.85 | 4,827.43 | 4,812.49 | 1.75 |
| MW12 | 9/15/2025 | 17.65 | - | - | 23.85 | 4,827.43 | 4,809.78 | -2.71 |

TABLE 1
THIRD QUARTER 2025
SUMMARY OF GROUNDWATER ELEVATION DATA
DCP OPERATING CO, LP - MEWBOURN GAS PLANT
WELD COUNTY, COLORADO

| Location | Date | Depth to Groundwater (feet) | Depth to Product (feet) | Free Phase Hydrocarbon Thickness (feet) | Total Depth (feet) | TOC Elevation (feet amsl) | Groundwater Elevation (feet amsl) | Change in Groundwater Elevation Since Previous Event ¹ (feet) |
|--|------------|-----------------------------|-------------------------|---|--------------------|---------------------------|-----------------------------------|--|
| MW13 | 12/17/2024 | 16.79 | - | - | 22.88 | 4,826.92 | 4,810.13 | 0.71 |
| MW13 | 3/18/2025 | 16.95 | - | - | 22.73 | 4,826.92 | 4,809.97 | -0.16 |
| MW13 | 6/17/2025 | 15.41 | - | - | 22.78 | 4,826.92 | 4,811.51 | 1.54 |
| MW13 | 9/15/2025 | 18.06 | - | - | 22.78 | 4,826.92 | 4,808.86 | -2.65 |
| MW14 | 12/17/2024 | 7.19 | - | - | 16.19 | 4,812.10 | 4,804.91 | -0.25 |
| MW14 | 3/18/2025 | 7.30 | - | - | 16.17 | 4,812.10 | 4,804.80 | -0.11 |
| MW14 | 6/17/2025 | 5.39 | - | - | 15.79 | 4,812.10 | 4,806.71 | 1.91 |
| MW14 | 9/15/2025 | 7.47 | - | - | 15.79 | 4,812.10 | 4,804.63 | -2.08 |
| MW15 | 12/17/2024 | 8.23 | - | - | 14.32 | 4813.19 | 4,804.96 | -0.21 |
| MW15 | 3/18/2025 | 8.22 | - | - | 14.41 | 4813.19 | 4,804.97 | 0.01 |
| MW15 | 6/17/2025 | 6.10 | - | - | 14.35 | 4813.19 | 4,807.09 | 2.12 |
| MW15 | 9/15/2025 | 8.51 | - | - | 14.35 | 4813.19 | 4,804.68 | -2.41 |
| MW16 | 12/17/2024 | 5.42 | - | - | 14.77 | 4811.07 | 4,805.65 | 0.07 |
| MW16 | 3/18/2025 | 5.59 | - | - | 14.76 | 4811.07 | 4,805.48 | -0.17 |
| MW16 | 6/17/2025 | 3.89 | - | - | 14.75 | 4811.07 | 4,807.18 | 1.70 |
| MW16 | 9/15/2025 | 6.14 | - | - | 14.75 | 4811.07 | 4,804.93 | -2.25 |
| MW17 | 12/17/2024 | 14.29 | - | - | 23.20 | 4825.95 | 4,811.66 | 0.64 |
| MW17 | 3/18/2025 | 14.40 | - | - | 23.12 | 4825.95 | 4,811.55 | -0.11 |
| MW17 | 6/17/2025 | 13.69 | - | - | 23.50 | 4825.95 | 4,812.26 | 0.71 |
| MW17 | 9/15/2025 | 15.47 | - | - | 23.50 | 4825.95 | 4,810.48 | -1.78 |
| MW18 | 12/17/2024 | 19.35 | - | - | 27.29 | 4834.80 | 4,815.45 | -0.56 |
| MW18 | 3/18/2025 | 19.66 | - | - | 27.27 | 4834.80 | 4,815.14 | -0.31 |
| MW18 | 6/17/2025 | 20.40 | - | - | 27.31 | 4834.80 | 4,814.40 | -0.74 |
| MW18 | 9/15/2025 | 21.00 | - | - | 27.31 | 4834.80 | 4,813.80 | -0.60 |
| MW19 | 12/17/2024 | 22.22 | - | - | 27.40 | 4837.19 | 4,814.97 | NC |
| MW19 | 3/18/2025 | 22.48 | - | - | 27.47 | 4837.19 | 4,814.71 | -0.26 |
| MW19 | 6/17/2025 | 22.71 | - | - | 27.48 | 4837.19 | 4,814.48 | -0.23 |
| MW19 | 9/15/2025 | 23.08 | - | - | 27.48 | 4837.19 | 4,814.11 | -0.37 |
| MW20 | 12/17/2024 | 18.30 | - | - | 23.67 | 4834.89 | 4,816.59 | -1.13 |
| MW20 | 3/18/2025 | 18.73 | - | - | 23.58 | 4834.89 | 4,816.16 | -0.43 |
| MW20 | 6/17/2025 | 18.90 | - | - | 23.62 | 4834.89 | 4,815.99 | -0.17 |
| MW20 | 9/15/2025 | 18.35 | - | - | 23.62 | 4834.89 | 4,816.54 | 0.55 |
| MW21 | 12/17/2024 | 5.78 | - | - | 14.24 | 4811.06 | 4,805.28 | -0.07 |
| MW21 | 3/18/2025 | 5.92 | - | - | 14.20 | 4811.06 | 4,805.14 | -0.14 |
| MW21 | 6/17/2025 | 4.29 | - | - | 13.98 | 4811.06 | 4,806.77 | 1.49 |
| MW21 | 9/15/2025 | 6.31 | - | - | 13.98 | 4811.06 | 4,804.75 | -2.02 |
| Average Change in Groundwater Elevation (6/17/2025 to 9/15/2025) | | | | | | | | -2.53 |

Notes:

1- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected during the most recent monitoring event.

amsl = feet above mean sea level

TOC = top of casing

Groundwater elevation = (TOC Elevation - Measured Depth to Water) + (LNAPL Thickness in Well * LNAPL Relative Density)

LNAPL relative density was assumed to be approximately 0.75

NC = Not Calculated

NM = Not Measured

**TABLE 2
THIRD QUARTER 2025 GROUNDWATER ANALYTICAL RESULTS
DCP OPERATING CO, LP - MEWBOURN GAS PLANT
WELD COUNTY, COLORADO**

| Location Identification | Sample Date | Lab Report | Benzene (µg/l) | Toluene (µg/l) | Ethylbenzene (µg/l) | Total Xylenes (µg/l) | Naphthalene (µg/l) | 1,2,4-Trimethylbenzene (µg/l) | 1,3,5-Trimethylbenzene (µg/l) | Total Dissolved Solids (mg/l) | Chloride (mg/l) | Sulfate (mg/l) | Comments |
|--------------------------------------|-------------|------------|----------------|----------------|---------------------|----------------------|--------------------|-------------------------------|-------------------------------|-------------------------------|--|--|----------|
| ECMC Standards (µg/L) ⁽¹⁾ | | | 5 | 560 | 700 | 1,400 | 140 | 67 | 67 | (<1.25 x local background) | (250 mg/l or <1.25 x local background) | (250 mg/l or <1.25 x local background) | |
| MW01 | 9/16/2025 | L1898968 | 858 | <10.0 | 45.2 | <30.0 | <50.0 | <20.0 | <10.0 | - | - | - | |
| MW02 | 9/16/2025 | L1898968 | 1,510 | <200 | 353 | 3,740 | <1000 | 262 J | 162 J | - | - | - | |
| MW03 | 9/16/2025 | L1898968 | 91 | <10.0 | 16.7 | 47 | <50.0 | 15.1 J | <10.0 | - | - | - | |
| MW04 | 9/16/2025 | L1898968 | 16.5 | <10.0 | 11.0 | 23.7 J | <50.0 | 257 | 211 | - | - | - | |
| MW05 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW06 | 9/16/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW07 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW08 | 9/16/2025 | L1898968 | <20.0 | <20.0 | 32.3 | 124 | <100 | 214 | 107 | - | - | - | |
| MW09 | 9/16/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW10 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW11 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW12 | 9/16/2025 | L1898968 | 34,100 | <1000 | 1,320 | 19,300 | <5000 | 1,060 | 652 | - | - | - | |
| MW13 | 9/16/2025 | L1898968 | 149 | <5.00 | 17.5 | <15.0 | <25.0 | 11.8 | 2.78 J | - | - | - | |
| MW14 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW15 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW16 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW17 | 9/16/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW18 | 9/16/2025 | L1898968 | 272 | <100 | 243 | 2,450 | <500 | 213 | 166 | - | - | - | |
| MW19 | 9/16/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW20 | 9/16/2025 | L1898968 | 0.669 J | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |
| MW21 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | |

Notes:

- The environmental cleanup standards for groundwater that are applicable to this site are the Colorado Energy and Carbon Management Commission (ECMC) standards for contaminants in groundwater according to Table 915-1 of the ECMC 900 Series Rule for E&P Waste Management.
- Standards are taken from the Colorado Department of Public Health and Environment - Water Quality Control Commission, 5 CCR 1002-41, Table A - Groundwater Organic Chemical Standards.

Bold red values indicate an exceedance of the ECMC groundwater standards for the Site.

µg/L = micrograms per liter.

mg/L = milligrams per liter.

*Compound falls within ECMC Table 915-1 Footnote 9.

J - The identification of the analyte is acceptable; the reported value is an estimate

**TABLE 3
HISTORICAL GROUNDWATER AND SURFACE WATER ANALYTICAL RESULTS
DCP OPERATING CO, LP - MEWBOURN GAS PLANT
WELD COUNTY, COLORADO**

| Location Identification | Sample Date | Lab Report | Benzene (µg/l) | Toluene (µg/l) | Ethylbenzene (µg/l) | Total Xylenes (µg/l) | Naphthalene (µg/l) | 1,2,4-Trimethylbenzene (µg/l) | 1,3,5-Trimethylbenzene (µg/l) | Total Dissolved Solids (mg/l) | Chloride (mg/l) | Sulfate (mg/l) | Benzo(a)anthracene (µg/l) | Fluorene (µg/l) | Comments |
|--------------------------------------|-------------|------------|----------------|----------------|---------------------|----------------------|--------------------|-------------------------------|-------------------------------|-------------------------------|--|--|---------------------------|--------------------|------------------------------------|
| ECMC Standards (µg/L) ⁽¹⁾ | | | 5 | 560 | 700 | 1,400 | 140 | 67 | 67 | (<1.25 x local background) | (250 mg/l or <1.25 x local background) | (250 mg/l or <1.25 x local background) | 0.16 ⁽²⁾ | 280 ⁽²⁾ | |
| MW01 | 3/16/2021 | 2103245 | 420 | <1.0 | 500 | 370 | 29 | 130 | 75 | - | - | - | - | - | |
| MW01 | 3/19/2021 | 2103294 | - | - | - | - | - | - | - | 1,050 | 291 | 1,740 | <0.100 | 6.50 | |
| MW01 | 6/14/2021 | Y106317 | 123 | <4.0 | 210 | 164 | <16.0 | 72.9 | 52.8 | - | - | - | - | - | |
| MW01 | 9/14/2021 | Y109257 | 657 | <10.0 | 140 | 39.1 | <40.0 | 12.1 | 16.2 | - | - | - | - | - | |
| MW01 | 12/8/2021 | Y112238 | 912 | <10 | <5 | <5 | <25 | 3.95 | <5 | - | - | - | - | - | |
| MW01 | 3/15/2022 | Y203382 | 432 | <1.00 | 154 | 20.8 | <2.00 | 3.26 | 10.8 | - | - | - | - | - | |
| MW01 | 6/16/2022 | Y206436 | 42.6 | 1.25 | 43.5 | 5.08 | <2.00 | <2.00 | 3.18 | - | - | - | - | - | |
| MW01 | 9/8/2022 | Y209151 | 185 | <1.00 | 65.9 | 1.59 | 2.19 | <2.00 | <2.00 | - | - | - | - | - | |
| MW01 | 12/1/2022 | Y212030 | 216 | <1.00 | 75.6 | 2.15 | 4.12 | <2.00 | <2.00 | - | - | - | - | - | |
| MW01 | 3/3/2023 | Y303124 | 25.4 | 3.87 | 46.8 | 2.98 | <2.00 | 15.2 | 9.02 | - | - | - | - | - | |
| MW01 | 6/6/2023 | Y306158 | 11.4 | <1.00 | 6.0 | 4.1 | <2.00 | 12.8 | 4.4 | - | - | - | - | - | |
| MW01 | 9/8/2023 | Y309163 | 521 | <1.00 | 40.2 | 23.0 | <2.0 | 13.2 | 7.9 | - | - | - | - | - | |
| MW01 | 12/12/2023 | Y312412 | 1,000 | <1.00 | 51.7 | <1.00 | 2.41 | 2.20 | <2.00 | - | - | - | - | - | |
| MW01 | 3/5/2024 | L1713039 | 467 | <10.0 | 50.8 | <30.0 | <50.0 | <10.0 | <10.0 | - | - | - | - | - | |
| MW01 | 6/12/2024 | L1746760 | <10.0* | <10.0 | 16.5 | <30.0 | <50.0 | <10.0 | <10.0 | - | - | - | - | - | |
| MW01 | 9/12/2024 | L1777984 | 317 | <5.00 | 29.1 | <15.0 | <25.0 | <5.00 | 0.605 J | - | - | - | - | - | |
| MW01 | 12/17/2024 | L1811364 | 176 | <5.00 | 24.9 | <15.0 | <25.0 | <5.00 | <5.00 | - | - | - | - | - | |
| MW01 | 3/18/2025 | L1838430 | 298 | <10.0 | 27.1 | <30.0 | <50.0 | <10.0 | <10.0 | - | - | - | - | - | |
| MW01 | 6/18/2025 | L1871600 | 1.27 | <1.00 | 13.5 | <3.00 | <5.00 C3 | <1.00 | <1.00 | - | - | - | - | - | |
| MW01 | 9/16/2025 | L1898968 | 858 | <10.0 | 45.2 | <30.0 | <50.0 | <20.0 | <10.0 | - | - | - | - | - | |
| MW02 | 3/16/2021 | 2103245 | 1,900 | 3.8 | 510 | 250 | 25 | 320 | 150 | 620 | 68.2 | 4.34 | - | - | |
| MW02 | 3/19/2021 | 2103294 | - | - | - | - | - | - | - | - | - | - | <0.100 | 2.56 | |
| MW02 | 6/14/2021 | Y106317 | 1,710 | <4.0 | 644 | 7,400 | 32.1 | 579 | 306 | - | - | - | - | - | |
| MW02 | 9/14/2021 | Y109257 | 1,600 | <50.0 | 416 | 4,780 | <200.0* | 346 | 180 | - | - | - | - | - | |
| MW02 | 12/8/2021 | Y112238 | 2,960 | <20 | 241 | 1,560 | <50 | 228 | 81 | - | - | - | - | - | |
| MW02 | 3/15/2022 | Y203382 | 1,330 | 2.09 | 322 | 4,390 | 32.7 | 571 | 315 | - | - | - | - | - | |
| MW02 | 6/16/2022 | Y206436 | 2,410 | <10 | 347 | 5,320 | 80.2 | 583 | 325 | - | - | - | - | - | |
| MW02 | 9/8/2022 | Y209151 | 2,300 | 1.20 | 360 | 4,160 | 23.5 | 689 | 417 | - | - | - | - | - | |
| MW02 | 12/1/2022 | Y212030 | 1,820 | <1.00 | 259 | 2,150 | 13.9 | 311 | 182 | - | - | - | - | - | |
| MW02 | 3/3/2023 | Y303124 | 1,120 | 29.1 | 453 | 10,600 | 59.0 | 651 | 439 | - | - | - | - | - | |
| MW02 | 6/6/2023 | Y306158 | 1,360 | <1.00 | 377 | 2,530 | 122.0 | <2.00 | <2.00 | - | - | - | - | - | |
| MW02 | 9/8/2023 | Y309163 | 3,420 | <1.00 | 596 | 5,360 | 75.5 | 740 | 422 | - | - | - | - | - | |
| MW02 | 12/12/2023 | Y312412 | 4,130 | <1.00 | 756 | 5,170 | 49.9 | 908 | 471 | - | - | - | - | - | |
| MW02 | 3/5/2024 | L1713039 | 3,270 | <100 | 363 | 3,120 | <500* | 338 | 166 | - | - | - | - | - | |
| MW02 | 6/12/2024 | L1746760 | 951 | <100 | 309 | 2,390 | <500* | 230 | 171 | - | - | - | - | - | |
| MW02 | 9/12/2024 | L1777984 | 2,760 | <200 | 304 | 3,080 | <1000* | 350 | 179 J | - | - | - | - | - | |
| MW02 | 12/17/2024 | L1811364 | 2,350 | <200 | 387 | 3,670 | <1000* | 422 | 235 | - | - | - | - | - | |
| MW02 | 3/19/2025 | L1838430 | 2,200 | <200 | 474 | 5,740 | <1000* | 580 | 371 | - | - | - | - | - | |
| MW02 | 6/18/2025 | L1871600 | 654 | <100 | 585 | 6,580 | <500* | 566 | 386 | - | - | - | - | - | |
| MW02 | 9/16/2025 | L1898968 | 1,510 | <200 | 353 | 3,740 | <1000 | 262 J | 162 J | - | - | - | - | - | |
| MW03 | 3/16/2021 | 2103245 | 120 | <1.0 | 70.0 | 300 | 3.0 | 79.0 | 29.0 | - | - | - | - | - | |
| MW03 | 3/19/2021 | 2103294 | - | - | - | - | - | - | - | 441 | 104 | 1,790 | <0.100 | <0.200 | |
| MW03 | 6/14/2021 | Y106317 | 394 | <4.0 | 270 | 1,350 | <16.0 | 285 | 116 | - | - | - | - | - | |
| MW03 | 9/14/2021 | Y109257 | 35.3 | <1.0 | 13 | 42 | <4.0 | 11.7 | 2.84 | - | - | - | - | - | |
| MW03 | 12/8/2021 | Y112238 | <2 | <5 | <1 | <1 | <5 | 1.77 | <1 | - | - | - | - | - | |
| MW03 | 3/15/2022 | Y203382 | 59.9 | <1.00 | 4.33 | 41.3 | <2.00 | 19.3 | 2.39 | - | - | - | - | - | |
| MW03 | 6/16/2022 | Y206436 | 12.8 | <1.00 | 2.14 | 173 | <2.00 | 23.9 | 12.3 | - | - | - | - | - | |
| MW03 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | 6.34 | <2.00 | 2.24 | <2.00 | - | - | - | - | - | |
| MW03 | 12/1/2022 | Y212030 | 44.0 | <1.00 | 2.89 | 24.70 | <2.00 | 3.81 | <2.00 | - | - | - | - | - | |
| MW03 | 3/3/2023 | Y303124 | 83.5 | <1.00 | 14.0 | 298 | <2.00 | 34.9 | 16.8 | - | - | - | - | - | |
| MW03 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW03 | 9/7/2023 | Y309163 | 154 | <1.00 | 6.66 | 17.0 | 3.12 | 2.32 | <2.00 | - | - | - | - | - | |
| MW03 | 12/12/2023 | Y312412 | 166 | <1.00 | 6.81 | 26.4 | <2.00 | 5.15 | <2.00 | - | - | - | - | - | |
| MW03 | 3/5/2024 | L1713039 | 126 | <1.00 | 21.7 | 96.8 | <5.00 | 12.0 | 3.95 | - | - | - | - | - | |
| MW03 | 6/12/2024 | L1746760 | 121 | <1.00 | 14.7 | 67.3 | <5.00 | 11.0 | 3.65 | - | - | - | - | - | |
| MW03 | 9/12/2024 | L1777984 | 53.6 | <1.00 | 9.70 | 45.2 | <5.00 | 6.74 | 2.23 | - | - | - | - | - | |
| MW03 | 12/17/2024 | L1811364 | 109 Q | <1.00 | 25.4 | 98.6 | <5.00 | 13.9 | 6.76 | - | - | - | - | - | |
| MW03 | 12/17/2024 | L1811364 | 102 E | - | - | - | - | - | - | - | - | - | - | - | See Qualifier definitions in notes |
| MW03 | 3/18/2025 | L1838430 | 469 | <10.0 | 81.8 | 303 | <50.0 | 42.3 | 17.7 | - | - | - | - | - | |
| MW03 | 6/18/2025 | L1871600 | 870 | <1.00 | 109 | 527 | 5.92 C3 | 81.5 | 41.3 | - | - | - | - | - | |
| MW03 | 9/16/2025 | L1898968 | 91 | <10.0 | 16.7 | 47 | <50.0 | 15.1 J | <10.0 | - | - | - | - | - | |
| MW04 | 3/16/2021 | 2103245 | 45 | <1.0 | 20 | 67 | 5.1 | 310 | 250 | 436 | 4.55 | 11.0 | - | - | |
| MW04 | 3/19/2021 | 2103294 | - | - | - | - | - | - | - | - | - | - | <0.100 | 1.76 | |

**TABLE 3
HISTORICAL GROUNDWATER AND SURFACE WATER ANALYTICAL RESULTS
DCP OPERATING CO, LP - MEWBOURN GAS PLANT
WELD COUNTY, COLORADO**

| Location Identification | Sample Date | Lab Report | Benzene (µg/l) | Toluene (µg/l) | Ethylbenzene (µg/l) | Total Xylenes (µg/l) | Naphthalene (µg/l) | 1,2,4-Trimethylbenzene (µg/l) | 1,3,5-Trimethylbenzene (µg/l) | Total Dissolved Solids (mg/l) | Chloride (mg/l) | Sulfate (mg/l) | Benzo(a)anthracene (µg/l) | Fluorene (µg/l) | Comments |
|--------------------------------------|-------------|------------|----------------|----------------|---------------------|----------------------|--------------------|-------------------------------|-------------------------------|-------------------------------|--|--|---------------------------|--------------------|----------|
| ECMC Standards (µg/L) ⁽¹⁾ | | | 5 | 560 | 700 | 1,400 | 140 | 67 | 67 | (<1.25 x local background) | (250 mg/l or <1.25 x local background) | (250 mg/l or <1.25 x local background) | 0.16 ⁽²⁾ | 280 ⁽²⁾ | |
| MW04 | 6/14/2021 | Y106317 | 8.8 | <4.0 | 20.7 | 62.3 | <16.0 | 322 | 304 | - | - | - | - | - | |
| MW04 | 9/14/2021 | Y109257 | 15.1 | <10.0 | 25.4 | 72.3 | <40.0 | 308 | 236 | - | - | - | - | - | |
| MW04 | 12/8/2021 | Y112238 | 33.5 | <20 | 16.6 | 64.8 | <50 | 206 | 175 | - | - | - | - | - | |
| MW04 | 3/15/2022 | Y203382 | 11.9 | <1.00 | <1.00 | 27.2 | <2.00 | 111 | 100 | - | - | - | - | - | |
| MW04 | 6/16/2022 | Y206436 | 6.04 | <1.00 | <1.00 | 27.4 | <2.00 | 142 | 132 | - | - | - | - | - | |
| MW04 | 9/8/2022 | Y209151 | 7.38 | <1.00 | 11.6 | 50.2 | <2.00 | 179 | 135 | - | - | - | - | - | |
| MW04 | 12/1/2022 | Y212030 | 8.55 | <1.00 | 19.6 | 57.3 | 2.45 | 174 | 125 | - | - | - | - | - | |
| MW04 | 3/3/2023 | Y303124 | 7.03 | <1.00 | <1.00 | 13.4 | <2.00 | 112 | 104 | - | - | - | - | - | |
| MW04 | 6/6/2023 | Y306158 | 20.2 | <1.00 | 5.6 | 16.3 | <2.00 | 170 | 191 | - | - | - | - | - | |
| MW04 | 9/8/2023 | Y309163 | 9.05 | <1.00 | 3.53 | 9.91 | <2.00 | 192 | 185 | - | - | - | - | - | |
| MW04 | 12/12/2023 | Y312412 | 29.4 | <1.00 | 21.7 | 50.0 | 3.14 | 278 | 193 | - | - | - | - | - | |
| MW04 | 3/5/2024 | L1713039 | 15.1 | <1.00 | 9.63 | 23.0 | <5.00 | 292 | 230 | - | - | - | - | - | |
| MW04 | 6/12/2024 | L1746760 | <10.0* | <10.0 | <10.0 | <30.0 | <10.0 | <10.0 | <10.0 | - | - | - | - | - | |
| MW04 | 9/12/2024 | L1777984 | 10.6 | <5.00 | 11.2 | 27.7 | <25.0 | 245 | 172 | - | - | - | - | - | |
| MW04 | 12/17/2024 | L1811364 | 6.08 | <5.00 | 7.17 | 16.8 | <25.0 | 260 | 235 | - | - | - | - | - | |
| MW04 | 3/18/2025 | L1838430 | 6.18 J | <10.0 | 7.23 J | 18.7 J | <50.0 | 240 | 178 | - | - | - | - | - | |
| MW04 | 6/18/2025 | L1871600 | 2.53 | <1.00 | 4.50 | 10.6 | 1.44 C3 J | 253 | 253 | - | - | - | - | - | |
| MW04 | 9/16/2025 | L1898968 | 16.5 | <10.0 | 11.000 | 23.7 J | <50.0 | 257 | 211 | - | - | - | - | - | |
| MW05 | 3/16/2021 | 2103245 | 9.4 | <1.0 | <1.0 | 6.7 | <1.0 | 2.8 | <1.0 | - | - | - | - | - | |
| MW05 | 3/19/2021 | 2103294 | - | - | - | - | - | - | - | 803 | 240 | 1,810 | <0.100 | 1.35 | |
| MW05 | 6/14/2021 | Y106317 | <4.0 | <4.0 | <4.0 | <4.0 | <16.0 | <4.0 | <4.0 | - | - | - | - | - | |
| MW05 | 9/14/2021 | Y109257 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | - | - | - | - | - | |
| MW05 | 12/8/2021 | Y112238 | 200 | <5 | <1 | <1 | <5 | <1 | <1 | - | - | - | - | - | |
| MW05 | 3/15/2022 | Y203382 | 3.08 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW05 | 6/16/2022 | Y206436 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW05 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | 3.16 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW05 | 12/1/2022 | Y212030 | 30.5 | <1.00 | 13.1 | 256 | <2.00 | 33.8 | 10.3 | - | - | - | - | - | |
| MW05 | 3/3/2023 | Y303124 | 18.8 | <1.00 | <1.00 | 30.9 | <2.00 | 4.61 | <2.00 | - | - | - | - | - | |
| MW05 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW05 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | 3.5 | <2.00 | 2.41 | <2.00 | - | - | - | - | - | |
| MW05 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW05 | 3/6/2024 | L1713039 | 20.5 | <1.00 | <1.00 | 9.2 | <5.00 | 2.59 | <1.00 | - | - | - | - | - | |
| MW05 | 6/12/2024 | L1746760 | 6.5 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW05 | 9/12/2024 | L1777984 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW05 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW05 | 3/18/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | 0.207 J | - | - | - | - | - | |
| MW05 | 6/18/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 C3 | <1.00 | <1.00 | - | - | - | - | - | |
| MW05 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW06 | 3/16/2021 | 2103245 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | 780 | 168 | 194 | - | - | |
| MW06 | 3/19/2021 | 2103294 | - | - | - | - | - | - | - | - | - | - | <0.100 | <0.200 | |
| MW06 | 6/14/2021 | Y106317 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | - | - | - | - | - | |
| MW06 | 9/14/2021 | Y109257 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | - | - | - | - | - | |
| MW06 | 12/8/2021 | Y112238 | <2 | <5 | <1 | <1 | <5 | <1 | <1 | - | - | - | - | - | |
| MW06 | 3/15/2022 | Y203382 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW06 | 6/16/2022 | Y206436 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW06 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW06 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW06 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW06 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW06 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW06 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW06 | 3/5/2024 | L1713039 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW06 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW06 | 9/12/2024 | L1777984 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW06 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW06 | 3/18/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW06 | 6/17/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 C3 | <1.00 | <1.00 | - | - | - | - | - | |
| MW06 | 9/16/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW07 | 4/12/2021 | Y104191 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | 652 | <62.5 | 85.1 | <0.02 | 0.0143 J | |
| MW07 | 6/14/2021 | Y106317 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | - | - | - | - | - | |
| MW07 | 9/14/2021 | Y109257 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | - | - | - | - | - | |
| MW07 | 12/8/2021 | Y112238 | <2 | <5 | <1 | <1 | <5 | <1 | <1 | - | - | - | - | - | |
| MW07 | 3/15/2022 | Y203382 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |

**TABLE 3
HISTORICAL GROUNDWATER AND SURFACE WATER ANALYTICAL RESULTS
DCP OPERATING CO, LP - MEWBOURN GAS PLANT
WELD COUNTY, COLORADO**

| Location Identification | Sample Date | Lab Report | Benzene (µg/l) | Toluene (µg/l) | Ethylbenzene (µg/l) | Total Xylenes (µg/l) | Naphthalene (µg/l) | 1,2,4-Trimethylbenzene (µg/l) | 1,3,5-Trimethylbenzene (µg/l) | Total Dissolved Solids (mg/l) | Chloride (mg/l) | Sulfate (mg/l) | Benzo(a)anthracene (µg/l) | Fluorene (µg/l) | Comments |
|--------------------------------------|-------------|------------|----------------|----------------|---------------------|----------------------|--------------------|-------------------------------|-------------------------------|-------------------------------|--|--|---------------------------|--------------------|----------|
| ECMC Standards (µg/L) ⁽¹⁾ | | | 5 | 560 | 700 | 1,400 | 140 | 67 | 67 | (<1.25 x local background) | (250 mg/l or <1.25 x local background) | (250 mg/l or <1.25 x local background) | 0.16 ⁽²⁾ | 280 ⁽²⁾ | |
| MW07 | 6/16/2022 | Y206436 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW07 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW07 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW07 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW07 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW07 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW07 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW07 | 3/6/2024 | L1713039 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW07 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW07 | 9/12/2024 | L1777984 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW07 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW07 | 3/18/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW07 | 6/18/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 C3 | <1.00 | <1.00 | - | - | - | - | - | |
| MW07 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW08 | 4/12/2021 | Y104191 | <4.0 | <4.0 | 154 | 1020 | <16.0 | 463 | 296 | 704 | 89.9 | <62.5 | <0.1 | 0.667 | |
| MW08 | 6/14/2021 | Y106317 | <1.0 | 3.26 | 142 | 876 | 13.0 | 548 | 331 | - | - | - | - | - | |
| MW08 | 9/14/2021 | Y109257 | <4.0 | <4.0 | 162 | 998 | <16.0 | 322 | 232 | - | - | - | - | - | |
| MW08 | 12/8/2021 | Y112238 | <5 | <10 | 15.9 | 408 | <25 | 193 | 162 | - | - | - | - | - | |
| MW08 | 3/15/2022 | Y203382 | <1.00 | 2.18 | 60.4 | 595 | 4.3 | 501 | 340 | - | - | - | - | - | |
| MW08 | 6/16/2022 | Y206436 | <1.00 | 2.43 | 8.49 | 445 | 6.43 | 265 | 275 | - | - | - | - | - | |
| MW08 | 9/8/2022 | Y209151 | <1.00 | 1.83 | 72.5 | 360 | 4.85 | 268 | 220 | - | - | - | - | - | |
| MW08 | 12/1/2022 | Y212030 | <1.00 | <1.00 | 54.7 | 298 | 4.77 | 251 | 190 | - | - | - | - | - | |
| MW08 | 3/3/2023 | Y303124 | 6.13 | <1.00 | 26.8 | 495 | 8.77 | 536 | 409 | - | - | - | - | - | |
| MW08 | 6/6/2023 | Y306158 | <1.00 | <1.00 | 15.4 | 102 | 3.05 | 118 | 151 | - | - | - | - | - | |
| MW08 | 9/8/2023 | Y309163 | <1.00 | 2.6 | 43.2 | 280 | 6.97 | 411 | 299 | - | - | - | - | - | |
| MW08 | 12/12/2023 | Y312412 | <10.0 | 4.24 | 62.5 | 324 | 3.47 | 397 | 281 | - | - | - | - | - | |
| MW08 | 3/6/2024 | L1713039 | 2.69 | <1.00 | 46.5 | 253 | 6.78 | 482 | 361 | - | - | - | - | - | |
| MW08 | 6/12/2024 | L1746760 | <20.0* | <20.0 | <20.0 | 137 | <100 | 281 | 225 | - | - | - | - | - | |
| MW08 | 9/12/2024 | L1777984 | <5.00 | 2.47 J | 28.7 | 149 | <25.0 | 385 | 250 | - | - | - | - | - | |
| MW08 | 12/17/2024 | L1811364 | <5.00 | <5.00 | 34.9 | 175 | <25.0 | 412 | 312 | - | - | - | - | - | |
| MW08 | 3/18/2025 | L1838430 | <20.0* | <20.0 | 16.7 J | 80.5 | <100 | 272 | 179 | - | - | - | - | - | |
| MW08 | 6/18/2025 | L1871600 | <1.00 | 1.35 | 19.4 | 132 | 7.06 C3 | 711 | 548 | - | - | - | - | - | |
| MW08 | 9/16/2025 | L1898968 | <20.0 | <20.0 | 32.3 | 124 | <100 | 214 | 107 | - | - | - | - | - | |
| MW09 | 4/12/2021 | Y104191 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | 520 | <62.5 | <62.5 | <0.02 | 0.0115 J | |
| MW09 | 6/14/2021 | Y106317 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | - | - | - | - | - | |
| MW09 | 9/14/2021 | Y109257 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | - | - | - | - | - | |
| MW09 | 12/8/2021 | Y112238 | <2 | <5 | <1 | <1 | <5 | <1 | <1 | - | - | - | - | - | |
| MW09 | 3/15/2022 | Y203382 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW09 | 6/16/2022 | Y206436 | <1.00 | <1.00 | <1.00 | 1.44 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW09 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW09 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW09 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW09 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW09 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW09 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW09 | 3/5/2024 | L1713039 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW09 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW09 | 9/12/2024 | L1777984 | <1.00 T8 | <1.00 T8 | <1.00 T8 | <3.00 T8 | <5.00 T8 | <1.00 T8 | <1.00 T8 | - | - | - | - | - | |
| MW09 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW09 | 3/19/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | 0.104 J | - | - | - | - | - | |
| MW09 | 6/18/2025 | L1871600 | <1.00 | <1.00 | <1.00 | 0.338 J | <5.00 C3 | <1.00 | <1.00 | - | - | - | - | - | |
| MW09 | 9/16/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW10 | 9/14/2021 | Y109257 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | - | - | - | - | - | |
| MW10 | 12/8/2021 | Y112238 | <2 | <5 | <1 | <1 | <5 | <1 | <1 | - | - | - | - | - | |
| MW10 | 3/15/2022 | Y203382 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW10 | 6/16/2022 | Y206436 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW10 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW10 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW10 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW10 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW10 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW10 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW10 | 3/6/2024 | L1713039 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |

**TABLE 3
HISTORICAL GROUNDWATER AND SURFACE WATER ANALYTICAL RESULTS
DCP OPERATING CO, LP - MEWBOURN GAS PLANT
WELD COUNTY, COLORADO**

| Location Identification | Sample Date | Lab Report | Benzene (µg/l) | Toluene (µg/l) | Ethylbenzene (µg/l) | Total Xylenes (µg/l) | Naphthalene (µg/l) | 1,2,4-Trimethylbenzene (µg/l) | 1,3,5-Trimethylbenzene (µg/l) | Total Dissolved Solids (mg/l) | Chloride (mg/l) | Sulfate (mg/l) | Benzo(a)anthracene (µg/l) | Fluorene (µg/l) | Comments |
|--------------------------------------|-------------|------------|----------------|----------------|---------------------|----------------------|--------------------|-------------------------------|-------------------------------|-------------------------------|--|--|---------------------------|--------------------|------------------------------------|
| ECMC Standards (µg/L) ⁽¹⁾ | | | 5 | 560 | 700 | 1,400 | 140 | 67 | 67 | (<1.25 x local background) | (250 mg/l or <1.25 x local background) | (250 mg/l or <1.25 x local background) | 0.16 ⁽²⁾ | 280 ⁽²⁾ | |
| MW10 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW10 | 9/12/2024 | L1777984 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW10 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW10 | 3/18/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW10 | 6/18/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW10 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW11 | 9/14/2021 | Y109257 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | - | - | - | - | - | |
| MW11 | 12/8/2021 | Y112238 | <2 | <5 | <1 | <1 | <5 | <1 | <1 | - | - | - | - | - | |
| MW11 | 3/15/2022 | Y203382 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW11 | 6/16/2022 | Y206436 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW11 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW11 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW11 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW11 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW11 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW11 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW11 | 3/6/2024 | L1713039 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW11 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW11 | 9/12/2024 | L1777984 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW11 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW11 | 3/18/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW11 | 6/18/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW11 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW12 | 12/8/2021 | Y112238 | 14,300 | <100 | 566 | 6,940 | <250* | 388 | 251 | - | - | - | - | - | |
| MW12 | 3/15/2022 | Y203382 | 15,700 | 1.53 | 383 | 9,410 | 56.2 | 661 | 366 | - | - | - | - | - | |
| MW12 | 6/16/2022 | Y206436 | 11,300 | <1.00 | 28.4 | 4.12 | <2.00 | 227 | 293 | - | - | - | - | - | |
| MW12 | 9/8/2022 | Y209151 | 13,900 | 1.30 | 47.6 | 8,300 | 36.8 | 449 | 318 | - | - | - | - | - | |
| MW12 | 12/1/2022 | Y212030 | 15,200 | 2.02 | 402 | 8,340 | 48.9 | 667 | 405 | - | - | - | - | - | |
| MW12 | 3/3/2023 | Y303124 | 11,400 | <1.00 | <1.00 | 7,310 | 22.2 | 401 | 286 | - | - | - | - | - | |
| MW12 | 6/6/2023 | Y306158 | 11,700 | <1.00 | 394 | 6,240 | 44.6 | <2.00 | 228 | - | - | - | - | - | |
| MW12 | 9/8/2023 | Y309163 | 19,600 | 1.63 | 584 | 11,900 | 84.3 | 466 | 278 | - | - | - | - | - | |
| MW12 | 12/12/2023 | Y312412 | 8,350 | <1.00 | 711 | 5,450 | 73.4 | 630 | 361 | - | - | - | - | - | |
| MW12 | 3/5/2024 | L1713039 | 19,000 | <100 | 710 | 9,960 | <500* | 568 | 352 | - | - | - | - | - | |
| MW12 | 6/12/2024 | L1746760 | 11,100 | <100 | <100 | 8,620 | <500* | 522 | 323 | - | - | - | - | - | |
| MW12 | 9/12/2024 | L1777984 | 17,900 T8 | <50.0 | 573 | 8,040 | <250* | 531 | 317 | - | - | - | - | - | |
| MW12 | 12/17/2024 | L1811364 | 13,100 E | <50.0 | 718 | 8,630 | <250* | 697 | 442 | - | - | - | - | - | |
| MW12 | 12/17/2024 | L1811364 | 15,500 Q | - | - | - | - | - | - | - | - | - | - | - | See Qualifier definitions in notes |
| MW12 | 3/19/2025 | L1838430 | 16,000 | <100 | 604 | 8,750 | <500* | 666 | 388 | - | - | - | - | - | |
| MW12 | 6/18/2025 | L1871600 | 1,490 | <100 | 67.8 J | 957 | <500* | 53.0 J | 37.2 J | - | - | - | - | - | |
| MW12 | 9/16/2025 | L1898968 | 34,100 | <1000 | 1,320 | 19,300 | <5000 | 1,060 | 652 | - | - | - | - | - | |
| MW13 | 12/8/2021 | Y112238 | 690 | <5 | 72.3 | 52.8 | <5 | 8.56 | 12.4 | - | - | - | - | - | |
| MW13 | 3/15/2022 | Y203382 | <1.00 | <1.00 | 6.23 | 63.9 | <2.00 | 13.4 | 15.3 | - | - | - | - | - | |
| MW13 | 6/16/2022 | Y206436 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW13 | 9/8/2022 | Y209151 | 14.5 | <1.00 | 16.1 | 34.8 | <2.00 | 13.7 | 23.0 | - | - | - | - | - | |
| MW13 | 12/1/2022 | Y212030 | <1.00 | <1.00 | 5.28 | 33.1 | <2.00 | 17.0 | 35.2 | - | - | - | - | - | |
| MW13 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW13 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW13 | 9/7/2023 | Y309163 | 3,230 | <1.00 | 91.6 | 151 | 4.54 | 177 | <2.00 | - | - | - | - | - | |
| MW13 | 12/12/2023 | Y312412 | 1,410 | <1.00 | 78.1 | 20.0 | 3.60 | 68.7 | 55.0 | - | - | - | - | - | |
| MW13 | 3/5/2024 | L1713039 | 841 | <1.00 | 15.1 | 4.20 | <5.00 | 18.7 | 14.7 | - | - | - | - | - | |
| MW13 | 6/12/2024 | L1746760 | 88.7 | <5.00 | <5.00 | <15.0 | <25.0 | <5.00 | <5.00 | - | - | - | - | - | |
| MW13 | 9/12/2024 | L1777984 | 835 T8 | <1.00 | 36.9 | 12.1 | <5.00 | 23.5 | 18.0 | - | - | - | - | - | |
| MW13 | 12/17/2024 | L1811364 | 404 | <250 | <250 | <750 | <1250* | <250* | <250* | - | - | - | - | - | |
| MW13 | 12/17/2024 | L1811364 | 194 Q | <20.0 Q | <20.0 Q | <60.0 Q | <100 Q | <20.0 Q | <20.0 Q | - | - | - | - | - | See Qualifier definitions in notes |
| MW13 | 3/19/2025 | L1838430 | 102 | <1.00 | 2.77 | <3.00 | <5.00 | 3.40 | 0.120 J | - | - | - | - | - | |
| MW13 | 6/18/2025 | L1871600 | 0.314 J | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW13 | 9/16/2025 | L1898968 | 149 | <5.00 | 17.5 | <15.0 | <25.0 | 11.8 | 2.78 J | - | - | - | - | - | |
| MW14 | 12/8/2021 | Y112238 | <2 | <5 | 1.01 | 5.43 | <5 | 1.4 | 0.62 | - | - | - | - | - | |
| MW14 | 3/15/2022 | Y203383 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW14 | 6/16/2022 | Y206435 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW14 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW14 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW14 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |

**TABLE 3
HISTORICAL GROUNDWATER AND SURFACE WATER ANALYTICAL RESULTS
DCP OPERATING CO, LP - MEWBOURN GAS PLANT
WELD COUNTY, COLORADO**

| Location Identification | Sample Date | Lab Report | Benzene (µg/l) | Toluene (µg/l) | Ethylbenzene (µg/l) | Total Xylenes (µg/l) | Naphthalene (µg/l) | 1,2,4-Trimethylbenzene (µg/l) | 1,3,5-Trimethylbenzene (µg/l) | Total Dissolved Solids (mg/l) | Chloride (mg/l) | Sulfate (mg/l) | Benzo(a)anthracene (µg/l) | Fluorene (µg/l) | Comments |
|--------------------------------------|-------------|------------|----------------|----------------|---------------------|----------------------|--------------------|-------------------------------|-------------------------------|-------------------------------|--|--|---------------------------|--------------------|----------|
| ECMC Standards (µg/L) ⁽¹⁾ | | | 5 | 560 | 700 | 1,400 | 140 | 67 | 67 | (<1.25 x local background) | (250 mg/l or <1.25 x local background) | (250 mg/l or <1.25 x local background) | 0.16 ⁽²⁾ | 280 ⁽²⁾ | |
| MW14 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW14 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW14 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW14 | 3/5/2024 | L1713039 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW14 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW14 | 9/12/2024 | L1777984 | <1.00 T8 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW14 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW14 | 3/18/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW14 | 6/17/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW14 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| Surface Water-01 | 3/19/2021 | 2103294 | <1.0 | <1.0 | <1.0 | <2.0 | <1.0 | <1.0 | <1.0 | - | - | - | <1.0 | <2.0 | |
| MW15 | 6/16/2022 | Y206435 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW15 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | 2.21 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW15 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW15 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW15 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW15 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW15 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW15 | 3/5/2024 | L1713039 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW15 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW15 | 9/12/2024 | L1777984 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW15 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW15 | 3/18/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW15 | 6/18/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW15 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW16 | 6/16/2022 | Y206435 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW16 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | 1.33 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW16 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW16 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW16 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW16 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW16 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW16 | 3/5/2024 | L1713039 | 11.8 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW16 | 6/12/2024 | L1746760 | 100.0 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW16 | 9/12/2024 | L1777984 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW16 | 12/17/2024 | L1811364 | 1.02 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW16 | 3/18/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW16 | 6/18/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW16 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW17 | 6/16/2022 | Y206436 | 1.82 | <1.00 | <1.00 | 2.29 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW17 | 9/8/2022 | Y209151 | <1.00 | <1.00 | <1.00 | 2.86 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW17 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW17 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW17 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW17 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW17 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW17 | 3/5/2024 | L1713039 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW17 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW17 | 9/12/2024 | L1777984 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW17 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW17 | 3/19/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW17 | 6/17/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW17 | 9/16/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW18 | 6/16/2022 | Y206436 | 35.7 | <1.00 | 114 | 20.2 | <2.00 | 185 | 164 | - | - | - | - | - | |
| MW18 | 9/8/2022 | Y209151 | 34.4 | 5.47 | 1,940 | 2,620 | 2.89 | 179 | 147 | - | - | - | - | - | |
| MW18 | 12/1/2022 | Y212030 | 42.5 | <1.00 | 218 | 1,860 | 2.22 | 158 | 187 | - | - | - | - | - | |
| MW18 | 3/3/2023 | Y303124 | 38.8 | 6.30 | 155 | 1,740 | <2.00 | 153 | 124 | - | - | - | - | - | |
| MW18 | 6/6/2023 | Y306158 | 19.3 | <1.00 | 130 | 1,120 | <2.00 | 84.5 | 62.9 | - | - | - | - | - | |
| MW18 | 9/8/2023 | Y309163 | 28.3 | <1.00 | 356 | 3,680 | 6.55 | 223 | 144 | - | - | - | - | - | |
| MW18 | 12/12/2023 | Y312412 | 36.6 | <1.00 | 324 | 3,190 | 7.56 | 312 | 194 | - | - | - | - | - | |
| MW18 | 3/5/2024 | L1713039 | 29.5 | <1.00 | 373 | 3,500 | 7.41 | 305 | 212 | - | - | - | - | - | |
| MW18 | 6/12/2024 | L1746760 | <20.0* | <20.0 | 236 | 2,530 | <100 | 304 | 194 | - | - | - | - | - | |

**TABLE 3
HISTORICAL GROUNDWATER AND SURFACE WATER ANALYTICAL RESULTS
DCP OPERATING CO, LP - MEWBOURN GAS PLANT
WELD COUNTY, COLORADO**

| Location Identification | Sample Date | Lab Report | Benzene (µg/l) | Toluene (µg/l) | Ethylbenzene (µg/l) | Total Xylenes (µg/l) | Naphthalene (µg/l) | 1,2,4-Trimethylbenzene (µg/l) | 1,3,5-Trimethylbenzene (µg/l) | Total Dissolved Solids (mg/l) | Chloride (mg/l) | Sulfate (mg/l) | Benzo(a)anthracene (µg/l) | Fluorene (µg/l) | Comments |
|--------------------------------------|-------------|------------|----------------|----------------|---------------------|----------------------|--------------------|-------------------------------|-------------------------------|-------------------------------|--|--|---------------------------|--------------------|----------------------|
| ECMC Standards (µg/L) ⁽¹⁾ | | | 5 | 560 | 700 | 1,400 | 140 | 67 | 67 | (<1.25 x local background) | (250 mg/l or <1.25 x local background) | (250 mg/l or <1.25 x local background) | 0.16 ⁽²⁾ | 280 ⁽²⁾ | |
| MW18 | 9/12/2024 | L1777984 | 49.2 | <20.0 | 323 | 3,190 | <100 | 269 | 184 | - | - | - | - | - | |
| MW18 | 12/17/2024 | L1811364 | 746 | <20.0 | 531 | 5,820 | <100 | 387 | 298 | - | - | - | - | - | |
| MW18 | 3/19/2025 | L1838430 | 1,790 | 85.5 | 373 | 3,720 | <50.0 | 305 | 220 | - | - | - | - | - | |
| MW18 | 6/18/2025 | L1871600 | 799 | 41.7 | 187 | 3,220 | 6.98 | 244 | 167 | - | - | - | - | - | |
| MW18 | 9/16/2025 | L1898968 | 272 | <100 | 243 | 2,450 | <500 | 213 | 166 | - | - | - | - | - | |
| MW19 | 12/1/2022 | Y212030 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW19 | 3/3/2023 | Y303124 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW19 | 6/6/2023 | Y306158 | <1.00 | <1.00 | 1.43 | 1.48 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW19 | 9/7/2023 | Y309163 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW19 | 12/12/2023 | Y312412 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW19 | 3/5/2024 | L1713039 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW19 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW19 | 9/12/2024 | L1777984 | NS | NS | NS | NS | NS | NS | NS | - | - | - | - | - | Unable to be located |
| MW19 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW19 | 3/19/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW19 | 6/17/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW19 | 9/16/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW20 | 12/1/2022 | Y212030 | 9.88 | 10.7 | 2.38 | 28.6 | 10.9 | 11.3 | <2.00 | - | - | - | - | - | |
| MW20 | 3/3/2023 | Y303124 | 8.08 | 7.50 | <1.00 | 12.9 | 4.89 | 6.70 | <2.00 | - | - | - | - | - | |
| MW20 | 6/6/2023 | Y306158 | <1.00 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW20 | 9/7/2023 | Y309163 | 2.20 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW20 | 12/12/2023 | Y312412 | 2.56 | <1.00 | <1.00 | <1.00 | <2.00 | <2.00 | <2.00 | - | - | - | - | - | |
| MW20 | 3/5/2024 | L1713039 | 2.69 | <1.00 | <1.00 | <3.00 | <5.00 | 1.70 | <1.00 | - | - | - | - | - | |
| MW20 | 6/12/2024 | L1746760 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW20 | 9/12/2024 | L1777984 | 1.04 | <1.00 | 0.252 J | 0.249 J | <5.00 | 0.665 J | <1.00 | - | - | - | - | - | |
| MW20 | 12/17/2024 | L1811364 | 1.46 | <1.00 | <1.00 | <3.00 | <5.00 | 1.08 | <1.00 | - | - | - | - | - | |
| MW20 | 3/19/2025 | L1838430 | 1.73 | <1.00 | 0.221 J | 0.439 J | <5.00 | 1.14 | <1.00 | - | - | - | - | - | |
| MW20 | 6/17/2025 | L1871600 | 0.493 J | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW20 | 9/16/2025 | L1898968 | 0.669 J | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |
| MW21 | 9/12/2024 | L1777984 | 0.268 J | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW21 | 12/17/2024 | L1811364 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW21 | 3/18/2025 | L1838430 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 C3 | <1.00 | <1.00 | - | - | - | - | - | |
| MW21 | 6/18/2025 | L1871600 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <1.00 | <1.00 | - | - | - | - | - | |
| MW21 | 9/15/2025 | L1898968 | <1.00 | <1.00 | <1.00 | <3.00 | <5.00 | <2.00 | <1.00 | - | - | - | - | - | |

Notes:

1). The environmental cleanup standards for groundwater that are applicable to this site are the Colorado Energy and Carbon Management Commission (ECMC) standards for contaminants in groundwater according to Table 915-1 of the ECMC 900 Series Rule for E&P Waste Management.

2). Standards are taken from the Colorado Department of Public Health and Environment - Water Quality Control Commission, 5 CCR 1002-41, Table A - Groundwater Organic Chemical Standards.

Bold red values indicate an exceedance of the ECMC groundwater standards for the Site.

µg/L = micrograms per liter.

mg/L = milligrams per liter.

*Compound falls within ECMC Table 915-1 Footnote 9.

J - The identification of the analyte is acceptable; the reported value is an estimate

T8 - Sample received past/too close to holding time expiration

E - The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).

Q - Sample was prepared and/or analyzed past holding time as defined in the method. Concentrations should be considered minimum values.

C3 = The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.