

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 404398794			
Date Received:			

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: 47120 Contact Name Greg Hamilton
 Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP Phone: (970) 515-1698
 Address: P O BOX 173779 Fax: ()
 City: DENVER State: CO Zip: 80217-3779 Email: Gregory_hamilton@oxy.com

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION
 API Number : 05- 123 00 ID Number: 319170
 Name: GOBBLER TANK BATTERY Number: 15S-27HZZ
 Location QtrQtr: SESE Section: 22 Township: 2N Range: 66W Meridian: 6
 County: WELD Field Name: WATTENBERG

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
319170	GOBBLER TANK BATTERY 15S-27HZZ

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

- Change of Location for Well * As-Built GPS Location Report As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude _____ Longitude _____
 GPS Quality Value: _____ Type of GPS Quality Value: _____ Measurement Date: _____
 Well Ground Elevation: _____ feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: _____ (Vertical, Directional, Horizontal)

Change of **Surface Footage From:**

FNL/FSL		FEL/FWL	
655	FSL	1286	FEL

Change of **Surface Footage To:**

Current **Surface Location From** QtrQtr SESE Sec 22 Twp 2N Range 66W Meridian 6
 New **Surface Location To** QtrQtr Sec Twp Range Meridian

Change of **Top of Productive Zone** Footage **From:**

Change of **Top of Productive Zone** Footage **To:**

**

Current **Top of Productive Zone** Location

Sec

Twp

Range

New **Top of Productive Zone** Location

Sec

Twp

Range

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

**

Current **Bottomhole** Location

Sec

Twp

Range

** attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

- Building: _____ Feet
- Building Unit: _____ Feet
- Public Road: _____ Feet
- Above Ground Utility: _____ Feet
- Railroad: _____ Feet
- Property Line: _____ Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? _____

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: _____ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

LOCATION CHANGE COMMENTS

OTHER

RULE 502 VARIANCE

Order Number: _____

Description:

REMOVE FROM SURFACE BOND **Signed surface use agreement is a required attachment**

CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD

From: Name GOBBLER TANK BATTERY Number 15S-27HZZ Effective Date: _____

To: Name _____ Number _____

ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.

WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number _____ has not been drilled.

PIT: Abandon Earthen Pit Permit (Form 15) – ECMC Pit Facility ID Number _____ has not been constructed (Permitted and constructed pit requires closure per Rule 911)

CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number _____ has not been constructed (Constructed facility requires closure per Rule 907)

OIL & GAS LOCATION ID Number: _____

Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.

REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))

DIGITAL WELL LOG UPLOAD

DOCUMENTS SUBMITTED Purpose of Submission: Installation of Permanent 15 Horsepower Instrument Air Compressor

COMPLIANCE with CONDITION OF APPROVAL (COA) on Form NO: _____ Document Number: _____

RECLAMATION

INTERIM RECLAMATION

Interim Reclamation will commence approximately _____

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

Field inspection will be conducted to document Rule 1003.e. compliance

FINAL RECLAMATION

Final Reclamation will commence approximately _____

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

Field inspection will be conducted to document Rule 1004.c. compliance

Route to the Area Reclamation Specialist

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf estimated measured

Total duration of emission event: _____ hours consecutive cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

H2S REPORTING

Intentional release of H2S gas due to Upset Condition or malfunction.

Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million)

Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells	1	Oil Tanks	_____	Condensate Tanks	1	Water Tanks	_____	Buried Produced Water Vaults	1
Drilling Pits	_____	Production Pits	_____	Special Purpose Pits	_____	Multi-Well Pits	_____	Modular Large Volume Tank	_____
Pump Jacks	_____	Separators	6	Injection Pumps	_____	Heater-Treaters	_____	Gas Compressors	_____
Gas or Diesel Motors	_____	Electric Motors	_____	Electric Generators	_____	Fuel Tanks	_____	LACT Unit	1
Dehydrator Units	_____	Vapor Recovery Unit	1	VOC Combustor	_____	Flare	_____	Enclosed Combustion Devices	1
Meter/Sales Building	2	Pigging Station	_____	Vapor Recovery Towers	1				

OTHER PERMANENT EQUIPMENT UPDATES

Permanent Equipment Type	Number
Heat Exchanger	1
Fuel Gas Scrubber/Knockout Pot	1
15 Horsepower Air Compressor	1
MCC Building/E-House	1

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- | | |
|--|--|
| <input type="checkbox"/> Add Oil and Gas Location(s) | <input type="checkbox"/> Add Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Amend Oil and Gas Location(s) | <input type="checkbox"/> Amend Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Remove Oil and Gas Location(s) | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other | |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

Operator Best Management Practices

No BMP/COA Type

Description

--	--

Operator Comments:

KMOG is requesting approval to install a permanent 15hp instrument air compressor skid on the Gobbler Tank Battery 15S-27HZZ (location 319170). This installation will reduce emissions and the environmental impact of the facility by providing instrument air, instead of natural gas, to operate pneumatically controlled valves.

The instrument air skid installed at this location will provide instrument air to operate the facility equipment for the following wells: Turkey 16N-27HZ, Gobbler 36N-27HZ, Gobbler 37C-27HZ, and Gobbler 37N-27HZ (location 431703), and Gobbler 14C-27HZ, and Gobbler 35N-27HZ (location 431704).

Additionally, KMOG is requesting approval to install three small permanent micro instrument air skids, housed in a cabinet measuring approximately 3'x5' on the Gobbler 15N-27HZ well pad (location 431703). The air skids will provide instrument air, replacing natural gas, to operate the pneumatically controlled wellhead equipment for the following wells: Turkey 16N-27HZ, Gobbler 36N-27HZ, Gobbler 37C-27HZ, and Gobbler 37N-27HZ.

KMOG is also requesting approval to install a small permanent micro instrument air skid, housed in a cabinet measuring approximately 3'x5' on the Gobbler 35C-27HZ well pad (location 431704). The air skid will provide instrument air, replacing natural gas, to operate the pneumatically controlled wellhead equipment for the following wells: Gobbler 14C-27HZ and Gobbler 35N-27HZ.

This equipment is not expected to result in additional traffic, light, or noise impacts to surrounding stakeholders.

Please see attachments for details.

KMOG plans to install the new equipment on November 24, 2025.

Related Instrument Air Skid Sundries:
Gobbler Tank Battery 15S-27HZZ – Sundry 404398794

Related Micro Air Skid Sundries:
Gobbler 15N-27HZ – Sundry 404398799
Gobbler 35C-27HZ – Sundry 404398803

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Greg q Hamilton
Title: Sr Regulatory Consultant Email: Gregory_hamilton@oxy.com Date: _____

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

<u>COA Type</u>	<u>Description</u>
0 COA	

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
OGLA	RTD 11/6/25 to correct well count/esnure equipment counts are correct.	11/06/2025

Total: 1 comment(s)

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
404399540	AERIAL PHOTOGRAPH

Total Attach: 1 Files