

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>404375051</u>			
Date Received: <u>10/01/2025</u>			

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>96850</u>	Contact Name <u>Jonathan Humphreys</u>
Name of Operator: <u>TEP ROCKY MOUNTAIN LLC</u>	Phone: <u>(573) 460-0068</u>
Address: <u>1058 COUNTY ROAD 215</u>	Fax: <u>()</u>
City: <u>PARACHUTE</u> State: <u>CO</u> Zip: <u>81635</u>	Email: <u>jonathan.Humphreys@flywheelenergy.com</u>

FORM 4 SUBMITTED FOR:

Facility Type: WELL
 API Number : 05- 045 07510 00 ID Number: 257034
 Name: YOUBERG Number: RU 21-7
 Location QtrQtr: NENW Section: 7 Township: 7S Range: 93W Meridian: 6
 County: GARFIELD Field Name: RULISON

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
324099	YOUBERG-67S93W 7NENW

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

- Change of Location for Well * As-Built GPS Location Report As-Built GPS Location Report with Survey

* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude _____ Longitude _____
 GPS Quality Value: _____ Type of GPS Quality Value: _____ Measurement Date: _____
 Well Ground Elevation: _____ feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: _____ (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From**:

Change of **Surface** Footage **To**:

Current Surface Location From	QtrQtr <u>NENW</u>	Sec <u>7</u>	Twp <u>7S</u>	Range <u>93W</u>	Meridian <u>6</u>
New Surface Location To	QtrQtr <u> </u>	Sec <u> </u>	Twp <u> </u>	Range <u> </u>	Meridian <u> </u>

FNL/FSL		FEL/FWL	
<u>631</u>	<u>FNL</u>	<u>1768</u>	<u>FWL</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>

Change of **Top of Productive Zone** Footage **From:**

Change of **Top of Productive Zone** Footage **To:**

**

Current **Top of Productive Zone** Location

Sec

Twp

Range

New **Top of Productive Zone** Location

Sec

Twp

Range

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

**

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

**

Current **Bottomhole** Location

Sec

Twp

Range

** attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

- Building: _____ Feet
- Building Unit: _____ Feet
- Public Road: _____ Feet
- Above Ground Utility: _____ Feet
- Railroad: _____ Feet
- Property Line: _____ Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? _____

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: _____ Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

LOCATION CHANGE COMMENTS

CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	Add	Modify	No Change	Delete
WILLIAMS FORK	WMFK						X	

OTHER

RULE 502 VARIANCE

Order Number: _____

Description:

REMOVE FROM SURFACE BOND **Signed surface use agreement is a required attachment**

CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD

From: Name YOUBERG Number RU 21-7 Effective Date: _____
 To: Name _____ Number _____

ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.

- WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number _____ has not been drilled.
- PIT: Abandon Earthen Pit Permit (Form 15) – ECMC Pit Facility ID Number _____ has not been constructed (Permitted and constructed pit requires closure per Rule 911)
- CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number _____ has not been constructed (Constructed facility requires closure per Rule 907)

OIL & GAS LOCATION ID Number: _____

- Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.
- Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.

REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))

DIGITAL WELL LOG UPLOAD

DOCUMENTS SUBMITTED Purpose of Submission: _____

COMPLIANCE with CONDITION OF APPROVAL (COA) on Form NO: _____ Document Number: _____

RECLAMATION

INTERIM RECLAMATION

- Interim Reclamation will commence approximately _____
 Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.
- Interim reclamation complete, site ready for inspection.
 Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

Field inspection will be conducted to document Rule 1003.e. compliance

FINAL RECLAMATION

- Final Reclamation will commence approximately _____
 Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

Field inspection will be conducted to document Rule 1004.c. compliance

Route to the Area Reclamation Specialist

Comments:

ENGINEERING AND ENVIRONMENTAL WORK

REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned _____

Has Production Equipment been removed from site? _____

Mechanical Integrity Test (MIT) required. Date of last MIT _____

TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT/REQUEST FOR APPROVAL Approximate Start Date _____

SUBSEQUENT REPORT Date of Activity 09/30/2025

<input checked="" type="checkbox"/> Bradenhead Plan	<input type="checkbox"/> Venting or Flaring (Rule 903)	<input type="checkbox"/> E&P Waste Mangement
<input type="checkbox"/> Change Drilling Plan	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Change		
<input type="checkbox"/> Underground Injection Control		
<input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)		
<input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.)		
<input type="checkbox"/> Other		

Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID _____ Pit Name _____

(No Sample Provided)

Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

TEP Rocky Mountain LLC (TEP) is reporting the results of recent diagnostic testing and requesting ECMC approval to connect the YOUBERG RU 21-7 bradenhead to a combustor. The diagnostic testing resulted from the bradenhead exceeding the ECMC BMA threshold pressure of 150 psi on August 4, 2025. The Form 17 reporting the results of the recent bradenhead test is included in the "Related Forms" section.

Per ECMC Operator Guidance, the following lines of evidence demonstrate conclusively that the YOUBERG RU 21-7 has both casing integrity and wellbore isolation:

- During the bradenhead test, the bradenhead pressure decreased to 0 psi in less than ten minutes with a de minimis volume of gas, while the production casing pressure remained flat or increased.
- Monthly pressure monitoring confirms that the bradenhead pressure and production casing pressure maintain a differential greater than 100 psi. The previous twelve months of monthly pressure monitoring data is included in the attachments.
- A review of the cement bond log for the subject well indicates cement coverage with an amplitude less than 10 mV up to or above 5,120 feet, which is at least 440 feet above the top of the Mesa Verde formation located at 5,561 feet and at least 2,000 feet above the top perforation located at 7,208 feet, therefore providing cement isolation of the producing zone from the production casing annulus.
- Analytical results of the production gas indicate a concentration of 1.5% Carbon Dioxide, and 86.1% Methane versus 0.02% Carbon Dioxide and 95.1% Methane in the bradenhead gas sample. The analytical results of the recent bradenhead and production gas samples have been submitted to the ECMC via a Form 43 404375038

TEP is requesting ECMC approval to connect the YOUBERG RU 21-7 bradenhead to a combustor and satisfy the ECMC required bradenhead Pressure Management Plan for this well. The sales line pressure for the subject well has averaged 158 psi for the previous year, preventing a sales line connection from maintaining bradenhead pressure below the ECMC BMA threshold pressure of 150 psi. The bradenhead connection to a combustor will effectively manage the bradenhead pressure and maintain consistent bradenhead pressure below the ECMC BMA threshold pressure of 150 psi.

GAS CAPTURE

VENTING AND FLARING:

Operation type: _____ Operational phase requiring venting/flaring: _____

Reason for venting/flaring: _____

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: _____ mcf estimated measured

Total duration of emission event: _____ hours consecutive cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: _____

GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

CASING PROGRAM

(No Casing Provided)

POTENTIAL FLOW AND CONFINING FORMATIONS

H2S REPORTING

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: _____ in ppm (parts per million)

Date of Measurement or Sample Collection _____

Description of Sample Point:

Absolute Open Flow Potential _____ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: _____

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: _____

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID _____ OGDP Name _____

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____	Vapor Recovery Towers _____		

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

[Empty text box for other location changes and updates]

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- Add Oil and Gas Location(s)
- Add Drilling and Spacing Unit(s)
- Amend Oil and Gas Location(s)
- Amend Drilling and Spacing Unit(s)
- Remove Oil and Gas Location(s)
- Remove Drilling and Spacing Unit(s)
- Oil and Gas Location attachment or plan updates
- Amend the lands subject to the OGDG
- Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

[Empty text box for detailed description of changes]

Operator Best Management Practices

No BMP/COA Type

Description

<u>No BMP/COA Type</u>	<u>Description</u>

Operator Comments:

[Empty text box for operator comments]

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Dasa Bryan

Title: Regulatory Admin Email: dasa.bryan@flywheelenergy.com Date: 10/1/2025

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: Katz, Aaron Date: 12/4/2025

CONDITIONS OF APPROVAL, IF ANY LIST

COA Type	Description
	<p>1. Operator will implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well operations do not constitute a nuisance or hazard to public welfare.</p> <p>2. Prior to starting bradenhead abatement, if a sample has not been collected within the last twenty four months collect bradenhead and production gas samples for laboratory analysis. Sampling will comply with Operator Guidance - Bradenhead Testing and Reporting Instructions, Appendix A: Liquid and Gas Sampling. Copies of all final laboratory analytical results will be provided to the ECMC within three months of collecting the samples.</p> <p>3. Bradenhead gas is not to be vented to atmosphere; any gas from the Bradenhead will be routed to the specified abatement system. Operator will implement measures to get an initial estimate of the gas flow rate and/or volume from the bradenhead. The abatement program may be used for six consecutive months.</p> <p>4. Operator will submit a Form 42 ("OTHER") stating that "bradenhead abatement program has started."</p> <p>5. At the conclusion of the six months (from installation of pressure mitigation system), conduct a new bradenhead test and submit the Form 17 within ten days of the test and submit a Form 4 Sundry that summarizes current well condition. The sundry should include details of the future plans, flow rate information, pressure data and a discussion of the sample analysis.</p> <p>6. At least one check valve is required for annular spaces that are tied to sales line or separator. Maintain equipment for pressure regulation and check valves in good working order.</p> <p>7. At least one valve is required to monitor pressure and sample flow from the bradenhead.</p> <p>8. Within 30 days of completing the work, submit a Form 4 Subsequent Report including a schematic of the bradenhead tie in</p>

1 COA

General Comments

User Group	Comment	Comment Date
Engineer	<p>Operator Comment on line pressure: The sales line pressure for the subject well has averaged 158 psi for the previous year, preventing a sales line connection from maintaining bradenhead pressure below the ECMC BMA threshold pressure of 150 psi.</p> <p>Sample Date: 09/19/2025</p> <p>Well is located in BHMA within 150 psi threshold pressure</p> <p>Pressure data attached</p> <p>See operator comments for sample analysis</p>	12/04/2025

Total: 1 comment(s)

ATTACHMENT LIST

Att Doc Num	Name
404375051	SUNDRY NOTICE APPROVED-OBJ
404375055	BRADENHEAD PLAN
404461218	FORM 4 SUBMITTED

Total Attach: 3 Files

