

Chevron - CO

Sample Delivery Group: L1865239
Samples Received: 06/03/2025
Project Number: 35512
Description: D.L. Phillips 24-24

Report To: CDH Team
2115 117th Avenue
Greeley, CO 80631








Entire Report Reviewed By:



Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

TABLE OF CONTENTS

Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
BKG01@6' L1865239-01	5	
BKG02@6' L1865239-02	6	
BKG03@6' L1865239-03	7	
Qc: Quality Control Summary	8	
Wet Chemistry by Method 7199	8	
Wet Chemistry by Method 9045D (S-1.10)	9	
Wet Chemistry by Method 9050AMod (S-1.20)	10	
Metals (ICP) by Method 6010B-NE493 Ch 2	11	
Metals (ICPMS) by Method 6020B	12	
Gl: Glossary of Terms	13	
Al: Accreditations & Locations	14	
Sc: Sample Chain of Custody	15	

SAMPLE SUMMARY

BKG01@6' L1865239-01

Collected by: Jack Willey
 Collected date/time: 06/02/25 14:10
 Received date/time: 06/03/25 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2532751	1	06/09/25 12:49	06/09/25 12:49	MAP	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2531524	1	06/09/25 20:46	06/13/25 10:12	EKB	Mt. Juliet, TN
Wet Chemistry by Method 9045D (S-1.10)	WG2580552	1	06/09/25 06:59	06/09/25 07:44	JDG	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod (S-1.20)	WG2580553	1	06/09/25 07:26	06/10/25 13:36	JDG	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2532756	1	06/10/25 01:24	06/10/25 09:59	RLS	Mt. Juliet, TN
Metals (ICPMS) by Method 6020B	WG2533070	5	06/08/25 22:31	06/17/25 18:21	UNP	Mt. Juliet, TN

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

BKG02@6' L1865239-02

Collected by: Jack Willey
 Collected date/time: 06/02/25 14:25
 Received date/time: 06/03/25 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2532751	1	06/09/25 12:51	06/09/25 12:51	MAP	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2531524	1	06/09/25 20:46	06/13/25 10:21	EKB	Mt. Juliet, TN
Wet Chemistry by Method 9045D (S-1.10)	WG2580552	1	06/09/25 06:59	06/09/25 07:44	JDG	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod (S-1.20)	WG2580553	1	06/09/25 07:26	06/10/25 13:36	JDG	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2532756	1	06/10/25 01:24	06/10/25 10:00	RLS	Mt. Juliet, TN
Metals (ICPMS) by Method 6020B	WG2533070	5	06/08/25 22:31	06/17/25 19:05	UNP	Mt. Juliet, TN
Metals (ICPMS) by Method 6020B	WG2533070	5	06/08/25 22:31	06/17/25 21:14	LD	Mt. Juliet, TN

BKG03@6' L1865239-03

Collected by: Jack Willey
 Collected date/time: 06/02/25 14:40
 Received date/time: 06/03/25 08:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Calculated Results	WG2532751	1	06/09/25 12:52	06/09/25 12:52	MAP	Mt. Juliet, TN
Wet Chemistry by Method 7199	WG2531524	1	06/09/25 20:46	06/13/25 10:30	EKB	Mt. Juliet, TN
Wet Chemistry by Method 9045D (S-1.10)	WG2580552	1	06/09/25 06:59	06/09/25 07:44	JDG	Mt. Juliet, TN
Wet Chemistry by Method 9050AMod (S-1.20)	WG2580553	1	06/09/25 07:26	06/10/25 13:36	JDG	Mt. Juliet, TN
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2532756	1	06/10/25 01:24	06/10/25 10:02	RLS	Mt. Juliet, TN
Metals (ICPMS) by Method 6020B	WG2533070	5	06/08/25 22:31	06/17/25 19:09	UNP	Mt. Juliet, TN

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward
Project Manager



Report Revision History

Level II Report - Version 1: 06/18/25 09:45
Level II Report - Version 2: 08/15/25 13:30

Project Narrative

Report reissued for ECMC encryption - CMW
Report reissued for additional Chevron request for ECMC encryption - CMW 12/5/25

Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	3.07		1	06/09/2025 12:49	WG2532751

Wet Chemistry by Method 7199

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		0.200	1	06/13/2025 10:12	WG2531524

Wet Chemistry by Method 9045D (S-1.10)

Analyte	Result su	Qualifier	Dilution	Analysis date / time	Batch
pH	9.15		1	06/09/2025 07:44	WG2580552

Sample Narrative:

L1865239-01 WG2580552: 9.15 at 22C

Wet Chemistry by Method 9050AMod (S-1.20)

Analyte	Result	Units	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	0.399	mmhos/cm		0.0100	1	06/10/2025 13:36	WG2580553

Sample Narrative:


L1865239-01 WG2580553: at 25C

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	0.386		0.200	1	06/10/2025 09:59	WG2532756

Metals (ICPMS) by Method 6020B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Arsenic	3.71		0.100	5	06/17/2025 18:21	WG2533070
Barium	96.8		10.0	5	06/17/2025 18:21	WG2533070
Cadmium	0.103		0.100	5	06/17/2025 18:21	WG2533070
Copper	ND		10.0	5	06/17/2025 18:21	WG2533070
Lead	ND		10.0	5	06/17/2025 18:21	WG2533070
Nickel	ND		10.0	5	06/17/2025 18:21	WG2533070
Selenium	0.299		0.100	5	06/17/2025 18:21	WG2533070
Silver	ND		0.500	5	06/17/2025 18:21	WG2533070
Zinc	ND		50.0	5	06/17/2025 18:21	WG2533070



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	3.55		1	06/09/2025 12:51	WG2532751

Wet Chemistry by Method 7199

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		0.200	1	06/13/2025 10:21	WG2531524

Wet Chemistry by Method 9045D (S-1.10)

Analyte	Result su	Qualifier	Dilution	Analysis date / time	Batch
pH	8.82		1	06/09/2025 07:44	WG2580552

Sample Narrative:

L1865239-02 WG2580552: 8.82 at 21.9C

Wet Chemistry by Method 9050AMod (S-1.20)

Analyte	Result	Units	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	0.425	mmhos/cm		0.0100	1	06/10/2025 13:36	WG2580553

Sample Narrative:


L1865239-02 WG2580553: at 25C

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	0.764		0.200	1	06/10/2025 10:00	WG2532756

Metals (ICPMS) by Method 6020B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Arsenic	5.93		0.100	5	06/17/2025 19:05	WG2533070
Barium	155		10.0	5	06/17/2025 19:05	WG2533070
Cadmium	0.257		0.100	5	06/17/2025 19:05	WG2533070
Copper	13.2		10.0	5	06/17/2025 19:05	WG2533070
Lead	11.6		10.0	5	06/17/2025 19:05	WG2533070
Nickel	18.4		10.0	5	06/17/2025 19:05	WG2533070
Selenium	0.628		0.100	5	06/17/2025 21:14	WG2533070
Silver	ND		0.500	5	06/17/2025 19:05	WG2533070
Zinc	57.8		50.0	5	06/17/2025 19:05	WG2533070



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	4.43		1	06/09/2025 12:52	WG2532751

Wet Chemistry by Method 7199

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		0.200	1	06/13/2025 10:30	WG2531524

Wet Chemistry by Method 9045D (S-1.10)

Analyte	Result su	Qualifier	Dilution	Analysis date / time	Batch
pH	8.80		1	06/09/2025 07:44	WG2580552

Sample Narrative:

L1865239-03 WG2580552: 8.8 at 22C

Wet Chemistry by Method 9050AMod (S-1.20)

Analyte	Result	Units	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	0.521	mmhos/cm		0.0100	1	06/10/2025 13:36	WG2580553

Sample Narrative:


L1865239-03 WG2580553: at 25C

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result mg/l	Qualifier	RDL mg/l	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	1.02		0.200	1	06/10/2025 10:02	WG2532756

Metals (ICPMS) by Method 6020B

Analyte	Result mg/kg	Qualifier	RDL mg/kg	Dilution	Analysis date / time	Batch
Arsenic	3.78		0.100	5	06/17/2025 19:09	WG2533070
Barium	115		10.0	5	06/17/2025 19:09	WG2533070
Cadmium	ND		0.100	5	06/17/2025 19:09	WG2533070
Copper	ND		10.0	5	06/17/2025 19:09	WG2533070
Lead	ND		10.0	5	06/17/2025 19:09	WG2533070
Nickel	ND		10.0	5	06/17/2025 19:09	WG2533070
Selenium	0.268		0.100	5	06/17/2025 19:09	WG2533070
Silver	ND		0.500	5	06/17/2025 19:09	WG2533070
Zinc	ND		50.0	5	06/17/2025 19:09	WG2533070



Method Blank (MB)

(MB) R4230146-1 06/13/25 09:36

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Hexavalent Chromium	U		0.200	0.200

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1865239-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1865239-03 06/13/25 10:30 • (DUP) R4230146-3 06/13/25 10:39

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Hexavalent Chromium	ND	ND	1	0.000		20

L1865397-15 Original Sample (OS) • Duplicate (DUP)

(OS) L1865397-15 06/13/25 13:12 • (DUP) R4230146-4 06/13/25 13:21

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Hexavalent Chromium	0.205	0.213	1	3.71		20

Laboratory Control Sample (LCS)

(LCS) R4230146-2 06/13/25 09:45

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Hexavalent Chromium	10.0	10.4	104	80.0-120	

L1867380-14 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1867380-14 06/13/25 13:39 • (MS) R4230146-5 06/13/25 13:48 • (MSD) R4230146-6 06/13/25 13:57

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Hexavalent Chromium	20.0	ND	21.3	19.5	106	97.3	1	75.0-125			8.94	20

L1867380-14 Original Sample (OS) • Matrix Spike (MS)

(OS) L1867380-14 06/13/25 13:39 • (MS) R4230146-7 06/13/25 14:06

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Hexavalent Chromium	651	ND	633	97.2	50	75.0-125	

Laboratory Control Sample (LCS)

(LCS) R4259127-1 06/09/25 07:44

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
pH	10.0	10.0	100	99.0-101	

Sample Narrative:

LCS: 10.01 at 22C

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4259129-1 06/10/25 13:36

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Specific Conductance	U		0.0100	0.0100

Sample Narrative:

BLANK: at 25C

L1865239-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1865239-01 06/10/25 13:36 • (DUP) R4259129-3 06/10/25 13:36

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Specific Conductance	0.399	0.400	1	0.250		20

Sample Narrative:

OS: at 25C

DUP: at 25C

Laboratory Control Sample (LCS)

(LCS) R4259129-2 06/10/25 13:36

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Specific Conductance	0.581	0.562	96.7	90.0-110	

Sample Narrative:

LCS: at 25C

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R4228138-1 06/10/25 09:52

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Hot Water Sol. Boron	U		0.0167	0.200

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4228138-2 06/10/25 09:54 • (LCSD) R4228138-3 06/10/25 09:55

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Hot Water Sol. Boron	1.00	1.08	1.01	108	101	80.0-120			6.91	20

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R4231871-1 06/17/25 17:52

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Arsenic	U		0.100	0.100
Barium	U		10.0	10.0
Cadmium	U		0.100	0.100
Copper	U		10.0	10.0
Lead	U		10.0	10.0
Nickel	U		10.0	10.0
Selenium	U		0.100	0.100
Silver	U		0.500	0.500
Zinc	U		50.0	50.0

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

Laboratory Control Sample (LCS)

(LCS) R4231871-2 06/17/25 17:55

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	100	103	103	80.0-120	
Barium	100	96.0	96.0	80.0-120	
Cadmium	100	106	106	80.0-120	
Copper	100	101	101	80.0-120	
Lead	100	105	105	80.0-120	
Nickel	100	110	110	80.0-120	
Selenium	100	104	104	80.0-120	
Silver	20.0	20.3	102	80.0-120	
Zinc	100	104	104	80.0-120	

⁷Gl

⁸Al

⁹Sc

L1866036-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1866036-07 06/17/25 17:58 • (MS) R4231871-5 06/17/25 18:08 • (MSD) R4231871-6 06/17/25 18:11

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	99.9	5.72	120	114	114	108	5	75.0-125			4.81	20
Barium	99.9	11.0	115	111	104	100	5	75.0-125			3.66	20
Cadmium	99.9	ND	115	113	115	113	5	75.0-125			2.13	20
Copper	99.9	27.6	141	132	113	104	5	75.0-125			6.53	20
Lead	99.9	ND	115	114	111	110	5	75.0-125			0.820	20
Nickel	99.9	ND	122	117	120	115	5	75.0-125			4.13	20
Selenium	99.9	0.848	116	113	115	113	5	75.0-125			1.80	20
Silver	20.0	ND	21.9	21.3	110	107	5	75.0-125			2.98	20
Zinc	99.9	ND	141	133	116	107	5	75.0-125	<u>J5</u>	<u>J5</u>	6.13	20

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
U (Radiochemistry)	Result + Error < MDA.
J (Radiochemistry)	Result < MDA; Result + Error > MDA.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
----	--

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Company Name/Address:
Chevron - CO
 2115 117th Avenue
 Greeley, CO 80631

Billing Information:
Dan Peterson
 2115 117th Avenue
 Greeley, CO 80631

Pres Chk																				
----------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Chain of Custody Page ___ of ___



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

Report to:
CDH Team 970-304-5000

Email To: **danpeterson@chevron.com; CVX-PM@cdhconsult.com; jason.davidson@chevron.**

Project Description:
P.L. Phillips 24-24

City/State Collected:

Please Circle:
 PT MT CT ET

Regulatory Program(DOD,RCRA,DW,etc):

Client Project #
35512

Lab Project #
CHEGCO-CDH

Collected by (print):
Jack Wilkey

Site/Facility ID #

P.O. #

Collected by (signature):
[Signature]
 Immediately Packed on Ice N ___ Y

Rush? (Lab MUST Be Notified)
 ___ Same Day ___ Five Day
 ___ Next Day ___ 5 Day (Rad Only)
 ___ Two Day ___ 10 Day (Rad Only)
 ___ Three Day STD TAT

Quote #
 Date Results Needed
 No. of Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Full TABLE915 4ozCir-NoPres	TABLE915BG 4ozCir-NoPres													
Bk601@6'	6'46	SS	6'	6/2/25	14:10	2	X														
Bk602@6'	6'46	SS	6'	↓	14:25	2	X														
Bk603@6'	6'46	SS	6'	↓	14:40	2	X														

SDG # **L1865239**
K222
 Acctnum: **CHEGCO**
 Template: **T270844**
 Prelogin: **P1140482**
 PM: **824 - Chris Ward**
 PB:

Shipped Via: **FedEX Ground**

Remarks	Sample # (lab only)
	-01
	-02
	-03

* Matrix:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other _____

Remarks:
 pH _____ Temp _____
 Flow _____ Other _____
 Samples returned via: ___ UPS ___ FedEx ___ Courier
 Tracking # **526 2810 2273**

Sample Receipt Checklist
 COC Seal Present/Intact: Y N
 COC Signed/Accurate: Y N
 Bottles arrive intact: Y N
 Correct bottles used: Y N
 Sufficient volume sent: Y N
 If Applicable
 VOA Zero Headspace: Y N
 Preservation Correct/Checked: Y N
 RAD Screen <0.5 mR/hr: Y N

Relinquished by: (Signature)
[Signature]
 Date: **6/2/25**
 Time: **15:30**

Date: **6/2/25**
 Time: **1800**

Received by: (Signature)
[Signature]
 Received by: (Signature)
[Signature]
 Received for lab by: (Signature)
[Signature]

Trip Blank Received: Yes / No
 HCL / MeOH
 TBR
 Temp: °C
11.9 0.8 + 0.4 = 1.2 6
 Date: **6-3-25**
 Time: **0800**

If preservation required by Login: Date/Time
 Hold:
 Condition:
 NCF / OK