


### Current Wellbore Schematic

Well Name: Porter 1  
 Location: 330' FNL, 2310' FWL, NENW Sec 25, T5N, R61W  
 County: Weld  
 API #: 05-123-05166  
 Co-ordinates: 40.377658 / -104.159252  
 Elevations: GROUND: 4568'  
                   KB: 4570'  
 Depths (KB): PBTD: 6541'  
                   TD: 6554'

Date Prepared: 12/12/2025  
 Last Updated: 12/12/2025  
 Spud Date: 7/18/1953  
 Completion Date: 8/2/1953  
 Last Workover Date: 3/5/1957



**Surface Casing:**  
 Surface hole of unknown size (assumed 12-1/4") drilled to 171'  
 Set 10-3/4", 32.75# casing at 171'  
 Cemented with 175 sks  
 TOC at Surface

**Production Casing:**  
 Drilled 7-7/8" surface hole to 6,554'  
 Set 5-1/2", 15.5# casing at 6,541'  
 Cemented with 150 sks  
 Est. TOC at 5,744' (calculated)  
 Cut & pulled at 5,712' during original abandonment

**Open Hole:**  
 7-7/8" Open Hole from 171'-5,712', expected to be washed out

**Tubing:**  
 None

**Rods:**  
 None

**Perforations:**  
 97 Holes (4SPF) from 6,452'-6,476'

**P&A Plugs:**  
 1. 10 sks from 15' to surface  
 2. 10 sks from 150'-170'  
 3. 10 sks from 5,678'-5,712'

**Additional Notes:**  
 Acidized with 4,000 gals HCl

**Initial Potential Test:**  
 (8/15/1953) 24 hour test  
 145 bbl oil  
 Tbg P: 200

**Formation Tops:**

|                       |       |
|-----------------------|-------|
| Base of the Fox Hills | 1418' |
| Niobrara              | 5845' |
| D Sand                | 6459' |

### Proposed Wellbore Schematic

Well Name: Porter 1  
 Location: 330' FNL, 2310' FWL, NENW Sec 25, T5N, R61W  
 County: Weld  
 API #: 05-123-05166  
 Co-ordinates: 40.377658 / -104.159252  
 Elevations: GROUND: 4568'  
                   KB: 4570'  
 Depths (KB): PBTD: 6541'  
                   TD: 6554'

Date Prepared: 12/12/2025  
 Last Updated: 12/12/2025  
 Spud Date: 7/18/1953  
 Completion Start Date: 8/2/1953  
 Last Workover Date: 3/5/1957

