

WELL NAME: STEALTH 22-5 & TR, API #: 071-08527, INSP. # 716301885



PHOTO 1: WELL SIGN



**PHOTO 2: LOCATION.**



**PHOTO 3: TR WELLHEAD AND EQUIPMENT.**



**PHOTO 4: ORIG. WELLHEAD AND EQUIPMENT.**



**PHOTO 5: AREA OF IMPACTED SOIL AROUND ORIGINAL WELL WELLHEAD. Conduct maintenance on equipment, cleanup stained material and review self inspection processes. COMPLY WITH RULE 1002,.(2).D. CA DATE 1/1/2026.**



**PHOTO 6: AREA OF IMPACTED SOIL AROUND TR WELLHEAD. Conduct maintenance on equipment, cleanup stained material and review self inspection processes. COMPLY WITH RULE 1002,.(2).D. CA DATE 1/1/2026.**



**PHOTO 7: DIRVEHEAD ON TR WELL IS LEAKING HYDRAULIC FLUID. Securely fasten all valves, pipes, fittings, and Production Facilities to ensure good mechanical condition, inspect at regular intervals and maintain in good mechanical condition. Engineer, operate, and maintain equipment within the manufacturer's recommended specifications per Rule 608.e. CA DATE 12-22-2025.**