



CEMENT | FLUID | INFRASTRUCTURE SERVICES

WWW.MAGNUMSERVICES.COM



Post Job Report

Prepared for CIVITAS RESOURCES

T-BONE 22N-20-01

API # 123-53013

Surface Casing Cement

August 8th, 2025

Disclaimer and Confidentiality Statement

This report and all accompanying materials, are confidential and intended solely for the use of the individual or entity to whom they are addressed. The interpretations provided by the Magnum Cementing Services Technical Team are based on available data and best practices at the time of reporting. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution, or use of this information is strictly prohibited. If you have received this report in error, please notify the sender immediately and delete it from your system. Magnum Cementing Services assumes no responsibility for decisions made based on the contents of this report. The final use and application of the information contained herein remain the sole responsibility of the Customer.

US Treatment Report



Customer: CIVITAS RESOURCES
Rep:
Supervisor: MICHAEL LOPEZ
Job Type: US Primary
 Casing-Surface

Rig: Patterson 345
Well: T-Bone 22N-20-01
UWI: T-Bone 22N-20-01
Surface: T-Bone 22N-20-01

Job #: JOB00215751
Job Date: AUG 06 @ 00:00
Time Requested: AUG 06 @ 00:00
Time Arrived: AUG 07 @ 21:00
Time Released: AUG 08 @ 01:00

698 sk MAG S 13.3 + 0.10% MCDF-P + 1.00% MCLC-2 + 0.10% MCLC-F

Yield: 1.46 ft³/sk = 181.5bbls Mix Water: 7.05 gal/sk = 117.16 bbl

CONDUCTOR WEIGHT(LB/FT)	94	CONDUCTOR DEPTH	105'	Casing Size (in)	9.625
Casing Grade	J-55	Casing Weight (lb/ft)	36	Casing Size (in)	20
Float Depth (ft)	1673.4	Funnel Vis (sec/qt)	TBD	Max Pressure (psi)	2500
Mud Type	FW	Plug Type	Rig	TMD (ft)	1722.3
TVD (ft)	1697		Supplied		
9.625 CG DEPTH	1712.3'	OPEN HOLE SIZE	13.5"		

Treatment Info: Sacks Used: 698 Sacks Not Used: 0

Preflush: 2bbls Fresh Water & 10bbls MAG Mark & 10bbls Fresh Water

Circulation Time:	1
Slurry Temp:	75 Bulk Sample: Yes
Water Temp:	65 Water Sample: Yes
Bulk Temp:	68 Slurry Sample: Yes
Air Temp:	100 Air Pressure 29.6
	5
Slurry Returns:	20 Plug Bumped: Yes Pump Out Lines: No Float Held: Yes
Cement Class:	Type III Humidity: 11 Precipitation: 0

Displace: 129.3bbls Fresh Water

Time	Pressure psi	Annular Pressure psi	Volume Per Stage bbls	Total Stage Volume bbls	Rate bbls/min	Treatment Detail
21:00	0.00					Arrive on Location - SPOKE WITH COMPANY MAN; WATER TESTED: PH-8; HARDNESS-25 PPM; CHLORIDES- 296 PPM
22:00	0.00					Safety Meeting
22:13	30.00		2	2	2	Fill Lines - BOTTOM PLUG LOADED
22:15	2,500.00					Start Pressure Test
22:18	100.00		20	20	3	Pump Preflush - 10 BBLS OF DYE (22:18); 10 BBLS OF FRESH (22:23)
22:23	300.00		182	182	7	Pump Slurry - MAG S 13.3; 698 SKS; 1.46 CUFT/SKS; 7.05 GAL/SK; TT: 3:19; 85 LBS/SK; TOT: SURFACE: 20 BBL; WET SAMPLE WEIGHED
23:02	0.00					Stop Pumping
23:03	0.00					Drop Plug - COMPANY MAN VERIFIED
23:04	709.00		109.3	109.3	8.2	Displace - FRESHWATER; FIRST 20 BBLS - 5.1 BPM - 230 PSI; 70 BBLS - 78.2 BPM - 524 PSI ; 100 BBLS - 8.2 BPM - 700 PSI; 109.3 BBLS - 8.2 BPM - 709 PSI
23:25	446.00		20	129.3	3	Decrease Rate - LAST 20 BBLS
23:30	1,500.00					Bump Plug - 1500 PSI; CIRC. PRESS. - 547 PSI; 30 MIN CSG TEST: 23:31-00:31
00:01	0.00					Check Floats - FLOATS HELD : 1 BBL BACK
01:00	0.00					Leave Location - WASH UP THEN LEAVE



Customer: Civitas Resources

Date: August 8, 2025

Ticket: JOB00215751

Location: T-Bone 22N-20-01

Well Name: T-Bone 22N-20-01

Job Type: 9.625 SURFACE

Magnum Unit #: 1505

